KIRAN KUMAR D NATIKAR EMP ID NO:2576955 SOURCE CODE Source Code:

#### **Pom.xml:**

```
<?xml version="1.0" encoding="UTF-8"?>
project xmlns="http://maven.apache.org/POM/4.0.0"
      xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      xsi:schemaLocation="http://maven.apache.org/POM/4.0.0"
http://maven.apache.org/xsd/maven-4.0.0.xsd">
      <modelVersion>4.0.0</modelVersion>
      <groupId>com</groupId>
      <artifactId>SearchingandUpdating</artifactId>
      <version>0.0.1-SNAPSHOT
      <packaging>war</packaging>
      <name>SearchingandUpdating Maven Webapp</name>
      <!-- FIXME change it to the project's website -->
      <url>http://www.example.com</url>
      cproperties>
            <maven.compiler.source>1.7</maven.compiler.source>
            <maven.compiler.target>1.7</maven.compiler.target>
      <dependencies>
            <dependency>
                  <groupId>junit</groupId>
                  <artifactId>junit</artifactId>
                  <version>4.11</version>
                  <scope>test</scope>
            </dependency>
            <!--spring context -->
            <dependency>
                  <groupId>org.springframework
                  <artifactId>spring-context</artifactId>
                  <version>5.3.22</version>
            </dependency>
            <!--spring core -->
            <dependency>
                  <groupId>org.springframework
                  <artifactId>spring-core</artifactId>
```

```
<version>5.3.22</version>
</dependency>
<!--Spring beans -->
<dependency>
      <groupId>org.springframework
      <artifactId>spring-beans</artifactId>
      <version>5.3.22</version>
</dependency>
<!--spring web -->
<dependency>
      <groupId>org.springframework
      <artifactId>spring-web</artifactId>
      <version>5.3.22</version>
</dependency>
<!--spring webmvc -->
<dependency>
      <groupId>org.springframework
      <artifactId>spring-webmvc</artifactId>
      <version>5.3.22</version>
</dependency>
<!--spring jdbc -->
<dependency>
      <groupId>org.springframework
      <artifactId>spring-jdbc</artifactId>
      <version>5.3.22</version>
</dependency>
<!--mysql connector -->
<dependency>
      <groupId>mysql</groupId>
      <artifactId>mysql-connector-java</artifactId>
      <version>8.0.30</version>
</dependency>
```

```
<!--java servlet jstl -->
              <dependency>
                     <groupId>javax.servlet
                     <artifactId>istl</artifactId>
                     <version>1.2</version>
              </dependency>
              <!--java servlet API -->
              <dependency>
                     <groupId>javax.servlet
                     <artifactId>javax.servlet-api</artifactId>
                     <version>4.0.1</version>
                     <scope>provided</scope>
              </dependency>
       </dependencies>
       <build>
              <finalName>SearchingandUpdating</finalName>
              <pluginManagement><!-- lock down plugins versions to avoid using Maven</pre>
                            defaults (may be moved to parent pom) -->
                     <plugins>
                            <plugin>
                                   <artifactId>maven-clean-plugin</artifactId>
                                   <version>3.1.0</version>
                            </plugin>
                            <!-- see http://maven.apache.org/ref/current/maven-core/default-
bindings.html#Plugin_bindings_for_war_packaging -->
                            <plugin>
                                   <artifactId>maven-resources-plugin</artifactId>
                                   <version>3.0.2</version>
                            </plugin>
                            <plugin>
                                   <artifactId>maven-compiler-plugin</artifactId>
                                   <version>3.8.0</version>
                            </plugin>
                            <plugin>
                                   <artifactId>maven-surefire-plugin</artifactId>
                                   <version>2.22.1</version>
                            </plugin>
                            <plugin>
                                   <artifactId>maven-war-plugin</artifactId>
                                   <version>3.2.2</version>
                            </plugin>
                            <plugin>
```

```
KIRAN KUMAR D NATIKAR
EMP ID NO:2576955
SOURCE CODE
                                   <artifactId>maven-install-plugin</artifactId>
                                   <version>2.5.2</version>
                            </plugin>
                            <plugin>
                                   <artifactId>maven-deploy-plugin</artifactId>
                                   <version>2.8.2</version>
                            </plugin>
                     </plugins>
              </pluginManagement>
       </build>
</project>
MainController.java:
package com.SearchingandUpdating.controller;
import java.util.List;
import javax.servlet.http.HttpServletRequest;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.ModelMap;
import org.springframework.web.bind.annotation.GetMapping;
import com.SearchingandUpdating.dao.UserDao;
import com.SearchingandUpdating.entity.UserEntity;
@Controller
public class MainController {
       @Autowired
       UserDao dao;
       @GetMapping("/listuser")
       public String getAllUsers(ModelMap map) {
              List<UserEntity> list= dao.getAllUsers();
              map.addAttribute("list", list);
              return "users":
       }
       @GetMapping("/details")
       public String getUser(HttpServletRequest request,ModelMap map) {
              long id=Long.parseLong(request.getParameter("id"));
              UserEntity entity=dao.getUserById(id);
              map.addAttribute("obj",entity);
              return "details";
```

}

```
KIRAN KUMAR D NATIKAR
EMP ID NO:2576955
SOURCE CODE
       @GetMapping("/success")
       public void updateUser(HttpServletRequest request,ModelMap map) {
              long id=Long.parseLong(request.getParameter("id"));
              String name=request.getParameter("name");
    String salary=request.getParameter("salary");
    dao.updateUser(id,name,salary);
}
UserDao.java
package com.SearchingandUpdating.dao;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.util.List;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.dao.DataAccessException;
import org.springframework.jdbc.core.JdbcTemplate;
import org.springframework.jdbc.core.ResultSetExtractor;
import org.springframework.jdbc.core.RowMapper;
import org.springframework.stereotype.Repository;
import com.SearchingandUpdating.entity.UserEntity;
@Repository
public class UserDao {
       @Autowired
       JdbcTemplate jdbcTemplate;
```

```
public List<UserEntity> getAllUsers() {
              return jdbcTemplate.query("select * from user", new RowMapper<UserEntity>()
                     public UserEntity mapRow(ResultSet rs, int rowNum) throws
SQLException {
                            UserEntity obj = new UserEntity();
                            obj.setId(rs.getLong(1));
                            obj.setName(rs.getString(2));
                            obj.setSalary(rs.getBigDecimal(3));
                            return obj;
              });
       }
       public UserEntity getUserById(long id) {
              return jdbcTemplate.query("select * from user where id=" + id,
                            new ResultSetExtractor<UserEntity>() {
                                   public UserEntity extractData(ResultSet rs) throws
SQLException, DataAccessException {
                                           // TODO Auto-generated method stub
                                           if (rs.next()) {
                                                  UserEntity obj = new UserEntity();
```

```
obj.setId(rs.getLong(1));
                                                   obj.setName(rs.getString(2));
                                                  obj.setSalary(rs.getBigDecimal(3));
                                                  return obj;
                                           }
                                           return null;
                                    }
                             });
       }
       public void updateUser(long id,String name,String salary) {
         String sql = "update user set name="+""+name+""+","+"salary="+salary+" where
id="+id;
              jdbcTemplate.update(sql);
       }
UserEntity.java
package com.SearchingandUpdating.entity;
import java.math.BigDecimal;
public class UserEntity {
       private long id;
       private String name;
       private BigDecimal salary;
       public UserEntity() {
       public UserEntity(long id, String name, BigDecimal salary) {
              super();
```

```
KIRAN KUMAR D NATIKAR
EMP ID NO:2576955
SOURCE CODE
              this.id = id;
              this.name = name;
              this.salary = salary;
       }
       public long getId() {
              return id;
       public void setId(long id) {
              this.id = id;
       public String getName() {
              return name;
       }
       public void setName(String name) {
              this.name = name;
       }
       public BigDecimal getSalary() {
              return salary;
       }
       public void setSalary(BigDecimal salary) {
              this.salary = salary;
       @Override
       public String toString() {
              return "UserEntity [id=" + id + ", name=" + name + "]";
       }
}
index.jsp
<html>
<body>
<h2>Spring Application</h2>
<a href="listuser">List All Users</a>
<br>><br>>
<form action="details">
<h3>Search for User</h3>
Enter Id : <input type="text" name="id" >
<input type="submit" value="submit">
</form>
</body>
```

# details.jsp

```
<%@ page language="java" contentType="text/html; charset=UTF-8"</pre>
      pageEncoding="UTF-8" isELIgnored="false"%>
<%@taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Update of Details</title>
</head>
<body>
      <h3>Details of the User</h3>
       <c:set var="user" value="${obj}"></c:set>
      UserID: ${user.id}
       <br/> Name: ${user.name }
      <br> Salary: ${user.salary }
       <hr>
       <br>
      <h3>You can update any UserDetails here</h3>
      <form action="success">
             user id : <input type="text" name="id"><br> <br>
             Name: <input type="text" name="name"><br> <br>
             Salary: <input type="text" name="salary"><br> <br> <br
             <input type="submit" value="submit">
      </form>
</body>
</html>
success.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
  pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1> successfully updated</h1>
```

```
KIRAN KUMAR D NATIKAR
EMP ID NO:2576955
SOURCE CODE
<br>><br>>
<a href="listuser">To see all updated users, click here</a>
</body>
</html>
users.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
  pageEncoding="ISO-8859-1"%>
  <%@taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h1>Available Users </h1>
IDNAMESALARY
      <c:forEach var="p" items="${list}">
            ${p.id} 
                  ${p.name}
                  ${p.salary}
            </c:forEach>
</body>
</html>
test-servlet.xml
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"</pre>
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:context="http://www.springframework.org/schema/context"
  xsi:schemaLocation="
    http://www.springframework.org/schema/beans
    http://www.springframework.org/schema/beans/spring-beans.xsd
    http://www.springframework.org/schema/context
    http://www.springframework.org/schema/context/spring-context.xsd">
```

```
<context:annotation-config></context:annotation-config>
          <!-- jsp output -->
          <context:component-scan base-</pre>
package="com.SearchingandUpdating.controller"></context:component-scan>
          <bean id="jspViewResolver"</pre>
class="org.springframework.web.servlet.view.InternalResourceViewResolver">
          cproperty name="suffix" value=".jsp"></property>
          </bean>
          <!-- database -->
          <bean id="dataSource"</pre>
class="org.springframework.jdbc.datasource.DriverManagerDataSource">
          property name="password" value="Kiran@1312">
          </bean>
          <bean id="jdbcTemplate" class="org.springframework.jdbc.core.JdbcTemplate">
                </bean>
          <bean id="dao" class="com.SearchingandUpdating.dao.UserDao"></bean>
</beans>
web.xml
<web-app>
  <display-name>Archetype Created Web Application</display-name>
  <servlet>
                               <servlet-name>test</servlet-name>
                               <servlet-class>org.springframework.web.servlet.DispatcherServlet</servlet-</pre>
class>
  </servlet>
  <servlet-mapping>
                <servlet-name>test</servlet-name>
               <url><url-pattern>/</url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></url-pattern></
  </servlet-mapping>
  <context-param>
```