



# Jenkins: A complete solution

From Continuous Integration to Continuous  
Delivery  
For  
HSBC



**Rajesh Kumar**


**DevOps Architect**

**@RajeshKumarIN | [www.RajeshKumar.xyz](http://www.RajeshKumar.xyz)**



# Agenda

- ☐ Why Jenkins?
- ☐ Introduction and some facts about Jenkins
- ☐ Supported tech stacks and platforms
- ☐ Security
- ☐ Leveraging Jenkins across various projects
- ☐ Enabling continuous delivery
- ☐ Best practices



Collaboration

Planning

Issue Tracking

Monitoring

Configuration  
Management

Source  
Control


Dev  
Environment

Continuous  
Integration

Continuous  
Delivery

Rep  
Management

# SLACK



Collaboration

Planning

Issue Tracking

Monitoring

Configuration  
Management

Source  
Control


Dev  
Environment


Continuous  
Integration

Continuous  
Delivery

Rep  
Management

WORD  
PRESS



 Login ▾


Menu


Home


Categories ▸


Sample Page

User Activity

 1239319 16 mins ago

 Daniella Romo 55 mins ago

 ahmetkar 1 hour ago

 pankaj 8 hours ago

Search



Another test

Daniella Romo / Uncategorized

3 days ago

3 3



Comment will disappear.

Daniella Romo / Uncategorized

4 days ago

0 0



Do you know Sheldon Cooper?

Daniella Romo / Off Topic

6 days ago

17 9



test 2

Daniella Romo / Off Topic

6 days ago

2 2



test

Daniella Romo / Development Team

6 days ago

1 1

Collaboration

Planning

Issue Tracking

Monitoring

Configuration  
Management

Source  
Control

Dev  
Environment

Continuous  
Integration

Continuous  
Delivery

Rep  
Management

# GITHUB WIKI

## Home

[Edit](#)[New Page](#)

chrismathews edited this page 8 months ago · 11 commits



# HYSTRIX

DEFEND YOUR APP


Pages (13)

- [Home](#)
- [Getting Started](#)
- [How To Use](#)
  - [Hello World!](#)
  - [Synchronous Execution](#)
  - [Asynchronous Execution](#)
  - [Reactive Execution](#)
  - [Fallback](#)
  - [Error Propagation](#)
  - [Command Name](#)
  - [Command Group](#)
  - [Command Thread Pool](#)
  - [Request Cache](#)
  - [Request Collapsing](#)
  - [Request Context Setup](#)
  - [Common Patterns](#)
  - [Migrating to Hystrix](#)
- [How It Works](#)
  - [Execution Flow](#)
  - [Circuit Breaker](#)
  - [Isolation](#)

## What is Hystrix?

In a distributed environment, failure of any given service is inevitable. Hystrix is a library designed to control the interactions between these distributed services providing greater latency and fault tolerance. Hystrix does this by isolating points of access between the services, stopping cascading failures across them, and providing fallback options, all of which improve the system's overall resiliency.

Hystrix evolved out of resilience engineering work that the Netflix API team began in 2011. Over the course of 2012, Hystrix continued to evolve and mature, eventually leading to adoption across many teams within Netflix. Today tens of billions of thread-isolated and hundreds of billions of semaphore-isolated calls are executed via Hystrix every day at Netflix and a dramatic




Your entire project, in a single glance.

 Visual Studio Online







Collaboration

Planning

Issue Tracking

Monitoring

Configuration  
Management

Source  
Control

Dev  
Environment

Continuous  
Integration

Continuous  
Delivery

Repo  
Management



**logstash**



Microsoft®  
**System Center**

**kibana**



**STATSD**

 **graphite**



Collaboration

Planning

Issue Tracking

Monitoring

Configuration  
Management

Source  
Control

Dev  
Environment

Continuous  
Integration

Continuous  
Delivery

Repo  
Management

CFEngine





PalletOps

ANSIBLE

CHEF™





SALTSTACK



git


SUBVERSION®





Octopus Deploy





 Nexus

 artifactory


 archiva™

 nuget



DEBIAN / UBUNTU  
PACKAGE MANAGEMENT






**InstallShield.**



DEBIAN / UBUNTU  
PACKAGE MANAGEMENT




 FLEXERA SOFTWARE®  
**InstallAnywhere®**




[www.scmGalaxy.com](http://www.scmGalaxy.com)

 **nuget**





**maven**



MSBuild

**Nmake**

**Make**

# **HOW TO INTEGRATE EVERYTHING?**



# Jenkins





# Jenkins: Introduction and facts

Jenkins is an award-winning application that monitors executions of repeated jobs, such as building a software project or jobs run by cron. Among those things, current Jenkins focuses on the following two jobs:

- Building/testing software projects continuously
- Monitoring executions of externally-run jobs

## Facts:

- ❑ Written in Java and initially was supposed to be used as a CI tool
- ❑ Over 600 [plugins](#) to customize Jenkins as per your need
- ❑ Over 1000+ public repositories on [Github](#), 500+ contributors, strong [commit activity](#)
- ❑ Free open source and most widely used tool for maintaining continuous integration cycle. [Google trend](#) says it all



# Supported tech stacks and platforms

Other popular non java projects supported by Jenkins:

- ☐ [.Net](#)
- ☐ [Ruby](#)
- ☐ [PHP](#)
- ☐ [Drupal](#)
- ☐ [Perl](#)
- ☐ [C++](#)
- ☐ [Node.js](#)
- ☐ [Python](#)
- ☐ [Android](#)
- ☐ [Scala](#)



## Platforms supported by Jenkins:

- ☐ Windows
- ☐ Ubuntu/Debian
- ☐ Red Hat/Fedora/CentOS
- ☐ Mac OS X
- ☐ openSUSE
- ☐ FreeBSD
- ☐ OpenBSD
- ☐ Solaris/OpenIndiana
- ☐ Gentoo



# Feature

- ❑ Easy [install](#), easy [upgrade](#), easy [configuration](#)
- ❑ [Distributed builds](#) – Arguably most powerful feature.
- ❑ [Monitoring external jobs](#)
- ❑ No limit to the number of jobs, number of slave nodes
- ❑ [Plugin architecture](#): Support for various version control systems, authentication methods, notification, workflow building, and many more features can be added.
- ❑ Jenkins provides machine-consumable [remote access API](#) to its functionalities
- ❑ Actually there are lot of useful plugins. The list is too long to mention here. Go on, explore on your own. There's plugin available for almost everything you would want.





# Securing Jenkins

In the default configuration, Jenkins does not perform any security check. This means any person accessing the website can configure Jenkins and jobs, and perform builds. While this configuration is acceptable during initial evaluation of the software, Jenkins should be configured to authenticate users and enforce access control in most other situations, especially when exposed to the Internet.

This [article](#) explains in detail how to secure your Jenkins.

- ☐ What I usually do is: As an administrator set up 'Project-based Matrix Authorization Strategy' and give only read right to users globally. At job level, you can give required rights to the users. This would help us create separate jobs for separate project teams on the same Jenkins instance.



# Sharing Jenkins across projects

So here's the use case: You are an Ops guy, maintaining the Jenkins Infrastructure and there are a lot of product teams wanting to use Jenkins for their continuous integration and delivery. Would you install a separate Jenkins instance for each team? Obviously No.

Also, each team should get access (after logging into Jenkins server) to view/run/modify only their project's configured jobs. They shouldn't be able to view anything else.

Everything mentioned above can be easily achieved with Jenkins:

- Depending upon the disk and resources usage of each project, you can decide whether the same master Jenkins can be used as a build server or you need a slave instance. This is the most powerful feature of Jenkins – Distributed builds.
- For restricting access to project teams, use 'Project-based Matrix Authorization Strategy' and create separate 'views' for each project. As described in the previous slide.



# Enabling Continuous Delivery

- ❑ Continuous Integration: It is the practice of merging development work with a Master/Trunk/Mainline branch constantly so that you can test changes, and test that changes work with other changes. The idea here is to test your code as often as possible to catch issues early. Most of the work is done by automated tests, and this technique requires a unit test framework. Typically there is a build server performing these tests, so developers can continue working while tests are being performed.
- ❑ Continuous Delivery: It is the continual delivery of code to an environment once the developer feels the code is ready to ship. This could be UAT or Staging or could be Production. But the idea is you are delivering code to a user base, whether it be QA or customers for continual review and inspection.



In other words, Continuous Delivery is a process that merges Continuous Integration with automated deployment, test, and release; creating a Continuous Delivery solution. Continuous Delivery doesn't mean every change is deployed to production ASAP. It means every change is proven to be deployable at any time. Check this [article](#) to get more insight.

Here, we would talk about enabling Continuous Delivery using Jenkins and its plugins. By using [Build pipeline plugin](#) in Jenkins, we can orchestrate the promotion of a version of software through quality gates and into production. By extending the concepts of CI you can create a chain of jobs each one subjecting your build to quality assurance steps. These QA steps may be a combination of manual and automated steps. Once a build has passed all these, it can be automatically deployed into production.



# Sample build pipeline





# Phases of Continuous Delivery


- ☐ Unit Test
- ☐ Code Quality Analysis
- ☐ Deploy to Test Environment
- ☐ Integration Test
- ☐ Packaging and Archiving
- ☐ Deploy to Preproduction Environment
- ☐ Acceptance Test
- ☐ Deploy to Production Environment

Jenkins has every plugin required for the ideal Continuous Delivery process, that too free of cost.

With the help of Jenkins, we can create customized build pipeline to create a dashboard of our own and enable Continuous Delivery in easy steps



# Continuous Delivery Process





# Best Practices

- ☐ Make sure you have backups – better late than never
- ☐ Plan disk usage – make sure it's expandable
- ☐ For easier installation and migration, use native packages if possible
- ☐ Do distributed builds
- ☐ Use labels to optimize resource utilization and improve manageability
- ☐ Make your Jenkins URL short and memorable
- ☐ Discard old build records to keep your Jenkins instance healthy

Check this Jenkins official [page](#) for best practices or download the [white paper](#) from the Jenkins founder Kohsuke Kawaguchi.





Questions?