```
<!doctype html>
<html>
<head>
<meta charset="utf-8">
<title>JavaScript Code Project 2</title>
k rel="stylesheet" href=
"https://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css" integrity=
"sha512-dTfge/zgoMYpP7QbHy4gWMEGsbsdZeCXz7irItjcC3sPUFtf0kuFbDz/ixG7ArTxmDjLXDmezHubeNikyKGVyQ=="
 crossorigin="anonymous">
<style>
#output {
    display:none;
    position:absolute;
    border:1px solid red;
    background:#000000;
    color: #F8F8F8;
    top:100px;
    left:10px;
    padding:5px;
#container {
padding:50px;
 text-align:center;
.tooltipa{
    color: blue;
    background: #D7D7D7;
}
</style>
</head>
<body>
<div id="container">
This is my content, and if you hover over here a <span class="tooltipa" data-toolcontent=</p>
"first tooltip" >tooltip</span> will appear.
This is my content, and if you hover over here a <span class="tooltipa" data-toolcontent=</p>
"Second tooltip" >tooltip 2</span> will appear.
<div id="output">Tool Tip</div>
</div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js" integrity=</pre>
"sha512-K1qjQ+NcF2TYO/eI3M6v8EiNYZfA95pQumfvcVrTHtwQVDG+aHRqLi/ETn2uB+1JqwYqVG3LIvdm91j6imS/pQ=="
crossorigin="anonymous"></script>
<script>
var tooltiptool = document.getElementsByClassName('tooltipa');
var output = document.getElementById('output');
for(var i=0; i<tooltiptool.length; i++){</pre>
        tooltiptool[i].onmouseover = function(e){
        console.log(this);
        var x = e.clientX, y =e.clientY;
        output.style.top = (y+5) + 'px';
```

```
output.style.left = (x+5) + 'px';
output.style.display='block';
output.innerHTML = this.getAttribute('data-toolcontent');

};
/*
tooltiptool[i].onmouseout = function(e){
   output.style.display='none';
   console.log('OUT');
};
*/
}

//script>

//par

//script>

//script>

//script>

//script>

//script>

//script>

//script>

//script>

//script>

//script>
```