


JEPPESEN

PONTIANAK, INDONESIA



10 AUG 18 (10-9) **SUPADIO** S00 08.7 E109 24.2 *SUPADIO Tower *ATIS 127.4 118.3 109-24.2 109-24.3 109-24 109-25 00-08.7 197'(60m) Stopway Elev 3' 00-08.8 O NDB 144 ARP 00-08.9 Terminal ⊛ Control Tower 00-09 00-09 PARKING POSITION INFORMATION Military apron STAND No. COORDINATES \$00 08.9 E109 24.3 \$00 08.8 E109 24.2 \$00 08.7 E109 24.2 \$00 08.6 E109 24.2 1 thru 3 4 thru 8 9 thru 13 14 1000 2000 3000 197'(60m) Stopway Feet 0 Meters 200 400 600 800 1000 1200 Elev 10' 109-24 109-25 ADDITIONAL RUNWAY INFORMATION **USABLE LENGTHS** LANDING BEYOND Glide Slope RWY Threshold TAKE-OFF WIDTH ¹⁵000₃₃ RL HIALS PAPI-L (angle 3.0°) 6505'1983m 148 RL PAPI-L (angle 3.0°) 45m • Runway slippery during and shortly after rain. 2 B737-200 and similar restricted to 100,000 lb take-off weight. 3 B737-300/400/500 restricted to 99,500 lb take-off weight. **TAKE-OFF** AIR CARRIER (JAA) AIR CARRIER (FAR 121) LVP must be in Force All Rwys All Rwys All Rwys RCLM (Day only) or RL RCLM (Day only) or RL Adequate Vis Ref 2 C RVR 250m Eng RVR 400m 400m 3 & 4 D RVR 300m Ena CHANGES: Airport diagram, lighting, glide slope. © JEPPESEN, 2018. ALL RIGHTS RESERVED.

JEPPESEN

PONTIANAK, INDONESIA

WIOO/PNK

