



ARMI

(Airport and Route Manual Information)

ENDE

WATE / ENE

DOMESTIC

I. Airport Data

Name	ICAO	IATA	ARP	Magnetic Variation	Airport Elevation (Feet)	Local time (UTC +/-)
H. Hasan Aoeboesman Airport	WATE	ENE	S 08° 50.52 E 121° 39.47	-	15	+8

Runways designator	Length	Strength	VASIS	RWY THR Elev
09 - 27	1650 x 30 m (5415 x 98 ft)	Asphalt Concrete PCN 28 F/D/Y/T	N/A	NA

II. Communication & Navigation Aids facilities

TOWER Ende Radio	118.7	DVOR	112.9	NDE
SSB	78250	NDB	350	DE
ATS	AFIS			

III. Airport location/ AD Administration

- 1.5 km from City.
- Operator UPT
- Operating Hours : 06.00 – 17.00 WITA

IV. Minimum Safe / Sector Altitude (MSA)

- NA

V. Climate / Weather Condition

- Generally the weathre is clear
- Variable wind direction, mostly coming from south-east
- Max speed 20 knot
- Average temperature 31°C

VI. Ground/ Taxi maneuvering

- Provided TWY A & B
- Taxi and Parking follow yellow line
- Parking position by Marshall

VII. Parking

- Stand Parking Provided
- Nose out Position/ Facing to the Runway

VIII. Ground Handling Servicing

- Reserved

IX. Fuel Servicing & Rescue and Fire Fighting

- PT PERTAMINA
- AES FACs ; Cat V

X. Medical Facilities

- Hospital at town

XI. Accommodation

- Hotels available at Town

XII. Immigration Procedures

- N/A

XIII. Entry Procedures - Arrival Procedures

STANDARD ARRIVAL ROUTES (STAR)

No STAR

XIV. Departure procedures

STANDARD INSTRUMENT DEPARTURE (SID)

No SID

XV. Search and Rescue

- In general, Search and Rescue procedures are in conformity with the Standards, Recommended Practices and Procedures contain in ICAO.
- The following Emergency / distress frequencies are provided:
 - a. VHF – 121.5 MHz.
 - b. UHF – 243.0 MHz.
 - c. HF – 500 kHz, 2.182 kHz, 8.364 kHz.

XVI. ATC Flight plans routes and distances

- **WATO – WATE (LBJ - ENE) R01**
 WATO...LB...RG...ED...WATE **Distance 110 NM**

- Grid MORA is 10,500 feet

- **WATE – WATO (ENE - LBJ) R01**
 WATE...08121...RG...LB...WATO **Distance 110 NM**

- Grid MORA is 10,500 feet

XVII. ALTERNATE

Destination	Alternate	Loc. Ind.		ATR 72- 600	TT	NM	G/ H Provider
ENDE WATE/ ENE	Koepang	WATT	KOE		NA	164	PT PTN
	Lombok	WADL	LOP		NA	356	PT GAPURA
	Labuan Bajo	WATO	LBJ		NA	110	Reserved

Note: refer to MISCELLANEOUS DOMESTIC 3.3.3 Destination Alternate List
+ :alternate airport adequate for indicated aircraft type
- : alternate airport NOT adequate for indicated aircraft type

- **WATE – WATT (ENE - KOE) R01**
 WATE...NO...KPG...WATT **Distance 164 NM**
- Grid MORA 10,500 feet

- **WATE – WADL (ENE - LOP) R01**
WATE...DE...RG...(W42)...PO...NG...PENYU...(BELUIC)
...BELUS...LMB...PUSUK...WADL **Distance 356 NM**
- Grid MORA 14,800 feet

- **WATE – WATO (ENE - LBJ) R01**
WATE...08121...RG...LB...WATO **Distance 110 NM**
- Grid MORA 10,500 feet

XVIII. Remarks

- RWY 27 is used for Arrival
- RWY 09 is used for Departure
- The residence/ folkhouse exist near the edge of the Runway
- People and animal cross the Runway