RAJALAKSHMI ENGINEERING COLLEGE

Kirankumar V 250701354-2025-CSE

K2

Started on	Wednesday, 16 September 2026, 9:27 AM
State	Finished
Completed on	Wednesday, 16 September 2026, 9:35 AM
Time taken	7 mins 56 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two arrays array_One[] and array_Two[] of same size N. We need to first rearrange the arrays such that the sum of the product of pairs(1 element from each) is minimum. That is SUM (A[i] * B[i]) for all i is minimum.

For example:

Input	Result
3 1 2 3 4 5 6	28

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
    int n;
    scanf("%d",&n);
    int ar1[n];
    int ar2[n];
    for(int i=0;i<n;i++)
        scanf("%d",&ar1[i]);
    for(int i=0;i<n;i++)
        scanf("%d",&ar2[i]);
    for (int i = 0; i < n; i++) {
        for (int j = i + 1; j < n; j++) {

            if (ar1[i] > ar1[j]) {
                int temp = ar1[i];
                ar1[i] = ar1[j];
                ar1[j] = temp;
            }
        }
    }
    for (int i = 0; i < n; i++) {
        for (int j = i + 1; j < n; j++) {

            if (ar2[i] < ar2[j]) {
                int ttemp = ar2[i];
                ar2[i] = ar2[j];
                ar2[j] = ttemp;
            }
        }
    }
    int s=0;
    for(int i=0;i<n;i++)
        s=s+(ar1[i]*ar2[i]);
    printf("%d",s);


}
```

	Input	Expected	Got	
✔	3 1 2 3 4 5 6	28	28	✔

	Input	Expected	Got	
✔	4 7 5 1 2 1 3 4 1	22	22	✔
✔	5 20 10 30 10 40 8 9 4 3 10	590	590	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course