

Goed.ontvangstdatum: 06.11.2025
Dagdatum : 06.11.2025

Losplaats: tcp17

Fabriek : 1500
Omschrijving: Solution Center Elsloo

Leverancier : 0000101364

Naam : Arcus Nederland B.V.

Bestelling : 4501264722

Inkoopgroep : EOS Spork, S.

Telefoon: 06-22762049

Pos	Artikel	Omschrijving	Kostenplaats	Hoevh	Eh
PosB	Rubricering	Losplaats	Ordernummer		
0001		Pipe Seamless 1" 2.77mm A312 TP304L		3.	
0010	F 000300085611			6 M	
	PRINCE	tcp17	300085611		
	Pipe Seamless 1" 2.77mm A312 TP304L	3.2 ASME B36.19M PD3.11.2-3550P.2			
SITECH					
PRINCE;project-num=16;pur-num=284;pur-item=1;stock-num=10197					

Goedgekeurd: Stork Industry Services

Kenmerk (chargenr.): S-33646

Aantal bladen (excl) : 3 Blz.

Datum: 13-11-2025

Handtekening :



Ken + waarmerken artikel

MAXIM S.S. SEAMLESS CFP TUBE 1"
NB x SCH 10S x 6000 MM LONG.
EN 10216-5 TC1 D31F3 ASTM/ASME
A1SA-312 TP-304/304L (1.4301/1.4301)
Heat NO: S-33646 (17392/4)
"ET" "HNP" 100% PMI OK

7-11-25 MM.

ORIGINEEL



Magazijnbon: PKZ43812, PKZ44011
Klant: Stork Industry Services Limburg B.V.
Afleveradres: Stork Industry Services B.V.
Business Park Stein 318
6181 MC ELSLOO
The Netherlands
Contactgegevens: T.a.v.: Logistiek Centrum

Referentie	Verkooporder	Bestel Datum	Koper	Verkoop Arcus
4501264722	VKZ27836	3-11-2025	Spork	Xavier Grashorn

Wij danken u voor uw bestelling en leveren u de onderstaande materialen:

Geleverd	Besteld	Productcode	Artikel	Gewicht	Verpakkingsnummer
✓ 6,00	6,00	S4L-110	NAADLOZE BUIS A/SA 312, EN 10216-5 TC 1 304/304L/1.4301-1.4307 1" SCH10S	12,6	72P17
Herkomst: IN HSC: 73044100 Charge: S-33646 6,00 METER 12,6 OPK00036814					
✓ 2,00	2,00	ES4L-110	NAADLOZE BOCHT 90 LR A/SA403 ASME B16.9 WP304/304L 1" SCH 10S	0,2	
Herkomst: MY HSC: 73072310 Charge: M240971 2,00 STUKS 0,2 74P18 OPK00036876					
✓ 6,00	6,00	S4L-310	NAADLOZE BUIS A/SA 312, EN 10216-5 TC 1 304/304L/1.4301-1.4307 3" SCH10S	39,6	
Prijs is € 37,49 p/mtr. ipv € 27,49 p/mtr.					
Herkomst: IN HSC: 73044100 Charge: 25L0057 6,00 METER 39,6 74P9 OPK00036814					
✓ 6,00	6,00	S4L-210	NAADLOZE BUIS A/SA 312, EN 10216-5 TC 1 304/304L/1.4301-1.4307 2" SCH10S	24,0	
Herkomst: IN HSC: 73044100 Charge: 25L0101 6,00 METER 24,0 OPK00036814					
✓ 4,00	4,00	ES4L-210	NAADLOZE BOCHT 90 LR A/SA403 ASME B16.9 WP304/304L 2" SCH 10S	2,0	
Herkomst: CN HSC: 73072310 Charge: NY231022AS16 4,00 STUKS 2,0 OPK00036876					
✓ 1,00	1,00	ESRS4L-310	NAADLOZE BOCHT 90 SR A/SA403 ASME B16.9 WP304/304L 3" SCH 10S	1,0	
Let op wij bieden 304L aan en leveren 304L net als de overige materialen.					
Herkomst: CN HSC: 73072310 Charge: NY241104AT18 1,00 STUKS 1,0 OPK00036813					
✓ 1,00	1,00	TS4LE-340	NAADLOZE T-STUK A/SA403 ASME B16.9 WP304/304L 3" SCH40S ORIGINE EUROPESE UNIE	2,4	
Herkomst: IT HSC: 73072390 Charge: 1134423 1,00 STUKS 2,4 OPK00036876					
✓ 1,00	1,00	RTS4LE-3240	NAADLOZE VERL. T-STUK A/SA403 ASME B16.9 WP304/304L 3" X 2" SCH40S ORIGINE EUROPESE UNIE	2,1	
Dit is de prijs voor 1 stuks. (Of hebben jullie er toch 2 nodig)					
Herkomst: IT HSC: 73072390 Charge: 1077423 1,00 STUKS 2,1 OPK00036876					
✓ 3,00	3,00	WN1504L-210	WELDING NECK FLENS RF A/SA182 ASME B16.5 F304/304L 2" SCH10S 150LBS	7,8	



✓	Herkomst: IN	HSC: 73072100	Charge: FC391	3,00	STUKS	7,8	OPK00036876
✓	3,00	3,00	WN3004L-110	WN FLANGE RF A/SA182 ASME B16.5 F304/304L 1" SCH10S 300LBS		4,8	
✓	Herkomst: IN	HSC: 73072100	Charge: FC126	3,00	STUKS	4,8	OPK00036876
✓	2,00	2,00	WN1504L-110	WN FLENS RF A/SA182 ASME B16.5 F304/304L 1" SCH10S 150LBS		2,2	
✓	Herkomst: IN	HSC: 73072100	Charge: FA469	2,00	STUKS	2,2	OPK00036876
✓	1,00	1,00	TS4LE-240	NAADLOZE T-STUK A/SA403 ASME B16.9 WP304/304L 2" SCH40S ORIGINE EUROPESE UNIE		0,9	
✓	Herkomst: IT	HSC: 73072390	Charge: 1095425	1,00	STUKS	0,9	OPK00036876
✓	1,00	1,00	RS4L-2110	NAADLOZE CON. VERLOOP A/SA403 ASME B16.9 WP304/304L 2" X 1" SCH10S		0,2	
✓	Herkomst: CN	HSC: 73072390	Charge: 1205AS02	1,00	STUKS	0,2	OPK00036876
✓	1,00	1,00	BL3004L-2	BLINDFLENS RF A/S182 ASME B16.5 F304/304L 2" 300LBS		3,2	
✓	Herkomst: IN	HSC: 73072100	Charge: FEA34	1,00	STUKS	3,2	OPK00036876
✓	1,00	1,00	BL3004L-1	BLINDFLENS RF A/SA182 ASME B16.5 F304/304L 1" 300LBS		1,4	
	Herkomst: IN	HSC: 73079100	Charge: FD079	1,00	STUKS	1,4	OPK00036876

Verpakkingsnummer	Type	Afmetingen	Gewicht
OPK00036813	Doos	16.0 x 12.0 x 12.0	1,1
OPK00036814	Bundel	602.0 x 11.0 x 15.0	76,2
OPK00036876	Pallet smal met 1 rand	80.0 x 60.0 x 33.0	44,7

Certificaat:

Arcus Nederland BV heeft deze roestvrijstalen materialen met de grootste zorg bij u afgeleverd. Houdt u er rekening mee dat RVS een goede opslag vereist. Kijk voor meer informatie op www.arcuseurope.com



A NORSOK APPROVED & DNV APPROVAL OF MANUFACTURER, AN ISO 9001:2015, ISO 14001:2015,
ISO 45001:2018, PED & ADW / AD 2000 W0 CERTIFIED COMPANY
MFG. & EXPORTER OF STAINLESS STEEL SEAMLESS & WELDED PIPES I TUBES I U TUBES
GOVT. RECOGNISED EXPORT HOUSE I CIN-U27106G I 2006PTC049217

INSPECTION CERTIFICATE AS PER EN 10204 - 3.2										F/QAC/12.REV.01		
CUSTOMER NAME :- M/s ARCUS NEDERLAND B.V.										T.C.NO :- MTCPL/2025-26/0235A1		
P.O. NO. :- PUR-IOZ03618RH										DATE :-28.05.2025		
O.A.NO. :- 2025/05/17392/EXP										DATE :-28.05.2025		
QAP.NO. :- GENERAL_ARCUS NEDERLAND_REV.05										DATE :-23.08.2021		
PRODUCT :- AUSTENITIC S.S. SEAMLESS TUBES (COLD FINISHED, SOLUTION ANNEALED & PICKLED)-MELTING PROCESS:- E.F.+A.O.D.												
MAT.SPEC. :- ASTM A 312-24b, TP 304/304L, SA 312 OF ASME SEC-II PART-A EDITION 2025, ANSI B36.10/19 EN 10216-5 2021, TC-1, GRADE 1.4301/1.4307,												
PURCHASING SPECIFICATION S-ASTM, REV.8. 23.08.2021, NACE MR 0175-2021/ISO 15156-3 : 2020 & NACE MR 0103/ISO 17945: 2015(R2023),												
SR. NO.	HEAT NO.	DIMENSIONS								NO. OF PCS	TOTAL METER	
4	S-33646	1" NB X SCH 10S X 6000 MM LONG								31	186.000	
CHEMICAL TEST %												
SR. NO.	HEAT NO.	S	C	Si	Mn	P	S	Ni	Cr	Mo	N	Ti
4	S-33646		0.030	1.000	2.000	0.040	0.015	8.000	18.000	--	0.100	--
			MAX	MAX	MAX	MAX	MAX	10.000	19.500	--	MAX	--
		H	0.027	0.300	1.620	0.037	0.009	8.130	18.280	--	0.095	--
		P1	0.026	0.312	1.610	0.035	0.008	8.113	18.284	--	0.093	--
		P2	0.027	0.326	1.603	0.036	0.007	8.094	18.260	--	0.091	--
MECHANICAL TESTS												
SR. NO.	TENSILE STRENGTH Rm MPa	YIELD STRENGTH Rp 0.2% MPa	YIELD STRENGTH Rp 1.0% MPa	ELON. A%, G.L.=5.65√A, G.W= FULL SPECIMEN	ELON. A%, G.L= 50MM, G.W= FULL SPECIMEN	HARDNESS TEST MAX	FLARING TEST	FLANGE TEST	DRIFT/RING EXPANSION TEST	FLATTENING TEST	RING TENSILE TEST	OTHER TEST
REQ.	515 - 680	205 MIN	230 MIN	40%(MIN)	35%(MIN)	99 HRB	--	--	--	--	--	--
4	600.00	283.00	312.00	54	55	73-75	N.A	N.A	OK	OK	N.A	N.A
REMARKS:-												
MARKING ON PRODUCT :- MAXIM S.S. SEAMLESS CFD TUBE, SIZE, SPECN, GRADE, HEAT NO, (O.A.No/Sr. No.) "ET" "HNP" "100% PMI OK"												
HEAT TREATMENT :- SOLUTION ANNEALED AT TEMP. ABOVE 1040°C AND QUENCHED IN WATER.												
HYDRO TEST PRESSURE :- 2500psi(g), (WATER USED HAVING CHLORIDE CONTENT LESS THAN 10ppm & HOLDING TIME 10 SEC. MIN)												
EDDY CURRENT TEST:-100% EDDY CURRENT TEST ASTM E 426 & EN 10893-1, ACCEPTANCE STD. 1.40 MM Ø DRILL HOLE AS PER ASTM A 999/999M,												
CARRIED OUT BY MTCPL & REPORT REVIEWED BY TUV - FOUND SATISFACTORY.												
[1] I.G.C TEST ACCORDING TO ASTM A-262 PRACTICE "E" & EN ISO 3651-2 METHOD - A CARRIED OUT BY MTCPL & REPORT REVIEWED BY TUV -FOUND SATISFACTORY.												
[2] MECHANICAL TEST AS PER ASTM/ASME A/SA-312 AND EN 10216-5 TC-1 CARRIED OUT BY MTCPL & WITNESSED BY TUV -FOUND SATISFACTORY.												
[3] PRODUCT ANALYSIS AS PER ASTM/ASME A/SA-312, EN 10216-5 CARRIED OUT BY MTCPL & REPORT REVIEWED BY TUV-FOUND SATISFACTORY.												
[4] 100% HYDRO TEST AS PER ASTM/ASME A/SA 999/999M, EN 10216-5 CARRIED OUT BY MTCPL & REPORT REVIEWED BY TUV-FOUND SATISFACTORY.												
[5] 100% PMI TEST CARRIED OUT BY MTCPL & 10% WITNESSED BY TUV -FOUND SATISFACTORY.												
[6] 100% DIMENSION ACCORDING TO EN ISO 1127 D3/T3 AND VISUAL CHECKED BY MTCPL & 10% WITNESSED BY TUV- FOUND SATISFACTORY.												
[7] 10% WITNESSED TUBES ARE DOUBLE(ELECTRO-ETCHING METHOD)STAMPED AS "HNP" AND OTHERS TUBES ARE SINGLE STAMPED FOR IDENTIFICATION.												
[8] MATERIAL IS FREE FROM MERCURY AND RADIOACTIVE CONTAMINATION.												
[9] THE MELT & MANUFACTURE OF THE BARS USED FOR THE PRODUCTION OF THIS SIZE IS INDIAN ORIGIN. "HS CODE: 72221119"												
[10] THIS MATERIAL IS PRODUCED BY MAXIM TUBES COMPANY PRIVATE LIMITED AND IS OF INDIAN ORIGIN. "HS CODE: 73044100"												
[11] THIS MATERIAL DOES NOT CONTAIN ANY STEEL PRODUCTS ORIGINATING FROM RUSSIA IN ACCORDANCE WITH ANNEX XVII TO THE (EU) REGULATIONS NO. 833/2014 AND FURTHER AMENDMENT.												
[12] APPROVED ACC. TO AD2000-MERKBLATT W0 AND CERTIFIED ACCORDING TO PED 2014/68/EU ANNEX-I SEC 4.3 BY CERTIFICATION BODY- FOR PRESSURE EQUIPMENT OF TUV NORD SYSTEMS (REG. NO. 0045), MTCPL CERTIFICATE NO. TN/AD2000-W0/21680/24 & 0045/202/WZ/21680/24												
NOTE:- S= SPECIFICATION, P= PRODUCT ANALYSIS, H= HEAT ANALYSIS, G.L.= GAUGE LENGTH, G.W= GAUGE WIDTH, N.A = NOT APPLICABLE.												
				P.O. ITEM:- PARTIAL								
INSPECTOR'S/SURVEYOR'S SIGN								MANAGER (Q.A.)			WORKS INSPECTOR (Q.A.)	

WE HEREBY CERTIFY THAT THE MATERIAL IS AS PER SIZE & SPECIFICATION MENTIONED IN ORDER, ALL TEST RESULT ARE ACCEPTABLE.

REGISTERED OFFICE & WORKS: SURVEY NO. 105/106, NR. 66 KV SUBSTATION, CHHATRAL - PANSAR ROAD, AHMEDABAD - MEHSANA HIGHWAY, CHHATRAL - 382729, TA. KALOL, DISTRICT GANDHINAGAR, GUJARAT, INDIA.
EXPORT PHONE: +91 99091 98877, FAX: +91 2764 234477, EXPORT@MAXIMTUBES.COM I WWW.MAXIMTUBES.COM

Ensuring Stainless Performance™