
https://us-east-1.console.aws.amazon.com/console/home?region=us-east-1#
aws
Services
Search for services, features, marketplace products, and docs [Alt+S]
N. Virginia
Support
AWS Management Console
AWS services
Recently visited services
EC2
All services
Build a solution
Get started with simple wizards and automated workflows.
Launch a virtual machine
With EC2
2-3 minutes
Build a web app
With Elastic Beanstalk
6 minutes
Build using virtual servers
With Lightsail
1-2 minutes
Register a domain
With Route 53
3 minutes
Connect an IoT device
With AWS IoT
5 minutes
Start migrating to AWS
With AWS MGN
1-2 minutes
Start a development project
With CodeStar
5 minutes
Deploy a serverless microservice
With Lambda, API Gateway
2 minutes
See more
Stay connected to your AWS resources on-the-go
AWS Console Mobile App now supports four additional regions. Download the AWS Console Mobile App to your iOS or Android mobile device. Learn more
Explore AWS
Modernize Your APIs with GraphQL
AWS AppSync is a fully-managed GraphQL service that improves app performance and developer productivity. Learn more
AWS Backup
Centrally manage and automate backups across AWS services. Learn more
AWS Certification
Discover the top 7 reasons to get AWS Certified. Learn more
Announcing Incident Manager from AWS Systems Manager
Respond faster to application issues using new incident response and analysis capabilities. Learn more
Have feedback?


1. Choose AMI
2. Choose Instance Type
3. Configure Instance
4. Add Storage
5. Add Tags
6. Configure Security Group
7. Review
Step 1: Choose an Amazon Machine Image (AMI)
Cancel and Exit
An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace; or you can select one of your own AMIs.
Search for an AMI by entering a search term e.g. "Windows"
Search by Systems Manager parameter
Quick Start
My AMIs
AWS Marketplace
Community AMIs
Free tier only
1 to 44 of 44 AMIs
Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5eff06f840b45e9 (64-bit x86) / ami-09d19e919d57453f8 (64-bit Arm)
Amazon Linux
Free tier eligible
Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is approaching end of life on December 31, 2020 and has been removed from this wizard.
Root device type: ebs
Virtualization type: hvm
ENA Enabled: Yes
Select
64-bit (x86)
64-bit (Arm)
macOS Big Sur 11.4 - ami-0459d6b36df3c5ba5
The macOS Big Sur AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.
Root device type: ebs
Virtualization type: hvm
ENA Enabled: Yes
Select
64-bit (Mac)
macOS Catalina 10.15.7 - ami-04c57fb416ca98499
The macOS Catalina AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.
Root device type: ebs
Virtualization type: hvm
ENA Enabled: Yes
Select
64-bit (Mac)
macOS Mojave 10.14.6 - ami-075723d78cedf20b6
The macOS Mojave AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.
Root device type: ebs
Virtualization type: hvm
ENA Enabled: Yes
Select
64-bit (Mac)
Red Hat Enterprise Linux 8 (HVM), SSD Volume Type - ami-0b0af3577fe5e3532 (64-bit x86) / ami-01fc429821bf1f4b4 (64-bit Arm)
Red Hat
Free tier eligible
Red Hat Enterprise Linux version 8 (HVM), EBS General Purpose (SSD) Volume Type
Root device type: ebs
Virtualization type: hvm
ENA Enabled: Yes
Select
64-bit (x86)
64-bit (Arm)
Explore AWS


1. Choose AMI
2. Choose Instance Type
3. Configure Instance
4. Add Storage
5. Add Tags
6. Configure Security Group
7. Review
Step 6: Configure Security Group
A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. Learn more about Amazon EC2 security groups.
Assign a security group: Create a new security group
Select an existing security group
Security group name: launch-wizard-2
Description: launch-wizard-2 created 2021-06-07T11:30:07.135+05:30
Type
Protocol
Port Range
Source
Description
SSH
TCP
22
Custom
0.0.0.0/0
e.g. SSH for Admin Desktop
All traffic
All
0 - 65535
Anywhere
0.0.0.0/0, ::/0
e.g. SSH for Admin Desktop
Add Rule
Warning
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Cancel
Previous
Review and Launch


Step 7: Review Instance Launch
Improve your instances' security. Your security group, launch-wizard-2, is open to the world.
Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only.
You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. Edit security groups
AMI Details
Edit AMI
Instance Type
Edit instance type
Security Groups
Edit security groups
Instance Details
Edit instance details
Storage
Edit storage
Tags
Edit tags
Select an existing key pair or create a new key pair
A key pair consists of a public key that AWS stores, and a private key file that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance.
Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about removing existing key pairs from a public AMI.
Create a new key pair
Key pair name
my-movie-plan
Download Key Pair
You have to download the private key file (*.pem file) before you can continue. Store it in a secure and accessible location. You will not be able to download the file again after it's created.
Cancel
Launch Instances
Cancel
Previous
Launch


Instances (1/1) Info
Connect
Instance state
Actions
Launch instances
Instance state: running
Clear filters
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IPv4 DNS
Public IPv4 ...
Elastic IP
i-0b18d5979f1518b1f
Running
t2.micro
Initializing
No alarms
us-east-1d
ec2-3-87-23-8.compute...
3.87.23.8


https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#ConnectToInstance:instanceId=i-0e19201d262ba77e5
Services
Search for services, features, marketplace products, and docs [Alt+S]
EC2 > Instances > i-0e19201d262ba77e5 > Connect to instance
Connect to instance Info
Connect to your instance i-0e19201d262ba77e5 using any of these options
EC2 Instance Connect
Session Manager
SSH client
EC2 Serial Console
Instance ID
i-0e19201d262ba77e5
1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is my-movie-plan.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.
chmod 400 my-movie-plan.pem
4. Connect to your instance using its Public DNS:
ec2-52-7-134-66.compute-1.amazonaws.com
Example:
ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
Note: In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.
Cancel

```
Aditya@pc   ~/Downloads
$ chmod 400 my-movie-plan.pem

Aditya@pc   ~/Downloads
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvTxE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.

       __|  __|_  )
       _|  (     /   Amazon Linux 2 AMI
      ___|\___|___|

https://aws.amazon.com/amazon-linux-2/
6 package(s) needed for security, out of 17 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-86-0 ~]$
```

```
ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
he authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
CDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvTxE.
re you sure you want to continue connecting (yes/no/[fingerprint])? yes
arning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.

       __|  __|_  )
       _|  (     /   Amazon Linux 2 AMI
      ___|\___|___|

ttps://aws.amazon.com/amazon-linux-2/
 package(s) needed for security, out of 17 available
un "sudo yum update" to apply all updates.
ec2-user@ip-172-31-86-0 ~]$ sudo yum update -y
oaded plugins: extras_suggestions, langpacks, priorities, update-motd
esolving Dependencies
--> Running transaction check
---> Package chrony.x86_64 0:3.5.1-1.amzn2.0.1 will be updated
---> Package chrony.x86_64 0:4.0-3.amzn2.0.1 will be an update
---> Package ec2-utils.noarch 0:1.2-43.amzn2 will be updated
---> Package ec2-utils.noarch 0:1.2-44.amzn2 will be an update
---> Package glibc.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-all-langpacks.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-all-langpacks.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-common.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-common.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-locale-source.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-locale-source.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-minimal-langpack.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-minimal-langpack.x86_64 0:2.26-45.amzn2 will be an update
```

```
omplete!
root@ip-172-31-29-148 ~]# java -version
penjdk version "1.8.0_282"
penJDK Runtime Environment (build 1.8.0_282-b08)
penJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]# sudo yum install java-1.8.0-openjdk
oaded plugins: extras_suggestions, langpacks, priorities, update-motd
ackage 1:java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64 already installed and latest version
othing to do
root@ip-172-31-29-148 ~]#
root@ip-172-31-29-148 ~]# java -version
penjdk version "1.8.0_282"
penJDK Runtime Environment (build 1.8.0_282-b08)
penJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]#
```

```
  xml-commons-resolver.noarch 0:1.2-15.amzn2

Complete!
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install git
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package git-2.23.4-1.amzn2.0.1.x86_64 already installed and latest version
Nothing to do
[ec2-user@ip-172-31-29-148 ~]$ git --version
git version 2.23.4
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install maven
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package maven-3.0.5-17.amzn2.noarch already installed and latest version
Nothing to do
[ec2-user@ip-172-31-29-148 ~]$ mvn -v
Apache Maven 3.0.5 (Red Hat 3.0.5-17)
Maven home: /usr/share/maven
Java version: 1.8.0_282, vendor: Red Hat, Inc.
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "4.14.231-173.360.amzn2.x86_64", arch: "amd64", family: "unix"
[ec2-user@ip-172-31-29-148 ~]$
```

```
       __|  __|_  )
       _|  (     /   Amazon Linux 2 AMI
      ___|\___|___|

https://aws.amazon.com/amazon-linux-2/
[ec2-user@ip-172-31-29-148 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo https://pkg.jenkins.io/redhat-stable/jenkins.r
epo
--2021-04-29 05:12:56--  https://pkg.jenkins.io/redhat-stable/jenkins.repo
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:2f::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 85
Saving to: '/etc/yum.repos.d/jenkins.repo'

100%[==========================================================================>] 85          --.-K/s   in 0s

2021-04-29 05:12:56 (6.00 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]

[ec2-user@ip-172-31-29-148 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
[ec2-user@ip-172-31-29-148 ~]$ yum install jenkins
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
You need to be root to perform this command.
[ec2-user@ip-172-31-29-148 ~]$ sudo -i
[root@ip-172-31-29-148 ~]# yum install jenkins
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
amzn2-core                                                               | 3.7 kB  00:00:00
jenkins                                                                  | 2.9 kB  00:00:00
jenkins/primary_db                                                       |  37 kB  00:00:00
Resolving Dependencies
--> Running transaction check
```

```
[root@ip-172-31-29-148 ~]# sudo systemctl start jenkins
[root@ip-172-31-29-148 ~]# sudo cat /var/lib/jenkins/secrets/initialAdminPassword
0811c483fdc84df7906bf37a2906754c
[root@ip-172-31-29-148 ~]#
```


Not secure | 52.7.134.66:8080/login?from=%2F
Getting Started
Unlock Jenkins
To ensure Jenkins is securely set up by the administrator, a password has been written to the log (not sure where to find it?) and this file on the server:
/var/lib/jenkins/secrets/initialAdminPassword
Please copy the password from either location and paste it below.
Administrator password
Continue


Not secure | 52.7.134.66:8080
Getting Started
Customize Jenkins
Plugins extend Jenkins with additional features to support many different needs.
Install suggested plugins
Install plugins the Jenkins community finds most useful.
Select plugins to install
Select and install plugins most suitable for your needs.


Not secure | 34.204.2.214:8080/view/all/newJob
Jenkins
search
Dashboard
All
Enter an item name
mysql-my-movie-plan
» Required field
Freestyle project
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.
Pipeline
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
GitHub Organization
Scans a GitHub organization (or user account) for all repositories matching some defined markers.
GitHub Organization
Scans a GitHub organization (or user account) for all repositories matching some defined markers.
Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.
OK


46 collectd available [=stable]
47 aws-nitro-enclaves-cli available [=stable]
48 R4 available [=stable]
49 kernel-5.4 available [=stable]
50 selinux-ng available [=stable]
51 php8.0 available [=stable]
52 tomcat9 available [=stable]
53 unbound1.13 available [=stable]
54 mariadb10.5 available [=stable]
55 kernel-5.10 available [=stable]
56 redis6 available [=stable]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
EPOSITORY TAG IMAGE ID CREATED SIZE
ec2-user@ip-172-31-86-0 ~]$


47 aws-nitro-enclaves-cli available [=stable]
48 R4 available [=stable]
49 kernel-5.4 available [=stable]
50 selinux-ng available [=stable]
51 php8.0 available [=stable]
52 tomcat9 available [=stable]
53 unbound1.13 available [=stable]
54 mariadb10.5 available [=stable]
55 kernel-5.10 available [=stable]
56 redis6 available [=stable]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
EPOSITORY TAG IMAGE ID CREATED SIZE
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker jenkins
ec2-user@ip-172-31-86-0 ~]$


Not secure | 52.7.134.66:8080/view/all/newJob
Jenkins
search
board › All ›
Enter an item name
my-movie-plan-backend
» Required field
Freestyle project
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.
Pipeline
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
GitHub Organization
Scans a GitHub organization (or user account) for all repositories matching some defined markers.
Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.
If you want to create a new item from other existing, you can use this option:
Copy from
Type to autocomplete
OK


Not secure | 34.204.2.214:8080/job/my-movie-plan-backend/configure
hboard › my-movie-plan-backend ›
General
Build Triggers
Advanced Project Options
Pipeline
Definition
Pipeline script from SCM
SCM
Git
Repositories
Repository URL
https://github.com/JRiyaz/my-movie-plan-backend.git
Credentials
- none -
Add
Advanced...
Add Repository
Branches to build
Branch Specifier (blank for 'any')
*/main
Add Branch
Repository browser
(Auto)
Additional Behaviours
Add
Script Path
Save
Apply


Not secure | 54.172.237.186:8080/configureTools/
Dashboard
Global Tool Configuration
Add Git
Gradle
Gradle installations
Add Gradle
List of Gradle installations on this system
Ant
Ant installations
Add Ant
List of Ant installations on this system
Maven
Maven installations
Add Maven
Maven
Name
maven
MAVEN_HOME
/usr/share/maven
Install automatically
Delete Maven
Add Maven
List of Maven installations on this system
Save
Apply


Not secure | 54.172.237.186:8080/view/all/newJob
Jenkins
search
1
ashboard
All
Enter an item name
my-movie-plan-backend
» Required field
Freestyle project
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.
Pipeline
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.
GitHub Organization
Scans a GitHub organization (or user account) for all repositories matching some defined markers.
Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.
If you want to create a new item from other existing, you can use this option:
Copy from
Type to autocomplete
OK


Dashboard
my-movie-plan-backend
General
Build Triggers
Advanced Project Options
Pipeline
Pipeline speed/durability override
Preserve stashes from completed builds
This project is parameterized
Throttle builds
Build Triggers
Build after other projects are built
Projects to watch
mysql-my-movie-plan,
Trigger only if build is stable
Trigger even if the build is unstable
Trigger even if the build fails
Build periodically
GitHub hook trigger for GITScm polling
Poll SCM
Disable this project
Quiet period
Trigger builds remotely (e.g., from scripts)
Advanced Project Options
Advanced...
Pipeline
Definition
Pipeline script from SCM
SCM
Git
Repositories
Save
Apply


NMS Cinemas
Home
Movies
About Us
Contact Us
Login
Register
RRR
Telugu | War - Romance - Action - Fantasy | 2021


NOW PLAYING
view all


NMS Cinemas
Home
Login
Register
Forgot Password
Invalid username or password
Login Page
Enter your username
Aditya.g@gmail.com
Enter your password
Login
Designed & Developed by Riyaz J


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Save password
Microsoft Edge will save and fill your password for this site next time.
Save
Never
Login Success
OK
S S RAJAMOULI'S
RRR
RISE
ROAR
REVOLT
RRR
Telugu | War - Romance - Action - Fantasy | 2021


NOW PLAYING
view all


localhost:4200/user/register
NMS Cinemas
Home
Login
Register
Forgot Password
Register Here
Enter your Email
Enter your name
+91
Enter your Mobile
Enter your password
Select Gender
Male
Agree to terms & conditions
Register
Designed & Developed by Riyaz J


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
Cinema Halls
Shows
Movies
INOX
PVR
GOPALAN GRAND MALL
Morning Show | Time: 11:00 AM
Matinee | Time: 02:00 PM
First Show | Time: 06:00 PM
Second Show | Time: 09:00 PM
Rrr | lang: Telugu | start: June 2, 2021 | end: June 10, 2021
Add Cinema Hall
Add Show
Add New Movie
Add Movie To The Show


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
Cinema Halls
Shows
Movies
INOX
PVR
GOPALAN GRAND MALL
Morning Show | Time: 11:00 AM
Matinee | Time: 02:00 PM
First Show | Time: 06:00 PM
Second Show | Time: 09:00 PM
Rrr | lang: Telugu | start: June 2, 2021 | end: June 10, 2021
Add Cinema Hall
Add Show
Add New Movie
Add Movie To The Show


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
Your profile
Name
Aditya Gupta
Email
Aditya.g@gmail.com
Mobile
8318152817
Gender
Male
Designed & Developed by Riyaz J


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
Your profile
Name
Aditya Gupta
Email
Aditya.g@gmail.com
Mobile
8318152817
Gender
Male
Designed & Developed by Riyaz J


NMS Cinemas
Home
Movies
About Us
Contact Us
Aditya.g@gmail.com
SHOW
Show
Now Playing
FILTERS
Language
Clear
Genre
Clear
Now Playing
Search for movie, genre or language
Now Playing
Now Playing
Now Playing
RRR
RRR
PUSHPA



About the Movie

Pushpa is an upcoming Indian Telugu-language action thriller film written and directed by Sukumar. Produced by Naveen Yerneni and Y. Ravi



About the Movie

Pushpa is an upcoming In Yerneni and Y. Ravi


localhost:4200/movie/5
NMS Cinemas
Home
Movies
About Us
Contact Us
Aditya.g@gmail.com
PUSHPA : Pushpa
Select the Cinema Hall
Select the Show Timing
Select the Date
Select No.of seats
Review
1
2
3
4
5
Back
next
About the Movie


NMS Cinemas
Home
Movies
About Us
Contact Us
Aditya.g@gmail.com
Payment Gateway (do not refresh the page)
Booking Details
Auditorium INOX
Show First Show
Show Timing 06:00 PM
Movie Name PUSHPA
Movie Lang Telugu
Date Jun 15, 2021
Card Number
16 digit card number
Month
Year
CVV
Select card expiry month
select card expiry year
Pay ₹2,200.00


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
REGISTER NEW AUDITORIUM HERE
1 Auditorium Details
Name
Image URL
Seating Capacity
100
Email Id
Customer Care Number
Address
Next
Add Safeties


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
ADD NEW MOVIE
1 Movie Details
2 Add Language
3 Add Language
4 Add Cast Details
5 Add Crew Details
6 Review
Name
Release Date
Image URL
Background Image URL
Duration
Movie Caption
Story


NOTE: do not refresh the page
Movie: PUSHPA
Time: 06:00 PM
Date: Tuesday, June 15, 2021
Seats Selected: F4, F5, F6, F7, E5
Amount: 2000
Proceed
GOLD ₹500.00
J
I
H
SILVER ₹400.00
G
F
E
D
EXECUTIVE ₹300.00
C
B
A
Screen is this way


NMS Cinemas
Home
Movies
About Us
Contact Us
Admin Panel
Aditya.g@gmail.com
Your booking list
Booking 1 2021-06-10
Booking 2 2021-06-10
PUSHPA
INOX
Movie Language Telugu
Total seats 5
Seat No. F4, F5, F6, F7, E5
Price ₹2,000.00
Date Jun 15, 2021
Time 06:00 PM
Status Confirmed



About Us



Write to us by filling in the form below

Your Name

Email Id

Message

Contact Us

Contact Us

Big Tree Entertainment Private Limited Ground Floor, Wajeda House, Gulmohar Cross Road No. 7, Juhu Scheme, Mumbai, Maharashtra - 400049

nms@cinemas.com

1800-894-4059


EXPLORER
OPEN EDITORS 1 UNSAVED
MY-MOVIE-PLAN
.vscode
e2e
images
node_modules
src
app
classes
util
validators
commons
global-constants.spec.ts
global-constants.ts
components
about-us
auditorium-form
contact-us
footer
forgot-password
header
home-page
layout
login
login-layout
manage
movie
movie-form
movies
my-bookings
profile
register
templates
guards
admin
auth
form
img
interfaces
application.ts
pipes
search.pipe.spec.ts
search.pipe.ts
OUTLINE
TIMELINE
my-bookings.component.html
my-bookings.component.ts
token-interceptor.service.ts M
global-constants.ts M
src > app > commons > global-constants.ts > GlobalConstants > ROOT_URL
public static ALL_GENERS: string[] = ['Comedy', 'Romance', 'Action', 'Drama', 'Fantasy', 'Horror', 'Mystery', 'Thriller', 'Crime',
public static ALL_LANGUAGES: string[] = ['English', 'Hindi', 'Telugu', 'Kanada', 'Tamil', 'Malayalam', 'Urdu', 'Marathi', 'Punjabi'
public static HALL_SAFETIES: string[] = ['Thermal Scanning', 'Contactless Security CheckK', 'Hand Sanitizers Available',
'Sanitization Before Every Show', 'In-Cinema Social Distancing',
'Contactless Food Service', 'Packaged Food and Beverage', 'Daily Temperature Checks for Staff',
'Deep Cleaning of Restrooms', 'Limited Occupancy In Restrooms', 'Sanitized / Sterilized 3D Glasses'];
public static HALL_FACILITIES: string[] = ['MTicket', 'Wheel Chair Facility', 'Recliner Seats', 'Parking Facility', 'Food Court',
public static ROOT_URL = 'http://34.204.2.214:5555/my-movie-plan';
public static REGISTER_URL = `${GlobalConstants.ROOT_URL}/user/sign-up`;
public static CHECK_UNIQUENESS_URL = `${GlobalConstants.ROOT_URL}/user/check`;
public static UPDATE_USER_URL = `${GlobalConstants.ROOT_URL}/user/update`;
public static GET_LOGGED_IN_USER_URL = `${GlobalConstants.ROOT_URL}/user/get-user`;
public static AUTHENTICATE_URL = `${GlobalConstants.ROOT_URL}/user/authenticate`;
public static UNIQUE_USER_URL = `${GlobalConstants.ROOT_URL}/user/check`;
public static FORGOT_PASSWORD_URL = `${GlobalConstants.ROOT_URL}/user/forgot-password`;
public static AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium`;
public static GET_ALL_AUDITORIUMS_URL = `${GlobalConstants.ROOT_URL}/auditorium/all`;
public static ADD_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/add`;
public static UPDATE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/update`;
public static DELETE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/delete`;
public static MOVIE_URL = `${GlobalConstants.ROOT_URL}/movie`;
public static NOW_PLAYING_AND_UP_COMING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing-up-coming`;
public static NOW_PLAYING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing`;


MY-MOVIE-PLAN
.vscode
e2e
images
node_modules
src
app
classes
util
validators
commons
components
about-us
auditorium-form
contact-us
footer
forgot-password
header
home-page
layout
login
login-layout
manage
movie
movie-form
movies
my-bookings
profile
register
templates
guards
admin
auth
form
img
interfaces
pipes
services
alert
application
auth
global


MY-MOVIE-PLAN
interfaces
pipes
services
alert
application
auth
global
token-interceptor
user
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
assets
environments
favicon.ico
index.html
main.ts
polyfills.ts
styles.css
test.ts
.browserslistrc
.dockerignore
.editorconfig
.gitignore
angular.json
docker-compose.yml
Dockerfile
Jenkinsfile
karma.conf.js
nginx.conf
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
tsconfig.spec.json
tslint.json


my-movie-plan-backend D:\Programs\Simplilearn\Projects\capstone\myMoviePlan\my-mov
.idea
.mvn
images
src
main
java
com.MyMoviePlan
config
InitialData
controller
AuditoriumController
BookingController
MovieController
MovieShowController
ShowController
UserController
entity
ActorEntity
AuditoriumEntity
BookingDetailsEntity
BookingEntity
MovieEntity
MovieShowsEntity
PaymentEntity
PriceEntity
ShowEntity
UserEntity
exception
AuditoriumNotFoundException
BookingNotFoundException
GlobalExceptionHandler
MovieNotFoundException
MovieShowNotFoundException
ShowNotFoundException
UnAuthorizedException
UserNotFoundException
filter
JWTFilter
model
BookedSeats
Credentials
HttpResponse
TicketDetails
Token
UserPermission
UserRole
repository
ActorRepository


model
BookedSeats
Credentials
HttpResponse
TicketDetails
Token
UserPermission
UserRole
repository
ActorRepository
AuditoriumRepository
BookingRepository
MovieRepository
MovieShowsRepository
PaymentRepository
PriceRepository
ShowRepository
UserRepository
security
ApplicationSecurity
ApplicationUserDetails
ApplicationUserDetailsService
service
BookingDetailsRepository
UserService
util
BeanSupplier
JWTUtil
MyMoviePlanApplication
ServletInitializer
resources
static
templates
application.properties
application-dev.properties
application-prod.properties
application-test.properties
test
target
.gitignore
docker-compose.yml
Dockerfile
Dockerfile-mysql
HELP.md
Jenkinsfile
mvnw
mvnw.cmd
my-movie-plan-backend.iml
pom.xml
README.md


my-movie-plan-backend D:\Programs\Simplilearn\Projects\capstone\my3MoviePlan\my-movie
.idea
.mvn
images
src
main
java
resources
static
templates
application.properties
application-dev.properties
application-prod.properties
application-test.properties
test
target
.gitignore
docker-compose.yml
Dockerfile
Dockerfile-mysql
HELP.md
Jenkinsfile
mvnw
mvnw.cmd
my-movie-plan-backend.iml
pom.xml
README.md
External Libraries
Scratches and Consoles
spring.datasource.url=jdbc:mysql://mysql-my-movie-plan:3306/my_movie_plan?useSSL=false
spring.datasource.username=mysql
spring.datasource.password=root
spring.jpa.hibernate.ddl-auto=update
spring.jpa.show-sql=true
spring.jpa.properties.hibernate.format_sql=true
spring.jpa.properties.hibernate.dialect=org.hibernate.dialect.MySQL8Dialect
spring.datasource.driver-class-name=com.mysql.jdbc.Driver