Full Name	Nanubolu Sai Surya Kiran				
Batch	MS FSD DEC 2021 Cohort 1				
Project Name	Learners Academy				
Project Submission Date	09-04-2022				

```
Source Code
```

```
Login.java
```

```
package myPackage;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;
@WebServlet("/Login")
public class Login extends HttpServlet {
      protected void doPost(HttpServletRequest request,
HttpServletResponse response) throws ServletException, IOException
             String username = request.getParameter("username");
             String password = request.getParameter("password");
             if(username.equals("username") &&
password.equals("password"))
               HttpSession session = request.getSession();
               session.setAttribute("username", username);
               response.sendRedirect("Admin.jsp");
             else
               response.sendRedirect("Login.jsp");
          }
```

```
Login.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
<title>Welcome to Learner's Academy</title>
<body>
<form action="Login" align="center" method="post">
<h1>Welcome to Learner's Academy</h1>
<br></br>
Enter username : <input type="text" name="username"> <br>
     <br> Enter password : <input type="password" name="password"> <br>
      <br> <input type="submit" value ="Sign In">
     </form>
</body>
</html>
Admin.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Admin</title>
</head>
<body align="center">
      response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
      if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
      }
      응>
      <h1>Administrative Portal</h1>
      <a href="Classes.jsp">Classes</a><br>
      <a href="Students.jsp">Students</a><br>
      <a href="Subjects.jsp">Subjects</a><br>
      <a href="Faculty.jsp">Faculty</a><br>
      <a href="Schedule.jsp">Schedule</a><br>
      <br></br>
      <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
```

```
</body>
</html>
Classes.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Classroom Details</title>
</head>
<body align="Center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Students.jsp">Students</a>
     <a href="Subjects.jsp">Subjects</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Class Rooms in Learner's Academy</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/KiranDB" user="root"
password="Kiran@2402"/>
      <sql:query var="rs" dataSource="${db}"> select * from ClassRooms
</sql:query>
     Room No
          Room Name
     <c:forEach items="${rs.rows}" var="ClassRooms">
     <c:out value="${ClassRooms.Room No}"></c:out>
      <c:out value="${ClassRooms.ClassRoomName}"></c:out>
      </c:forEach>
     <br></br>
        <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
</body>
</html>
Students.jsp
```

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Students Details</title>
</head>
<body align="Center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     }
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Class Rooms</a>
     <a href="Subjects.jsp">Subjects</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Students List</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/KiranDB" user="root"
password="Kiran@2402"/>
     <sql:query var="rs" dataSource="${db}"> select * from Students
</sql:query>
     Roll No
          First Name
          Last Name
          Gender
          Age
          Course
     <c:forEach items="${rs.rows}" var="Students">
     \langle t.r \rangle
          <c:out value="${Students.Roll No}"></c:out>
          <c:out value="${Students.First Name}"></c:out>
          <c:out value="${Students.Last Name}"></c:out> 
          <c:out value="${Students.Gender}"></c:out>
          <c:out value="${Students.Age}"></c:out>
          <c:out value="${Students.Course}"></c:out>
     </c:forEach>
     <br></br>
        <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
```

```
</body>
</html>
Faculty.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
    <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
    <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Faculty Details</title>
</head>
<body align="center">
      response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
      if (session.getAttribute("username") ==null)
        response.sendRedirect("Login.jsp");
      응>
      <a href="Admin.jsp">Administrative</a>
      <a href="Classes.jsp">Class Rooms</a>
      <a href="Students.jsp">Students</a>
      <a href="Subjects.jsp">Subjects</a>
      <a href="Schedule.jsp">Schedule</a><br>
```

<sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>

<sql:query var="rs" dataSource="\${db}"> select \* from Faculty

<c:out value="\${Faculty.Regd\_Id}"></c:out>
<c:out value="\${Faculty.First\_Name}"></c:out>
<c:out value="\${Faculty.Last Name}"></c:out>

<c:out value="\${Faculty.Age}"></c:out>
<c:out value="\${Faculty.Gender}"></c:out>
<c:out value="\${Faculty.Subject}"></c:out>
<c:out value="\${Faculty.Salary}"></c:out>

url="jdbc:mysql://localhost:3306/KiranDB" user="root"

<c:forEach items="\${rs.rows}" var="Faculty">

<h3>Faculty Details</h3>

Age
Gender
Subject
Salary

password="Kiran@2402"/>

</sql:query>

 $\langle t.r \rangle$ 

```
        </form action="Logout" method="post"></form action="Logout" value="Logout"></form>

        </form>

        </body></html>

        Subjects.jsp

        <%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>

        <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>

        <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Subject Details</title>
</head>
<body align="center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Classes</a>
     <a href="Students.jsp">Students</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Schedule.jsp">Schedule</a><br>
     <h3>Subject Details</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/KiranDB" user="root"
password="Kiran@2402"/>
     <sql:query var="rs" dataSource="${db}"> select * from Subjects
</sql:query>
     Subject Code
          Subject Name
     <c:forEach items="${rs.rows}" var="Subjects">
     \langle t.r \rangle
          <c:out value="${Subjects.Subject Code}"></c:out>
          <c:out value="${Subjects.Subject Name}"></c:out>
```

```
</c:forEach>

<br>
<br>
<br>
<form action="Logout" method="post">
<input type="submit" value="Logout">
</form>
</body>
</html>
```

#### Schedule.isp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
   pageEncoding="ISO-8859-1"%>
   <%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
   <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Schedule</title>
</head>
<body align="center">
     response.setHeader("Cache-Control", "no-cache, no-store, must-
revalidate"); //It will not store the cache. It prevents back button
issue.
     if (session.getAttribute("username") ==null)
       response.sendRedirect("Login.jsp");
     응>
     <a href="Admin.jsp">Administrative</a>
     <a href="Classes.jsp">Classes</a>
     <a href="Students.jsp">Students</a>
     <a href="Faculty.jsp">Faculty</a>
     <a href="Subjects.jsp">Students</a><br>
     <h3>Subject Details</h3>
     <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"</pre>
url="jdbc:mysql://localhost:3306/KiranDB" user="root"
password="Kiran@2402" />
     <sql:query var="rs" dataSource="${db}"> select * from Schedule
</sql:query>
     Room No
           Room Name
           Faculty
           Subject
           Student
       Time
     <c:forEach items="${rs.rows}" var="Schedule">
```

```
<c:out value="${Schedule.Room No}"></c:out>
          <c:out value="${Schedule.Room Name}"></c:out>
          <c:out value="${Schedule.Faculty}"></c:out>
          <c:out value="${Schedule.Subject}"></c:out>
          <c:out value="${Schedule.Student}"></c:out>
          <c:out value="${Schedule.Time}"></c:out>
     </c:forEach>
     <br></br>
        <form action="Logout" method="post">
      <input type="submit" value="Logout">
      </form>
</body>
</html>
Logout.Java
package myPackage;
import java.io.IOException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
```

#### **Screen Shots**

Login Page
Welcome to Learner's Academy
Enter username :
Enter password :
Sign In
Logging In
Welcome to Learner's Academy
Enter username : username
Enter password :
Sign In
Admin Page
Administrative Portal
<u>Classes</u> <u>Students</u>
Subjects Faculty
<u>Schedule</u>
Logout
Class Rooms Master List

#### Administrative Students Subjects Faculty Schedule

## Class Rooms in Learner's Academy

Room No	Room Name
1	Mother Teresa Hall
2	CV Raman Hall
3	Saraswathi Hall
4	Abdul Kalam Hall
5	Kalpana Chawla Hall
6	Vivekananda Hall

Logout

### **Students Master List**

Administrative Class Rooms Subjects Faculty Schedule

#### **Students List**

Roll No	First Name	Last Name Gender		Age	Course
1001	Nagaraju	Ch	M	28	ITP
1002	Manoj	Puli	M	25	SSC
1003	Vinay Kumar	Metta	M	24	Banking
1004	Ganesh	Veera	M	27	Banking
1005	Laya	Megha	F	23	SSC
1006	Pavani	Nagi	F	25	ITP
1007	Arjun	Nag	M	25	Banking
1008	Pallavi	Sai	F	24	SSC
1009	Nitya	Menon	F	32	ITP
1010	Karthik	Bhim	M	21	Banking
1011	Rashmika	Mandana	F	29	Banking
1012	Pooja	Hegde	F	28	SSC

Logout

## **Subjects Master List**

## Administrative Classes Students Faculty Schedule

## **Subject Details**

Subject Code	Subject Name
11	Quant
12	Algebra
13	GK
14	Core
15	Reasoning
16	English

Logout

# **Faculty Master File**

Administrative Class Rooms Students Subjects Schedule

## **Faculty Details**

Regd_Id	First Name	Last Name	Age	Gender	Subject	Salary
2001	Dinesh	Patro	29	M	Quant	70000.0
2002	Raju	Kumar	28	M	Algebra	65000.0
2003	Harish	Kumar	27	M	GK	60000.0
2004	Pandu	Varma	35	M	Core	45000.0
2005	Kumar	Das	38	M	Reasoning	50000.0
2006	Vinitha	Pamnani	26	F	English	75000.0

Logout

## Schedule

### Administrative Classes Students Faculty Students

## **Subject Details**

Room No	Room Name	Faculty	Subject	Student	Time
1	Mother Teresa Hall	Dinesh Patro	Quant	Nagaraju Ch	09:30
1	Mother Teresa Hall	Dinesh Patro	Quant	Manoj Puli	09:30
2	CV Raman Hall	Raju Kumar	Algebra	Vinay Kumar Metta	10:00
2	CV Raman Hall	Raju Kumar	Algebra	Ganesh Veera	10:00
3	Saraswathi Hall	Harish Kumar	GK	Laya Megha	10:30
3	Saraswathi Hall	Harish Kumar	GK	Pavani nagi	10:30

Logout

# Flow Diagram

