

# Cucumber Report

Sep 25, 2023, 3:53:06 PM

Start : Sep 25, 3:49:05.960 PM

End : Sep 25, 3:53:04.980 PM

Duration : 3 m 59.020 s

Features


Scenarios

Steps


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0


PASSED - 63  
FAILED - 5  
SKIPPED - 4



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Pool Manager test scenarios</u>	3 m 59.020 s	3	0	3	0	72	63	5	4





#	Feature Name	T	P	F	S	Duration
1	<u>Pool Manager test scenarios</u>	3	0	3	0	3 m 59.020 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Pool Manager test scenarios</u>	<u>01_Successful login with valid credentials</u>	22	21	1	0	1 m 3.862 s
2	<u>Pool Manager test scenarios</u>	<u>02_Successful login with valid another credentials</u>	22	19	1	2	36.490 s
3	<u>Pool Manager test scenarios</u>	<u>03_Successful login with valid another credentials</u>	28	23	3	2	2 m 18.587 s

## Pool Manager test scenarios

<b>FAILED</b>	DURATION - 3 m 59.020 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 72 Pass - 63 Fail - 5 Skip - 4	
/ 3:49:05.960 PM // 3:53:04.980 PM /					



### 01\_Successful login with valid credentials

<div><div>FAILED</div><div>DURATION - 1 m 3.862 s</div></div>			Steps	
/ 3:49:05.961 PM // 3:50:09.823 PM /			Total - 22	
Pool Manager test scenarios			Pass - 21	
			Fail - 1	
			Skip - 0	


#	Step / Hook Details	Status	Duration
1	Given I Open the suretreat application	PASSED	15.313 s
2	When I click on " Log In " button	PASSED	0.962 s
3	And I Enter email as "Kiran_User@yopmail.com"	PASSED	0.166 s
4	And I Enter password as "Test@123"	PASSED	0.113 s
5	And I Scroll Down	PASSED	2.022 s
6	When I click on " Login " button	PASSED	0.251 s
7	And I click on " Quick Test " button	PASSED	8.517 s
8	And I Scroll Down of the page	PASSED	3.305 s
9	And I click on " RUN TEST " button	PASSED	5.223 s
10	And I click on "Run Manual Test" button	PASSED	0.155 s
11	When I Enter the value "5" in field "pH"	PASSED	4.452 s
12	And I Enter the value "80" in field "Calcium Hardness"	PASSED	0.250 s
13	And I Scroll Middle	PASSED	2.023 s
14	When I Select "Eye" Radio button	PASSED	0.180 s
15	When I Select "Green haze" Radio button	PASSED	0.169 s

#	Step / Hook Details		Status	Duration	
16	And I Scroll Down		PASSED	2.030 s	
17	When I click on "Report" button		PASSED	0.152 s	
18	Then I Should see the "PH" value as "7 pH"		FAILED	15.326 s	
	Expected Text not Match				
19	And I Should see the " CALCIUM HARDNESS" value as "80 ppm"		PASSED	0.081 s	
20	And I Should see below details		PASSED	0.309 s	
	Condition	Recommendation			Product
	Total hardness is low	Total hardness levels are too low. Consult your pool and spa dealer for advice about *			2643.8 lbs of Calcium Har*
	pH is low	The pH level is too low. Low pH can lead to aggressive water that may damage equip*			1.3 lbs of Soda Ash
	- Consult your pool and *	Consult your pool and spa dealer for help with eye irritation reduction.			1.0 lbs of Oxidizer
	- Consult your pool and *	Consult your pool and spa dealer for help with green algae removal.			40 oz of Algae Kill,10 oz of*
	* The data cell text(s) have been cropped to fit in the available space.				
21	And I Scroll Up of the Page				PASSED
22	And I logout of the application		PASSED	0.484 s	

## 02\_Successful login with valid another credentials

<div>FAILED</div> <div>DURATION - 36.490 s</div>		<div><table><thead><tr><th>Step</th><th>Failures</th></tr></thead><tbody><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>6</td></tr><tr><td>5</td><td>3</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>5</td></tr><tr><td>9</td><td>0</td></tr><tr><td>10</td><td>0</td></tr><tr><td>11</td><td>2</td></tr><tr><td>12</td><td>0</td></tr><tr><td>13</td><td>0</td></tr><tr><td>14</td><td>2</td></tr><tr><td>15</td><td>0</td></tr></tbody></table></div>	Step	Failures	1	4	2	2	3	0	4	6	5	3	6	0	7	0	8	5	9	0	10	0	11	2	12	0	13	0	14	2	15	0	<div>Steps</div> <div>Total - 22</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
Step	Failures																																			
1	4																																			
2	2																																			
3	0																																			
4	6																																			
5	3																																			
6	0																																			
7	0																																			
8	5																																			
9	0																																			
10	0																																			
11	2																																			
12	0																																			
13	0																																			
14	2																																			
15	0																																			
<div>/ 3:50:09.865 PM // 3:50:46.355 PM /</div>																																				
<div>Pool Manager test scenarios</div>																																				

#	Step / Hook Details	Status	Duration
1	Given I Login with email as "Kiran_User@yopmail.com" and Password as "Test@123"	PASSED	4.029 s
2	And I Scroll Down	PASSED	2.019 s
3	When I click on " Login " button	PASSED	0.261 s
4	And I click on " Quick Test " button	PASSED	6.914 s
5	And I Scroll Down of the page	PASSED	3.280 s
6	And I click on " RUN TEST " button	PASSED	0.164 s
7	And I click on "Run Manual Test" button	PASSED	0.158 s
8	When I Enter the value "5" in field "Acid Demand"	PASSED	5.199 s


#	Step / Hook Details	Status	Duration												
9	And I Enter the value "80" in field "Calcium Hardness"	PASSED	0.228 s												
10	And I Enter the value "120" in field "Total Alkalinity"	PASSED	0.236 s												
11	And I Scroll Middle	PASSED	2.028 s												
12	When I Select " Cloudy / Hazy " Radio button	PASSED	0.181 s												
13	And I Select " Dirty / Muddy " Radio button	PASSED	0.165 s												
14	And I Scroll Down	PASSED	2.027 s												
15	And I Select " Blue-Green " Radio button	PASSED	0.165 s												
16	And I Select " Crystal Clear Water " Radio button	PASSED	0.136 s												
17	When I click on "Report" button	PASSED	0.142 s												
18	And I Should see below details	PASSED	6.654 s												
	<table><tr><th>Condition</th><th>Recommendation</th><th>Product</th></tr><tr><td>Total hardness is low</td><td>Total hardness levels are too low. Consult your pool and spa de*</td><td>2643.8 lbs of Calcium Hardness</td></tr><tr><td>- Consult your pool and spa dealer for *</td><td>Consult your pool and spa dealer for help with water clarification.</td><td>2 oz of Clarifier,1.0 lbs of Oxidiz*</td></tr><tr><td colspan="3">* The data cell text(s) have been cropped to fit in the available space.</td></tr></table>	Condition	Recommendation	Product	Total hardness is low	Total hardness levels are too low. Consult your pool and spa de*	2643.8 lbs of Calcium Hardness	- Consult your pool and spa dealer for *	Consult your pool and spa dealer for help with water clarification.	2 oz of Clarifier,1.0 lbs of Oxidiz*	* The data cell text(s) have been cropped to fit in the available space.				
Condition	Recommendation	Product													
Total hardness is low	Total hardness levels are too low. Consult your pool and spa de*	2643.8 lbs of Calcium Hardness													
- Consult your pool and spa dealer for *	Consult your pool and spa dealer for help with water clarification.	2 oz of Clarifier,1.0 lbs of Oxidiz*													
* The data cell text(s) have been cropped to fit in the available space.															
19	And I Scroll Middle	PASSED	2.013 s												
20	And I Should see below details	FAILED	0.014 s												
	<table><tr><th>Condition</th><th>Recommendation</th><th>Product</th></tr><tr><td>- Consult your pool and spa dealer for help with dirt / *</td><td>Consult your pool and spa dealer for help with dirt / mud removal.</td><td></td></tr><tr><td>Clear water maintenance</td><td>Consult your pool and spa dealer for information about maintaining your w*</td><td></td></tr><tr><td colspan="3">* The data cell text(s) have been cropped to fit in the available space.</td></tr></table> <p>java.lang.NullPointerException: Cannot invoke "String.contains(java.lang.CharSequence)" because the return value of "java.util.Map.get(Object)" is null at com.sure.stepDefs.QuickTestStepDef.i_Should_See_Below_Details(QuickTestStepDef.java:134) at ?.I Should see below details(file:///C:/Users/Admin/eclipse-workspace/Pool/src/test/resources/features/PoolManager.feature:56) * Not displayable characters are replaced by '?'. </p>	Condition	Recommendation	Product	- Consult your pool and spa dealer for help with dirt / *	Consult your pool and spa dealer for help with dirt / mud removal.		Clear water maintenance	Consult your pool and spa dealer for information about maintaining your w*		* The data cell text(s) have been cropped to fit in the available space.				
Condition	Recommendation	Product													
- Consult your pool and spa dealer for help with dirt / *	Consult your pool and spa dealer for help with dirt / mud removal.														
Clear water maintenance	Consult your pool and spa dealer for information about maintaining your w*														
* The data cell text(s) have been cropped to fit in the available space.															
	AFTER_STEP - com.sure.stepDefs.QuickTestStepDef.ScreenShot(io.cucumber.java.Scenario)	PASSED	0.150 s												
	image														
															
21	And I Scroll Up of the Page	SKIPPED	0.000 s												
22	And I logout of the application	SKIPPED	0.000 s												

### 03\_Successful login with valid another credentials

<div>FAILED</div>	<div>DURATION - 2 m 18.587 s</div>	<div><div>Steps</div><div>Total - 28</div><div>Pass - 23</div><div>Fail - 3</div><div>Skip - 2</div></div> <div><div>28</div></div>
<div>/ 3:50:46.393 PM // 3:53:04.980 PM /</div>		
<div>Pool Manager test scenarios</div>		

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
4	2	0.3	5	3.5	0.2	0.2	3.2	0.3	0.2	0.3	0.1	2	0.2	2

Steps  
Total - 28  
Pass - 23  
Fail - 3  
Skip - 2



#	Step / Hook Details	Status	Duration
1	Given I Login with email as "Kiran_User@yopmail.com" and Password as "Test@123"	PASSED	3.915 s
2	And I Scroll Down	PASSED	2.026 s
3	When I click on " Login " button	PASSED	0.295 s
4	And I click on " Quick Test " button	PASSED	4.848 s
5	And I Scroll Down of the page	PASSED	3.410 s
6	And I click on " RUN TEST " button	PASSED	0.164 s
7	And I click on "Run Manual Test" button	PASSED	0.162 s
8	When I Enter the value "120" in field "Iron"	PASSED	3.090 s
9	And I Enter the value "85" in field "Calcium Hardness"	PASSED	0.281 s
10	And I Enter the value "70" in field "Total Alkalinity"	PASSED	0.167 s
11	And I Enter the value "100" in field "Temperature"	PASSED	0.244 s
12	And I Enter the value "60" in field "Free Chlorine"	PASSED	0.122 s
13	And I Scroll Middle	PASSED	2.028 s
14	And I Select " Dirty / Muddy " Radio button	PASSED	0.160 s
15	And I Scroll Down	PASSED	2.018 s
16	And I Select " Blue-Green " Radio button	PASSED	0.156 s
17	And I Select " Water Foaming " Radio button	PASSED	0.146 s
18	And I Select " Filter Cleaning " Radio button	PASSED	0.126 s
19	When I click on "Report" button	PASSED	0.134 s
20	Then I Should see the "PH" value as "7 pH"	PASSED	55.237 s
21	And I Should see the " CALCIUM HARDNESS" value as "85 ppm"	PASSED	0.070 s
22	And I Should see the " IRON" value as "60 ppm"	FAILED	0.274 s
	Expected Text not Match		



#	Step / Hook Details	Status	Duration															
23	And I Should see the " TOTAL ALKALINITY" value as "60 ppm"	PASSED	55.192 s															
24	And I Should see the " TEMPERATURE" value as " 100 °F "	FAILED	0.222 s															
	Expected Text not Match																	
25	And I Scroll Middle	PASSED	2.021 s															
26	And I Should see below details	FAILED	1.682 s															
	<table><tr><th>Condition</th><th>Recommendation</th><th>Product</th></tr><tr><td>TA is low</td><td>The total alkalinity level is too low. An appropriate level of total alkalinity is needed to mainta*</td><td>0.042 lbs of Alkalinity,A*</td></tr><tr><td>Total hardness is low</td><td>Total hardness levels are too low. Consult your pool and spa dealer for advice about correct*</td><td>2583.8 lbs of Calcium H*</td></tr><tr><td>pH is low</td><td>The pH level is too low. Low pH can lead to aggressive water that may damage equipment *</td><td>0.62 lbs of Soda Ash</td></tr><tr><td colspan="3">* The data cell text(s) have been cropped to fit in the available space.</td></tr></table>	Condition	Recommendation	Product	TA is low	The total alkalinity level is too low. An appropriate level of total alkalinity is needed to mainta*	0.042 lbs of Alkalinity,A*	Total hardness is low	Total hardness levels are too low. Consult your pool and spa dealer for advice about correct*	2583.8 lbs of Calcium H*	pH is low	The pH level is too low. Low pH can lead to aggressive water that may damage equipment *	0.62 lbs of Soda Ash	* The data cell text(s) have been cropped to fit in the available space.				
Condition	Recommendation	Product																
TA is low	The total alkalinity level is too low. An appropriate level of total alkalinity is needed to mainta*	0.042 lbs of Alkalinity,A*																
Total hardness is low	Total hardness levels are too low. Consult your pool and spa dealer for advice about correct*	2583.8 lbs of Calcium H*																
pH is low	The pH level is too low. Low pH can lead to aggressive water that may damage equipment *	0.62 lbs of Soda Ash																
* The data cell text(s) have been cropped to fit in the available space.																		
	java.lang.AssertionError: Data Matched: lists don't have the same size expected [8] but found [0] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:1240) at org.testng.Assert.assertEquals(Assert.java:1465) at com.sure.stepDefs.QuickTestStepDef.i_Should_See_Below_Details(QuickTestStepDef.java:149) at ?.I Should see below details(file:///C:/Users/Admin/eclipse-workspace/Pool/src/test/resources/features/PoolManager.feature:89) * Not displayable characters are replaced by '?'.  AFTER_STEP - com.sure.stepDefs.QuickTestStepDef.Screenshot(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=117.0.2045.41) Build info: version: '3.11.0', revision: 'e59cfb3', time: '2018-03-11T20:26:55.152Z' System info: host: 'DESKTOP-N1269UI', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.edge.EdgeDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 117.0.2045.41, fedcm:accounts: true, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:52919}, msedge: {msedgedriverVersion: 117.0.2045.41 (b895513e9807..., userDataDir: C:\Users\Admin\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d05656b41279cc2c8935fe921a8859ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)	FAILED	0.015 s															

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:291) at com.sure.stepDefs.BaseTest.takesScreenShot(BaseTest.java:121) at com.sure.stepDefs.QuickTestStepDef.ScreenShot(QuickTestStepDef.java:161)		
27	And I Scroll Up of the Page	SKIPPED	0.000 s
28	And I logout of the application	SKIPPED	0.000 s