# Cucumber Report

| Start : Sep 25, 5:12:08.702 PM | End : Sep 25, 5:15:32.804 PM | Duration : 3 m 24.102 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 3<br>SKIPPED - 0 | PASSED - 64<br>FAILED - 3<br>SKIPPED - 4 |

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Pool Manager test scenarios* | 3 m 24.102 s | 3 | 0 | 3 | 0 | 71 | 64 | 3 | 4 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Pool Manager test scenarios | 3 | 0 | 3 | 0 | 3 m 24.102 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Pool Manager test scenarios | 01_Successful login with valid credentials | 22 | 21 | 1 | 0 | 40.875 s |
| 2 | Pool Manager test scenarios | 02_Successful login with valid another credentials | 22 | 19 | 1 | 2 | 28.842 s |
| 3 | Pool Manager test scenarios | 03_Successful login with valid another credentials | 27 | 24 | 1 | 2 | 2 m 14.322 s |

## Pool Manager test scenarios

| FAILED | DURATION - 3 m 24.102 s | Scenarios<br>Total - 3<br>Pass - 0<br>Fail - 3<br>Skip - 0 | 3 | Steps<br>Total - 71<br>Pass - 64<br>Fail - 3<br>Skip - 4 | 71 |
|---|---|---|---|---|---|
| | / 5:12:08.702 PM // 5:15:32.804 PM / | | | | |

## 01_Successful login with valid credentials

| FAILED | DURATION - 40.875 s | | Steps<br>Total - 22<br>Pass - 21<br>Fail - 1<br>Skip - 0 | 22 |
|---|---|---|---|---|
| | / 5:12:08.703 PM // 5:12:49.578 PM / | | | |
| | *Pool Manager test scenarios* | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given I Open the suretreat application | PASSED | 4.119 s |
| 2 | When I click on " Log In " button | PASSED | 0.752 s |
| 3 | And I Enter email as "Kiran_User@yopmail.com" | PASSED | 0.177 s |
| 4 | And I Enter password as "Test@123" | PASSED | 0.135 s |
| 5 | And I Scroll Down | PASSED | 2.022 s |
| 6 | When I click on " Login " button | PASSED | 0.238 s |
| 7 | And I click on " Quick Test " button | PASSED | 4.806 s |
| 8 | And I Scroll Down of the page | PASSED | 3.375 s |
| 9 | And I click on "  RUN TEST " button | PASSED | 0.153 s |
| 10 | And I click on "Run Manual Test" button | PASSED | 0.163 s |
| 11 | When I Enter the value "5" in field "pH" | PASSED | 1.916 s |
| 12 | And I Enter the value "80" in field "Calcium Hardness" | PASSED | 0.219 s |
| 13 | And I Scroll Middle | PASSED | 2.024 s |
| 14 | When I Select "Eye" Radio button | PASSED | 0.190 s |
| 15 | When I Select "Green haze" Radio button | PASSED | 0.127 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 16 | And I Scroll Down | PASSED | 2.022 s |
| 17 | When I click on "Report" button | PASSED | 0.123 s |
| 18 | Then I Should see the "PH" value as "7 pH" | FAILED | 15.236 s |
|  | Expected Text not Match |  |  |
| 19 | And I Should see the " CALCIUM HARDNESS" value as "80 ppm" | PASSED | 0.070 s |
| 20 | And I Should see below details | PASSED | 0.308 s |

| Condition | Recommendation | Product |
|---|---|---|
| Total hardness is low | Total hardness levels are too low. Consult your pool and spa dealer for advice about * | 2643.8 lbs of Calcium Har* |
| pH is low | The pH level is too low. Low pH can lead to aggressive water that may damage equip* | 1.3 lbs of Soda Ash |
| - Consult your pool and * | Consult your pool and spa dealer for help with eye irritation reduction. | 1.0 lbs of Oxidizer |
| - Consult your pool and * | Consult your pool and spa dealer for help with green algae removal. | 40 oz of Algae Kill,10 oz of* |
| * The data cell text(s) have been cropped to fit in the available space. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 21 | And I Scroll Up of the Page | PASSED | 2.012 s |
| 22 | And I logout of the application | PASSED | 0.458 s |

## 02_Successful login with valid another credentials

| FAILED | DURATION - 28.842 s |
|---|---|
| / 5:12:49.604 PM // 5:13:18.446 PM / | |
| Pool Manager test scenarios | |



Steps
Total - 22
Pass - 19
Fail - 1
Skip - 2

22

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given I Login with email as "Kiran_User@yopmail.com" and Password as "Test@123" | PASSED | 3.529 s |
| 2 | And I Scroll Down | PASSED | 2.021 s |
| 3 | When I click on " Login " button | PASSED | 0.245 s |
| 4 | And I click on " Quick Test " button | PASSED | 4.699 s |
| 5 | And I Scroll Down of the page | PASSED | 3.278 s |
| 6 | And I click on "  RUN TEST " button | PASSED | 0.151 s |
| 7 | And I click on "Run Manual Test" button | PASSED | 0.155 s |
| 8 | When I Enter the value "5" in field "Acid Demand" | PASSED | 2.258 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 9 | And I Enter the value "80" in field "Calcium Hardness" | PASSED | 0.227 s |
| 10 | And I Enter the value "120" in field "Total Alkalinity" | PASSED | 0.237 s |
| 11 | And I Scroll Middle | PASSED | 2.018 s |
| 12 | When I Select " Cloudy / Hazy " Radio button | PASSED | 0.100 s |
| 13 | And I Select " Dirty / Muddy " Radio button | PASSED | 0.086 s |
| 14 | And I Scroll Down | PASSED | 2.009 s |
| 15 | And I Select " Blue-Green " Radio button | PASSED | 0.139 s |
| 16 | And I Select " Crystal Clear Water " Radio button | PASSED | 0.138 s |
| 17 | When I click on "Report" button | PASSED | 0.098 s |

### Step 18

**18 — And I Should see below details — PASSED — 5.036 s**

| Condition | Recommendation | Product |
|---|---|---|
| Total hardness is low | Total hardness levels are too low. Consult your pool and spa de* | 2643.8 lbs of Calcium Hardness |
| - Consult your pool and spa dealer for * | Consult your pool and spa dealer for help with water clarification. | 2 oz of Clarifier,1.0 lbs of Oxidiz* |
| * The data cell text(s) have been cropped to fit in the available space. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 19 | And I Scroll Middle | PASSED | 2.019 s |

### Step 20

**20 — And I Should see below details — FAILED — 0.011 s**

| Condition | Recommendation | Product |
|---|---|---|
| - Consult your pool and spa dealer for help with dirt / * | Consult your pool and spa dealer for help with dirt / mud removal. | |
| Clear water maintenance | Consult your pool and spa dealer for information about maintaining your w* | |
| * The data cell text(s) have been cropped to fit in the available space. | | |

java.lang.NullPointerException: Cannot invoke "String.contains(java.lang.CharSequence)" because the return value of "java.util.Map.get(Object)" is null
    at com.sure.stepDefs.QuickTestStepDef.i_Should_See_Below_Details(QuickTestStepDef.java:134)
    at ?.I Should see below details(file:///C:/Users/Admin/eclipse-workspace/Pool/src/test/resources/features/PoolManager.feature:56)
* Not displayable characters are replaced by '?'.

**AFTER_STEP - com.sure.stepDefs.QuickTestStepDef.ScreenShot(io.cucumber.java.Scenario) — PASSED — 0.153 s**

image



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 21 | And I Scroll Up of the Page | SKIPPED | 0.000 s |
| 22 | And I logout of the application | SKIPPED | 0.000 s |

### 03_Successful login with valid another credentials

| FAILED | DURATION - 2 m 14.322 s |
|---|---|
| / 5:13:18.482 PM // 5:15:32.804 PM / | |
| *Pool Manager test scenarios* | |

**Steps**
Total - 27
Pass - 24
Fail - 1
Skip - 2

27

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given I Login with email as "Kiran_User@yopmail.com" and Password as "Test@123" | PASSED | 3.738 s |
| 2 | And I Scroll Down | PASSED | 2.015 s |
| 3 | When I click on " Login " button | PASSED | 0.251 s |
| 4 | And I click on " Quick Test " button | PASSED | 3.965 s |
| 5 | And I Scroll Down of the page | PASSED | 3.294 s |
| 6 | And I click on "  RUN TEST " button | PASSED | 0.133 s |
| 7 | And I click on "Run Manual Test" button | PASSED | 0.146 s |
| 8 | When I Enter the value "120" in field "Iron" | PASSED | 2.408 s |
| 9 | And I Enter the value "85" in field "Calcium Hardness" | PASSED | 0.227 s |
| 10 | And I Enter the value "70" in field "Total Alkalinity" | PASSED | 0.199 s |
| 11 | And I Enter the value "100" in field "Temperature" | PASSED | 0.226 s |
| 12 | And I Enter the value "60" in field "Free Chlorine" | PASSED | 0.178 s |
| 13 | And I Scroll Middle | PASSED | 2.024 s |
| 14 | And I Select " Dirty / Muddy " Radio button | PASSED | 0.070 s |
| 15 | And I Scroll Down | PASSED | 2.018 s |
| 16 | And I Select " Blue-Green " Radio button | PASSED | 0.072 s |
| 17 | And I Select " Water Foaming " Radio button | PASSED | 0.145 s |
| 18 | And I Select " Filter Cleaning " Radio button | PASSED | 0.073 s |
| 19 | When I click on "Report" button | PASSED | 0.068 s |
| 20 | Then I Should see the "PH" value as "7 pH" | PASSED | 55.166 s |
| 21 | And I Should see the " CALCIUM HARDNESS" value as "85 ppm" | PASSED | 0.089 s |
| 22 | And I Should see the " IRON" value as "120 ppm" | PASSED | 0.085 s |
| 23 | And I Should see the "  TOTAL ALKALINITY" value as "70 ppm" | PASSED | 55.183 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 24 | And I Scroll Middle | PASSED | 2.020 s |
| 25 | And I Should see below details | FAILED | 0.064 s |

| Condition | Recommendation | Product |
|---|---|---|
| TA is low | The total alkalinity level is too low. An appropriate level of total alkalinity is needed to mainta* | 0.042 lbs of Alkalinity,A* |
| Total hardness is low | Total hardness levels are too low. Consult your pool and spa dealer for advice about correct* | 2583.8 lbs of Calcium H* |
| pH is low | The pH level is too low. Low pH can lead to aggressive water that may damage equipment * | 0.62 lbs of Soda Ash |
| * The data cell text(s) have been cropped to fit in the available space. | | |

java.lang.AssertionError: Data Matched: lists don't have the same size expected [8] but found [4]
   at org.testng.Assert.fail(Assert.java:110)
   at org.testng.Assert.failNotEquals(Assert.java:1413)
   at org.testng.Assert.assertEqualsImpl(Assert.java:149)
   at org.testng.Assert.assertEquals(Assert.java:131)
   at org.testng.Assert.assertEquals(Assert.java:1240)
   at org.testng.Assert.assertEquals(Assert.java:1465)
   at com.sure.stepDefs.QuickTestStepDef.i_Should_See_Below_Details(QuickTestStepDef.java:149)
   at ?.I Should see below details(file:///C:/Users/Admin/eclipse-workspace/Pool/src/test/resources/features/PoolManager.feature:89)
* Not displayable characters are replaced by '?'.

| | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER_STEP - com.sure.stepDefs.QuickTestStepDef.ScreenShot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| | image | | |
| |  | | |
| 26 | And I Scroll Up of the Page | SKIPPED | 0.000 s |
| 27 | And I logout of the application | SKIPPED | 0.000 s |