

TrueNAS RESTful API

v2.0 OAS3

https://www.truenas.com/docs/files/core_13.0-u4_apiv2.json

core >

acme.dns.authenticator ▾

GET /acme/dns/authenticator 

POST /acme/dns/authenticator 

DELETE /acme/dns/authenticator/id/{id} 

GET /acme/dns/authenticator/id/{id} 

PUT /acme/dns/authenticator/id/{id} 

GET /acme/dns/authenticator/authenticator_schemas 

activedirectory ▾

GET /activedirectory 

PUT /activedirectory 

GET /activedirectory/change_trust_account_pw 

POST /activedirectory/domain_info 

GET /activedirectory/get_spn_list 

GET /activedirectory/get_state 

POST	/activedirectory/leave	🔒
GET	/activedirectory/nss_info_choices	🔒
GET	/activedirectory/started	🔒

afp



GET	/afp	🔒
PUT	/afp	🔒
GET	/afp/bindip_choices	🔒

alert



POST	/alert/dismiss	🔒
GET	/alert/list	🔒
GET	/alert/list_categories	🔒
GET	/alert/list_policies	🔒
POST	/alert/restore	🔒

alertclasses



GET	/alertclasses	🔒
PUT	/alertclasses	🔒

alertservice



GET	/alertservice	
POST	/alertservice	
DELETE	/alertservice/id/{id}	
GET	/alertservice/id/{id}	
PUT	/alertservice/id/{id}	
GET	/alertservice/list_types	
POST	/alertservice/test	

api_key



GET	/api_key	
POST	/api_key	
DELETE	/api_key/id/{id}	
GET	/api_key/id/{id}	
PUT	/api_key/id/{id}	

auth



POST	/auth/check_password	
POST	/auth/check_user	
POST	/auth/generate_token	
GET	/auth/sessions	

GET /auth/two_factor_auth



auth.twofactor

GET /auth/twofactor



PUT /auth/twofactor



GET /auth/twofactor/provisioning_uri



GET /auth/twofactor/renew_secret



POST /auth/twofactor/verify



boot

POST /boot/attach



POST /boot/detach



GET /boot/get_disks



GET /boot/get_scrub_interval



GET /boot/get_state



POST /boot/replace



GET /boot/scrub



POST /boot/set_scrub_interval



bootenv

GET	/bootenv	🔒
POST	/bootenv	🔒
DELETE	/bootenv/{id}/{id}	🔒
GET	/bootenv/{id}/{id}	🔒
PUT	/bootenv/{id}/{id}	🔒
POST	/bootenv/{id}/{id}/activate	🔒
POST	/bootenv/{id}/{id}/set_attribute	🔒

certificate



GET	/certificate	🔒
POST	/certificate	🔒
DELETE	/certificate/{id}/{id}	🔒
GET	/certificate/{id}/{id}	🔒
PUT	/certificate/{id}/{id}	🔒
GET	/certificate/acme_server_choices	🔒
GET	/certificate/country_choices	🔒
GET	/certificate/ec_curve_choices	🔒
GET	/certificate/extended_key_usage_choices	🔒
GET	/certificate/key_type_choices	🔒

GET /certificate/profiles



certificateauthority

GET /certificateauthority



POST /certificateauthority



DELETE /certificateauthority/id/{id}



GET /certificateauthority/id/{id}



PUT /certificateauthority/id/{id}



POST /certificateauthority/ca_sign_csr



GET /certificateauthority/profiles



cloudsync

GET /cloudsync



POST /cloudsync



DELETE /cloudsync/id/{id}



GET /cloudsync/id/{id}



PUT /cloudsync/id/{id}



POST /cloudsync/id/{id}/abort



GET /cloudsync/common_task_schema



POST	/cloudsync/list_buckets	
POST	/cloudsync/list_directory	
POST	/cloudsync/onedrive_list_drives	
GET	/cloudsync/providers	
POST	/cloudsync/id/{id}/restore	
POST	/cloudsync/id/{id}/sync	
POST	/cloudsync/sync_onetime	

cloudsync.credentials



GET	/cloudsync/credentials	
POST	/cloudsync/credentials	
DELETE	/cloudsync/credentials/id/{id}	
GET	/cloudsync/credentials/id/{id}	
PUT	/cloudsync/credentials/id/{id}	
POST	/cloudsync/credentials/verify	

config



POST	/config/reset	
------	---------------	--

cronjob



GET	/cronjob	
-----	----------	--

POST	/cronjob	🔒
DELETE	/cronjob/id/{id}	🔒
GET	/cronjob/id/{id}	🔒
PUT	/cronjob/id/{id}	🔒
POST	/cronjob/run	🔒

device



POST	/device/get_info	🔒
------	------------------	---

directoryservices



GET	/directoryservices/cache_refresh	🔒
GET	/directoryservices/get_state	🔒

disk



GET	/disk	🔒
GET	/disk/id/{id}	🔒
PUT	/disk/id/{id}	🔒
POST	/disk/get_encrypted	🔒
POST	/disk/get_unused	🔒
GET	/disk/label_to_dev	🔒

GET	/disk/label_to_dev_disk_cache	🔒
POST	/disk/overprovision	🔒
GET	/disk/sed_dev_name	🔒
POST	/disk/smart_attributes	🔒
POST	/disk/spindown	🔒
POST	/disk/temperature	🔒
POST	/disk/temperatures	🔒
POST	/disk/unoverprovision	🔒
POST	/disk/wipe	🔒

dns



GET	/dns/query	🔒
-----	------------	---

dyndns



GET	/dyndns	🔒
PUT	/dyndns	🔒
GET	/dyndns/provider_choices	🔒

ec2



GET	/ec2/Meta	🔒
GET	/ec2/instance_id	🔒

GET	/ec2/set_ntp_servers	🔒
GET	/ec2/set_root_ssh_public_key	🔒
GET	/ec2/setup	🔒

enclosure

GET	/enclosure	🔒
GET	/enclosure/id/{id}	🔒
PUT	/enclosure/id/{id}	🔒
POST	/enclosure/set_slot_status	🔒

failover

GET	/failover	🔒
PUT	/failover	🔒
POST	/failover/call_remote	🔒
POST	/failover/control	🔒
GET	/failover/force_master	🔒
GET	/failover/hardware	🔒
GET	/failover/in_progress	🔒
GET	/failover/licensed	🔒

GET	/failover/node	
GET	/failover/status	
GET	/failover/sync_from_peer	
POST	/failover/sync_to_peer	
POST	/failover/unlock	
POST	/failover/upgrade	
GET	/failover/upgrade_finish	
GET	/failover/upgrade_pending	

fcport



GET	/fcport	
GET	/fcport/id/{id}	
PUT	/fcport/id/{id}	

filesystem



POST	/filesystem/acl_is_trivial	
POST	/filesystem/chown	
GET	/filesystem/default_acl_choices	
POST	/filesystem/get_default_acl	
POST	/filesystem/getacl	

POST	/filesystem/listdir	🔒
POST	/filesystem/setacl	🔒
POST	/filesystem/setperm	🔒
POST	/filesystem/stat	🔒
POST	/filesystem/statfs	🔒

ftp



GET	/ftp	🔒
PUT	/ftp	🔒

group



GET	/group	🔒
POST	/group	🔒
DELETE	/group/{id}/{id}	🔒
GET	/group/{id}/{id}	🔒
PUT	/group/{id}/{id}	🔒
POST	/group/get_group_obj	🔒
GET	/group/get_next_gid	🔒

hardware.events



GET	/hardware/events/apei	🔒
GET	/hardware/events/mca	🔒
GET	/hardware/events/report	🔒

idmap

GET	/idmap	🔒
POST	/idmap	🔒
DELETE	/idmap/id/{id}	🔒
GET	/idmap/id/{id}	🔒
PUT	/idmap/id/{id}	🔒
GET	/idmap/backend_choices	🔒
GET	/idmap/backend_options	🔒
GET	/idmap/clear_idmap_cache	🔒
POST	/idmap/options_choices	🔒

initshutdownscript

GET	/initshutdownscript	🔒
POST	/initshutdownscript	🔒
DELETE	/initshutdownscript/id/{id}	🔒
GET	/initshutdownscript/id/{id}	🔒

PUT /initshutdownscript/id/{id}



interface



GET /interface



POST /interface



DELETE /interface/id/{id}



GET /interface/id/{id}



PUT /interface/id/{id}



POST /interface/bridge_members_choices



GET /interface/checkin



GET /interface/checkin_waiting



POST /interface/choices



POST /interface/commit



GET /interface/enable_capabilities_individually



GET /interface/has_pending_changes



POST /interface/ip_in_use



POST /interface/lag_ports_choices



GET /interface/lag_setup



GET	/interface/rollback	🔒
GET	/interface/vlan_parent_interface_choices	🔒
GET	/interface/vlan_setup	🔒

ipmi

GET	/ipmi	🔒
GET	/ipmi/id/{id}	🔒
PUT	/ipmi/id/{id}	🔒
GET	/ipmi/channels	🔒
POST	/ipmi/identify	🔒
GET	/ipmi/is_loaded	🔒

iscsi.auth

GET	/iscsi/auth	🔒
POST	/iscsi/auth	🔒
DELETE	/iscsi/auth/id/{id}	🔒
GET	/iscsi/auth/id/{id}	🔒
PUT	/iscsi/auth/id/{id}	🔒

iscsi.extent

GET	/iscsi/extent	🔒
-----	---------------	---

POST	/iscsi/extent	🔒
DELETE	/iscsi/extent/id/{id}	🔒
GET	/iscsi/extent/id/{id}	🔒
PUT	/iscsi/extent/id/{id}	🔒
POST	/iscsi/extent/disk_choices	🔒

iscsi.global



GET	/iscsi/global	🔒
PUT	/iscsi/global	🔒
GET	/iscsi/global/alua_enabled	🔒
GET	/iscsi/global/sessions	🔒

iscsi.initiator



GET	/iscsi/initiator	🔒
POST	/iscsi/initiator	🔒
DELETE	/iscsi/initiator/id/{id}	🔒
GET	/iscsi/initiator/id/{id}	🔒
PUT	/iscsi/initiator/id/{id}	🔒

iscsi.portal



GET	/iscsi/portal	🔒
POST	/iscsi/portal	🔒
DELETE	/iscsi/portal/id/{id}	🔒
GET	/iscsi/portal/id/{id}	🔒
PUT	/iscsi/portal/id/{id}	🔒
GET	/iscsi/portal/listen_ip_choices	🔒

iscsi.target



GET	/iscsi/target	🔒
POST	/iscsi/target	🔒
DELETE	/iscsi/target/id/{id}	🔒
GET	/iscsi/target/id/{id}	🔒
PUT	/iscsi/target/id/{id}	🔒

iscsi.targetextent



GET	/iscsi/targetextent	🔒
POST	/iscsi/targetextent	🔒
DELETE	/iscsi/targetextent/id/{id}	🔒
GET	/iscsi/targetextent/id/{id}	🔒

PUT /iscsi/targetextent/id/{id}



jail



GET /jail



POST /jail



DELETE /jail/id/{id}



GET /jail/id/{id}



PUT /jail/id/{id}



POST /jail/activate



POST /jail/clean



POST /jail/id/{id}/clone



GET /jail/default_configuration



POST /jail/exec



POST /jail/export



POST /jail/fetch



POST /jail/fstab



GET /jail/get_activated_pool



POST /jail/import_image



GET /jail/interface_choices



POST	/jail/rc_action	🔒
POST	/jail/releases_choices	🔒
POST	/jail/restart	🔒
POST	/jail/start	🔒
POST	/jail/stop	🔒
POST	/jail/update_defaults	🔒
POST	/jail/update_to_latest_patch	🔒
GET	/jail/vnet_default_interface_choices	🔒

kerberos



GET	/kerberos	🔒
PUT	/kerberos	🔒

kerberos.keytab



GET	/kerberos/keytab	🔒
POST	/kerberos/keytab	🔒
DELETE	/kerberos/keytab/id/{id}	🔒
GET	/kerberos/keytab/id/{id}	🔒
PUT	/kerberos/keytab/id/{id}	🔒

GET /kerberos/keytab/system_keytab_list



kerberos.realm

GET /kerberos/realm



POST /kerberos/realm



DELETE /kerberos/realm/id/{id}



GET /kerberos/realm/id/{id}



PUT /kerberos/realm/id/{id}



keychaincredential

GET /keychaincredential



POST /keychaincredential



DELETE /keychaincredential/id/{id}



GET /keychaincredential/id/{id}



PUT /keychaincredential/id/{id}



GET /keychaincredential/generate_ssh_key_pair



POST /keychaincredential/remote_ssh_host_key_scan



POST /keychaincredential/remote_ssh_semi-automatic_setup



POST /keychaincredential/used_by



kmip

✓

GET /kmip



PUT /kmip



GET /kmip/clear_sync_pending_keys



GET /kmip/kmip_sync_pending



GET /kmip/sync_keys



ldap

✓

GET /ldap



PUT /ldap



GET /ldap/get_state



GET /ldap/schema_choices



GET /ldap/ssl_choices



lldp

✓

GET /lldp



PUT /lldp



GET /lldp/country_choices



mail

✓

GET /mail



PUT /mail



POST /mail/send



multipath

GET /multipath/query



network.configuration

GET /network/configuration



PUT /network/configuration



network.general

GET /network/general/summary



nfs

GET /nfs



PUT /nfs



POST /nfs/add_principal



GET /nfs/bindip_choices



nis

GET /nis



PUT /nis



GET /nis/get_state



openvpn.client

GET /openvpn/client



PUT /openvpn/client



GET /openvpn/client/authentication_algorithm_choices



GET /openvpn/client/cipher_choices



openvpn.server

GET /openvpn/server



PUT /openvpn/server



GET /openvpn/server/authentication_algorithm_choices



GET /openvpn/server/cipher_choices



POST /openvpn/server/client_configuration_generation



GET /openvpn/server/renew_static_key



plugin

GET /plugin



POST /plugin



DELETE /plugin/{id}/{id}



GET /plugin/{id}/{id}



PUT	/plugin/id/{id}	
POST	/plugin/available	
POST	/plugin/branches_choices	
POST	/plugin/defaults	
GET	/plugin/official_repositories	
GET	/plugin/retrieve_versions_for_repos	
POST	/plugin/update_plugin	

pool



GET	/pool	
POST	/pool	
GET	/pool/id/{id}	
PUT	/pool/id/{id}	
POST	/pool/attach	
POST	/pool/id/{id}/attachments	
POST	/pool/id/{id}/detach	
POST	/pool/id/{id}/download_encryption_key	
POST	/pool/id/{id}/expand	

POST	/pool/{id}/export	
POST	/pool/filesystem_choices	
POST	/pool/{id}/get_disks	
POST	/pool/import_disk	
POST	/pool/import_disk_autodetect_fs_type	
GET	/pool/import_disk_msdosfs_locales	
GET	/pool/import_find	
POST	/pool/import_pool	
POST	/pool/{id}/is_upgraded	
POST	/pool/{id}/lock	
POST	/pool/{id}/offline	
POST	/pool/{id}/online	
POST	/pool/{id}/passphrase	
POST	/pool/{id}/processes	
POST	/pool/{id}/recoverykey_rm	
POST	/pool/{id}/rekey	
POST	/pool/{id}/remove	
POST	/pool/{id}/replace	

POST	/pool/id/{id}/scrub	🔒
POST	/pool/id/{id}/unlock	🔒
POST	/pool/unlock_services_restart_choices	🔒
POST	/pool/id/{id}/upgrade	🔒

pool.dataset



GET	/pool/dataset	🔒
POST	/pool/dataset	🔒
DELETE	/pool/dataset/id/{id}	🔒
GET	/pool/dataset/id/{id}	🔒
PUT	/pool/dataset/id/{id}	🔒
POST	/pool/dataset/id/{id}/attachments	🔒
POST	/pool/dataset/change_key	🔒
GET	/pool/dataset/checksum_choices	🔒
GET	/pool/dataset/compression_choices	🔒
GET	/pool/dataset/encryption_algorithm_choices	🔒
POST	/pool/dataset/encryption_summary	🔒
POST	/pool/dataset/export_key	🔒
POST	/pool/dataset/id/{id}/get_quota	🔒

POST	/pool/dataset/inherit_parent_encryption_properties	🔒
POST	/pool/dataset/lock	🔒
POST	/pool/dataset/id/{id}/permission	🔒
POST	/pool/dataset/id/{id}/processes	🔒
POST	/pool/dataset/id/{id}/promote	🔒
POST	/pool/dataset/recommended_zvol_blocksize	🔒
GET	/pool/dataset/recordsize_choices	🔒
POST	/pool/dataset/id/{id}/set_quota	🔒
POST	/pool/dataset/unlock	🔒

pool.dataset.userprop



GET	/pool/dataset/userprop	🔒
POST	/pool/dataset/userprop	🔒
DELETE	/pool/dataset/userprop/id/{id}	🔒
GET	/pool/dataset/userprop/id/{id}	🔒
PUT	/pool/dataset/userprop/id/{id}	🔒

pool.resilver



GET	/pool/resilver	🔒
-----	----------------	---

PUT /pool/resilver



pool.scrub

GET /pool/scrub



POST /pool/scrub



DELETE /pool/scrub/id/{id}



GET /pool/scrub/id/{id}



PUT /pool/scrub/id/{id}



POST /pool/scrub/run



POST /pool/scrub/scrub



pool.snapshottask

GET /pool/snapshottask



POST /pool/snapshottask



DELETE /pool/snapshottask/id/{id}



GET /pool/snapshottask/id/{id}



PUT /pool/snapshottask/id/{id}



POST /pool/snapshottask/id/{id}/run



replication

GET /replication



POST	/replication	🔒
DELETE	/replication/id/{id}	🔒
GET	/replication/id/{id}	🔒
PUT	/replication/id/{id}	🔒
POST	/replication/count_eligible_manual_snapshots	🔒
POST	/replication/create_dataset	🔒
POST	/replication/list_datasets	🔒
GET	/replication/list_naming_schemas	🔒
POST	/replication/id/{id}/restore	🔒
POST	/replication/id/{id}/run	🔒
POST	/replication/target_unmatched_snapshots	🔒

replication.config



GET	/replication/config	🔒
PUT	/replication/config	🔒

reporting



GET	/reporting	🔒
PUT	/reporting	🔒

GET	/reporting/clear	
POST	/reporting/get_data	
GET	/reporting/graphs	

route

POST	/route/ipv4gw_reachable	
GET	/route/system_routes	

rsyncd

GET	/rsyncd	
PUT	/rsyncd	

rsyncmod

GET	/rsyncmod	
POST	/rsyncmod	
DELETE	/rsyncmod/id/{id}	
GET	/rsyncmod/id/{id}	
PUT	/rsyncmod/id/{id}	

rsynctask

GET	/rsynctask	
POST	/rsynctask	

DELETE	/rsynctask/id/{id}	
GET	/rsynctask/id/{id}	
PUT	/rsynctask/id/{id}	
POST	/rsynctask/id/{id}/run	

s3



GET	/s3	
PUT	/s3	
GET	/s3/bindip_choices	

sensor



GET	/sensor/query	
-----	---------------	--

service



GET	/service	
GET	/service/id/{id}	
PUT	/service/id/{id}	
POST	/service/reload	
POST	/service/restart	
POST	/service/start	

GET	/service/started	
POST	/service/stop	
POST	/service/terminate_process	

sharing.afp

GET	/sharing/afp	
POST	/sharing/afp	
DELETE	/sharing/afp/id/{id}	
GET	/sharing/afp/id/{id}	
PUT	/sharing/afp/id/{id}	

sharing.nfs

GET	/sharing/nfs	
POST	/sharing/nfs	
DELETE	/sharing/nfs/id/{id}	
GET	/sharing/nfs/id/{id}	
PUT	/sharing/nfs/id/{id}	
GET	/sharing/nfs/human_identifier	

sharing.smb

GET	/sharing/smb	
-----	--------------	--

POST	/sharing/smb	
DELETE	/sharing/smb/id/{id}	
GET	/sharing/smb/id/{id}	
PUT	/sharing/smb/id/{id}	
GET	/sharing/smb/presets	

sharing.webdav



GET	/sharing/webdav	
POST	/sharing/webdav	
DELETE	/sharing/webdav/id/{id}	
GET	/sharing/webdav/id/{id}	
PUT	/sharing/webdav/id/{id}	

smart



GET	/smart	
PUT	/smart	

smart.test



GET	/smart/test	
POST	/smart/test	

DELETE	/smart/test/id/{id}	
GET	/smart/test/id/{id}	
PUT	/smart/test/id/{id}	
POST	/smart/test/disk_choices	
POST	/smart/test/manual_test	
GET	/smart/test/results	

smb



GET	/smb	
PUT	/smb	
GET	/smb/bindip_choices	
GET	/smb/domain_choices	
POST	/smb/get_remote_acl	
GET	/smb/groupmap_addmem	
GET	/smb/groupmap_listmem	
GET	/smb/json_check_version	
POST	/smb/status	
GET	/smb/unixcharset_choices	

GET /smb/update_payload_with_diff



smb.sharesec

GET /smb/sharesec



POST /smb/sharesec



DELETE /smb/sharesec/id/{id}



GET /smb/sharesec/id/{id}



PUT /smb/sharesec/id/{id}



POST /smb/sharesec/getacl



GET /smb/sharesec/synchronize_acls



snmp

GET /snmp



PUT /snmp



ssh

GET /ssh



PUT /ssh



GET /ssh/bindiface_choices



staticroute

GET /staticroute



POST	/staticroute	
DELETE	/staticroute/{id}/{id}	
GET	/staticroute/{id}/{id}	
PUT	/staticroute/{id}/{id}	

stats



POST	/stats/get_data	
POST	/stats/get_dataset_info	
GET	/stats/get_sources	

support



GET	/support	
PUT	/support	
GET	/support/attach_ticket_max_size	
POST	/support/fetch_categories	
GET	/support/fields	
GET	/support/is_available	
GET	/support/is_available_and_enabled	
POST	/support/new_ticket	

system



GET	/system/boot_id	
GET	/system/environment	
POST	/system/feature_enabled	
GET	/system/host_id	
GET	/system/info	
GET	/system/is_freenas	
POST	/system/license_update	
GET	/system/product_name	
GET	/system/product_type	
GET	/system/ready	
POST	/system/reboot	
POST	/system/shutdown	
GET	/system/state	
GET	/system/version	

system.advanced



GET	/system/advanced	
PUT	/system/advanced	

GET /system/advanced/sed_global_password



GET /system/advanced/serial_port_choices



system.general



GET /system/general



PUT /system/general



GET /system/general/country_choices



GET /system/general/kbdmap_choices



GET /system/general/language_choices



GET /system/general/local_url



GET /system/general/timezone_choices



GET /system/general/ui_address_choices



GET /system/general/ui_certificate_choices



GET /system/general/ui_httpsprotocols_choices



GET /system/general/ui_restart



POST /system/general/ui_restart



GET /system/general/ui_v6address_choices



system.ntpserver



GET	/system/ntpserver	
POST	/system/ntpserver	
DELETE	/system/ntpserver/id/{id}	
GET	/system/ntpserver/id/{id}	
PUT	/system/ntpserver/id/{id}	
GET	/system/ntpserver/test_ntp_server	

systemdataset



GET	/systemdataset	
PUT	/systemdataset	

tftp



GET	/tftp	
PUT	/tftp	

truecommand



GET	/truecommand	
PUT	/truecommand	

truenas



GET	/truenas/accept_eula	
GET	/truenas/get_chassis_hardware	

GET	/truenas/get_customer_information	🔒
GET	/truenas/get_eula	🔒
GET	/truenas/is_eula_accepted	🔒
GET	/truenas/is_production	🔒
POST	/truenas/set_production	🔒
POST	/truenas/update_customer_information	🔒

tunable



GET	/tunable	🔒
POST	/tunable	🔒
DELETE	/tunable/id/{id}	🔒
GET	/tunable/id/{id}	🔒
PUT	/tunable/id/{id}	🔒
GET	/tunable/tunable_type_choices	🔒

update



POST	/update/check_available	🔒
GET	/update/download	🔒
GET	/update/get_auto_download	🔒

POST	/update/get_pending	🔒
GET	/update/get_trains	🔒
POST	/update/manual	🔒
POST	/update/set_auto_download	🔒
POST	/update/set_train	🔒
POST	/update/update	🔒

ups



GET	/ups	🔒
PUT	/ups	🔒
GET	/ups/driver_choices	🔒
GET	/ups/port_choices	🔒

user



GET	/user	🔒
POST	/user	🔒
DELETE	/user/id/{id}	🔒
GET	/user/id/{id}	🔒
PUT	/user/id/{id}	🔒
GET	/user/get_next_uid	🔒

POST	/user/get_user_obj	🔒
GET	/user/has_root_password	🔒
POST	/user/id/{id}/pop_attribute	🔒
POST	/user/id/{id}/set_attribute	🔒
POST	/user/shell_choices	🔒

vm



GET	/vm	🔒
POST	/vm	🔒
DELETE	/vm/id/{id}	🔒
GET	/vm/id/{id}	🔒
PUT	/vm/id/{id}	🔒
POST	/vm/id/{id}/clone	🔒
GET	/vm/flags	🔒
POST	/vm/getAttached_iface	🔒
POST	/vm/getAvailableMemory	🔒
POST	/vm/getConsole	🔒
GET	/vm/getVmMemoryInUse	🔒

POST	/vm/get_vnc	🔒
GET	/vm/get_vnc_ipv4	🔒
GET	/vm/identify_hypervisor	🔒
POST	/vm/id/{id}/poweroff	🔒
GET	/vm/random_mac	🔒
POST	/vm/id/{id}/restart	🔒
POST	/vm/id/{id}/start	🔒
POST	/vm/id/{id}/status	🔒
POST	/vm/id/{id}/stop	🔒
GET	/vm/vnc_port_wizard	🔒

vm.device



GET	/vm/device	🔒
POST	/vm/device	🔒
DELETE	/vm/device/id/{id}	🔒
GET	/vm/device/id/{id}	🔒
PUT	/vm/device/id/{id}	🔒
GET	/vm/device/nic_attach_choices	🔒
GET	/vm/device/pptdev_choices	🔒

GET /vm/device/vnc_bind_choices



vmware

GET /vmware



POST /vmware



DELETE /vmware/id/{id}



GET /vmware/id/{id}



PUT /vmware/id/{id}



POST /vmware/dataset_has_vms



POST /vmware/get_datastores



POST /vmware/get_virtual_machines



POST /vmware/match_datastores_with_datasets



webdav

GET /webdav



PUT /webdav



GET /webdav/cert_choices



webui.image

GET /webui/image



DELETE /webui/image/id/{id} 

GET /webui/image/id/{id} 

zfs.snapshot

GET /zfs/snapshot 

POST /zfs/snapshot 

DELETE /zfs/snapshot/id/{id} 

GET /zfs/snapshot/id/{id} 

POST /zfs/snapshot/clone 

POST /zfs/snapshot/remove 

POST /zfs/snapshot/rollback 

Schemas

method

params

description

core_bulk

engine

options

core_debug

method

args

filename

buffered

core_download

service

id

id

job-update

core_job_update

id

options

id

cols

rows

core_resize_shell

dns_authenticator_create

dns_authenticator_update

activedirectory_update

domain

leave_ad

afp_update

uuid

uuid

alert_classes_update

alert_service_create

alert_service_create

alert_service_create

api_key_create

api_key_create

username

password

auth_check_password

username

password

auth_check_user

ttl

attrs

auth_generate_token

auth_twofactor_update

token

dev

options

boot_attach

dev

label

dev

boot_replace

interval

bootenv_create

bootenv_update

bootenv_activate

attributes

certificate_create

force

certificate_update

certificate_create

ca_update

ca_sign_csr

cloud_sync_create

cloud_sync_create

cloudsync_abort

`credentials_id`

`cloud_sync_ls`

`onedrive_list_drives`

`cloud_sync_restore`

`cloud_sync_sync_options`

`cloud_sync_create`

`cloudsync_sync_onetime`

`cloud_sync_credentials_create`

`cloud_sync_credentials_create`

`cloud_sync_credentials_verify`

`options`

`cron_job_create`

cron_job_create

id

skip_disabled

cronjob_run

type

disk_update

options

join_partitions

devname

size

disk_overprovision

name

disk

name

powermode

disk_temperature

names

powermode

disk_temperatures

devname

dev

mode

synccache

swap_removal_options

disk_wipe

dyndns_update

enclosure_update

enclosure_id

slot

status

enclosure_set_slot_status

failover_update

method

args

options

failover_call_remote

action

options

failover_control

options

options

failover_upgrade

fcport_update

path

filesystem_ownership

acl_type

share_type

filesystem_get_default_acl

path

simplified

filesystem_getacl

path

query-filters

query-options

filesystem_listdir

filesystem_acl

filesystem_permission

path

path

ftp_update

group_create

options

group_create

get_group_obj

idmap_domain_create

idmap_domain_create

idmap_backend

init_shutdown_script_create

init_shutdown_script_create

interface_create

interface_create

id

options

options

ips

id

ipmi

options

iscsi_auth_create

iscsi_auth_create

iscsi_extent_create

remove

force

iscsi_extent_delete

iscsi_extent_create

exclude

iscsiglobal_update

iscsi_initiator_create

iscsi_initiator_create

iscsiportal_create

iscsiportal_create

iscsi_target_create

force

iscsi_target_create

iscsi_targetextent_create

force

iscsi_targetextent_create

options

options

jail_update

pool

ds_type

clone_jail

jail

command

options

jail_exec

options

options

jail

options

jail_fstab

options

action

remote

jail

jail

jail

force

jail_stop

props

jail

update_pkgs

jail_update_to_latest_patch

kerberos_settings_update

kerberos_keytab_create

kerberos_keytab_update

kerberos_realm_create

kerberos_realm_create

keychain_credential_create

options

keychain_credential_create

keychain_remote_ssh_host_key_scan

keychain_remote_ssh_semi-automatic_setup

id

kmip_update

ldap_update

lldp_update

mail_update

mail_message

mail_update

mail_send

global_configuration_update

nfs_update

add_nfs_principal_creds

nis_update

openvpn_client_update

openvpn_server_update

client_certificate_id

server_address

openvpn_server_client_configuration_generation

plugin_create

jail_update

available_plugin_options

repository

options

jail

update_jail

plugin_update_plugin

pool_create

pool_create

oid

pool_attach

pool_attach

pool_attachments

options

filename

options

options

types

pool_get_disks

device

fs_type

fs_options

dst_path

pool_import_disk

device

pool_import

pool_is_upgraded

passphrase

options

options

options

pool_processes

options

options

options

options

action

pool_unlock_options

id

pool_upgrade

pool_dataset_create

dataset_delete

pool_dataset_create

pool_dataset_attachments

id

change_key_options

pool_dataset_change_key

id

encryption_root_summary_options

pool_dataset_encryption_summary

id

download

pool_dataset_export_key

quota_type

query-filters

query-options

pool_dataset_get_quota

id

id

lock_options

pool_dataset_lock

pool_dataset_permission

pool_dataset_processes

pool_dataset_promote

pool

quotas

id

unlock_options

pool_dataset_unlock

dataset_user_prop_create

dataset_user_prop_delete

dataset_user_prop_update

pool_resilver

pool_scrub_create

pool_scrub_create

name

threshold

pool_scrub_run

name

action

pool_scrub_scrub

periodic_snapshot_create

periodic_snapshot_create

pool_snapshottask_run

replication_create

replication_create

datasets

naming_schema

transport

ssh_credentials

replication_count_eligible_manual_snapshots

dataset

transport

ssh_credentials

replication_create_dataset

transport

ssh_credentials

replication_list_datasets

replication_restore

replication_run

direction

source_datasets

target_dataset

transport

ssh_credentials

replication_target_unmatched_snapshots

replication_config_update

reporting_update

graphs

reporting_query

reporting_get_data

ipv4_gateway

rsyncd_update

rsyncmod_create

rsyncmod_create

rsync_task_create

rsync_task_create

rsynctask_run

s3_update

service-update

service

service-control

service_reload

service

service-control

service_restart

service

service-control

service_start

service

service-control

service_stop

pid

timeout

service_terminate_process

sharingafp_create

sharingafp_create

sharingnfs_create

sharingnfs_create

sharingsmb_create

sharingsmb_create

webdav_share_create

webdav_share_create

smart_update

smart_task_create

smart_task_create

full_disk

disks

smb_update

get_remote_acl

info_level

query-filters

query-options

status_options

smb_status

smbsharesec_create

smbsharesec_update

share_name

options

smb_sharesec_getacl

snmp_update

ssh_update

staticroute_create

staticroute_create

stats_list

stats-filter

stats_get_data

source

type

stats_get_dataset_info

support_update

token

new_ticket

feature

license

system-reboot

system-shutdown

system_advanced_update

general_settings

delay

ntp_create

ntp_create

sysdataset_update

tftp_update

truecommand_update

production

attach_debug

truenas_set_production

customer_information_update

tunable_create

tunable_create

update-check-available

path

path

autocheck

train

update

ups_update

user_create

options

user_create

get_user_obj

key

key

value

user_set_attribute

user_id

vm_create

vm_delete

vm_create

name

id

overcommit

id

id

vm_poweroff

vm_restart

options

vm_status

options

vmdevice_create

vm_device_delete

vmdevice_create

vmware_create

vmware_create

dataset

recursive

vmware_dataset_has_vms

vmware-creds

pk

vmware-creds

webdav_update

snapshot_create

options

snapshot_clone

snapshot_remove

id

options

zfs_snapshot_rollback