```
Code C++
#include <iostream>
using namespace std;
class Calculator {
public:
  int add(int a, int b) {
    return a + b;
 }
};
class SubtractionCalculator : public Calculator {
public:
  int subtract(int a, int b) {
    return a - b;
  }
};
class MultiplicationCalculator : public SubtractionCalculator {
public:
  int multiply(int a, int b) {
    return a * b;
 }
};
class DivisionCalculator : public MultiplicationCalculator {
public:
  int divide(int a, int b) {
    if(b == 0) {
       cout << "Error: Cannot divide by zero." << endl;
       exit(1);
    }
    return a / b;
};
int main() {
  DivisionCalculator mulCalc;
  cout << "Addition (10 + 5): " << mulCalc.add(10, 5) << endl;
  cout << "Subtraction (10 - 5): " << mulCalc.subtract(10, 5) << endl;</pre>
  cout << "Multiplication (10 * 5): " << mulCalc.multiply(10, 5) << endl;</pre>
  cout << "Division (10 / 5): " << mulCalc.divide(10, 5) << endl;</pre>
```

```
cout << "Division (10 / 0): " << mulCalc.divide(10, 0) << endl;
return 0;
}
```

ผลการทดลอง

```
Code Python
class Calculator:
  def add(self, a, b):
    return a + b
class SubtractionCalculator(Calculator):
  def subtract(self, a, b):
    return a - b
class MultiplicationCalculator(SubtractionCalculator):
  def multiply(self, a, b):
    return a * b
class DivisionCalculator(MultiplicationCalculator):
  def divide(self, a, b):
    if b == 0:
       return "Cannot divide by zero"
    return a / b
if __name__ == "__main__":
  mul_calc = DivisionCalculator()
  print(f"Addition (10 + 5): {mul_calc.add(10, 5)}")
  print(f"Subtraction (10 - 5): {mul_calc.subtract(10, 5)}")
  print(f"Multiplication (10 * 5): {mul_calc.multiply(10, 5)}")
  print(f"Division (10 / 5): {mul_calc.divide(10, 5)}")
  print(f"Division (10 / 0): {mul calc.divide(10, 0)}")
```

ผลการทดลอง

```
TERMINAL GITLENS PROBLEMS OUTPUT PORTS RO

> python3 calculator.py
Addition (10 + 5): 15
Subtraction (10 - 5): 5
Multiplication (10 * 5): 50
Division (10 / 5): 2.0
Division (10 / 0): Cannot divide by zero

~/Desktop/MUT/Y_1 T_2/MIIA0106/lab_10 | main !3 ?1

> [
```

1. การออกแบบคลาสลูกServer
คลาสServer: เป็นตัวแทนของserver computerที่สามารถเปิด/ปิดได้เหมือนอุปกรณ์ทั่วไป แต่มี
ฟังก์ชันเพิ่มเติม:
• คุณสมบัติใหม่:
o cpu: จำนวน core cpu ที่ต้องการ (int 1-16)
o ram : จำนวน ram(GB) ที่ต้องการ (int 2-64)
o storage : จำนวนพื้นที่เก็บข้อมูลถาวรที่ต้องการ(GB) (int 64-1024)
• พฤติกรรมเพิ่มเติม:
o setCPU(int 1-16) ปรับ cpu core
o setRam(int 2-64) ปรับ ram
o setStorage(int 64-1024) ปรับ storage
o getSpec() ดูข้อมูล spec ปัจจุบัน

2. การออกแบบคลาสลูกAir Purifier
คลาส AirPurifier: เป็นตัวแทนของเครื่องกรองฝุ่นในอากาศที่สามารถเปิด/ปิดได้เหมือนอุปกรณ์
ทั่วไป แต่มีฟังก์ชันเพิ่มเติม:
• คุณสมบัติใหม่:
o Fan speed : ระดับความแรงของใบพัด (int 1-5)
o Air score : ระดับฝุ่นในอากาศ (int 0-300)
• พฤติกรรมเพิ่มเติม:
o setFanSpeed(int 1-5) : ปรับระดับความแรงของใบพัด
o setAirScore(int 0-300) : ปรับระดับฝุ่นในอากาศ
o getAirScore() : ดูค่าระดับฝุ่นในอากาศ

3. การออกแบบคลาสลูกSpeaker
คลาสSpeaker: เป็นตัวแทนของ <u>ลำโพง</u> ที่สามารถเปิด/ปิดได้เหมือนอุปกรณ์ทั่วไป แต่มีฟังก์ชันเพิ่มเติม:
• คุณสมบัติใหม่:
o Volume : ระดับความดังของเสียง (int 0-100)
o RGB light level : ระดับความสว่างของไฟแสดง visual ของคลื่นเสียงที่เล่นผ่านลำโพง(int 0-3)
• พฤติกรรมเพิ่มเติม:
o setVolume(int 0-100) : ปรับระดับความดังของเสียง
o setRGBLightLevel(int 0-3): ปรับระดับความสว่างของไฟแสดง visual ของคลื่นเสียงที่เล่นผ่านลำโพง
o getConfig() : ดูข้อมูลการตั้งค่าลำโพง

```
#include <iostream>
#include <string>
using namespace std;
class Device {
protected:
        string name;
        bool isOn;
public:
        Device(string deviceName) : name(deviceName), isOn(false) {}
        void turnOn() {
                isOn = true;
                cout << name << " is now ON." << endl;
        }
        void turnOff() {
                isOn = false;
                cout << name << " is now OFF." << endl;</pre>
        }
        void status() {
                cout << name << " is currently " << (isOn ? "ON" : "OFF") << "." << endl;
        }
};
class Server : public Device {
private:
  int cpu;
  int ram;
  int storage;
public:
  Server(string deviceName): Device(deviceName), cpu(1), ram(2), storage(64) {}
  void setCPU(int core) {
    if (!isOn) {
      cout << name << " is OFF. Turn it ON to adjust CPU core." << endl;
      return;
    }
    if (core >= 1 && core <= 16) {
      cpu = core;
      cout << name << "'s CPU core is set to " << cpu << "." << endl;
```

```
else {
      cout << "Invalid CPU core! Please use a value between 1 and 16." << endl;
    }
  }
  void setRam(int gb) {
    if (!isOn) {
      cout << name << " is OFF. Turn it ON to adjust RAM." << endl;
    }
    if (gb >= 2 \&\& gb <= 64) {
      ram = gb;
      cout << name << "'s RAM is set to " << ram << "GB." << endl;
    }
    else {
      cout << "Invalid RAM size! Please use a value between 2 and 64." << endl;
    }
  }
  void setStorage(int gb) {
    if (!isOn) {
      cout << name << " is OFF. Turn it ON to adjust storage." << endl;
    }
    if (gb >= 64 \&\& gb <= 1024) {
      storage = gb;
      cout << name << "'s storage is set to " << storage << "GB." << endl;
    }
    else {
      cout << "Invalid storage size! Please use a value between 64 and 1024." << endl;
  }
  void getSpec() {
    cout << name << "'s current spec: CPU core = " << cpu << ", RAM = " << ram << "GB, Storage = " <<
storage << "GB." << endl;
 }
};
class AirPurifier : public Device {
private:
  int fanSpeed;
  int airScore;
public:
  AirPurifier(string deviceName): Device(deviceName), fanSpeed(1), airScore(0) {}
```

```
void setFanSpeed(int speed) {
    if (!isOn) {
       cout << name << " is OFF. Turn it ON to adjust fan speed." << endl;
      return;
    if (speed >= 1 \&\& speed <= 5) {
      fanSpeed = speed;
       cout << name << "'s fan speed is set to level " << fanSpeed << "." << endl;</pre>
    }
    else {
      cout << "Invalid fan speed! Please use a value between 1 and 5." << endl;
    }
  }
  void setAirScore(int score) {
    if (!isOn) {
      cout << name << " is OFF. Turn it ON to adjust air score." << endl;
      return;
    if (score \geq 0 && score \leq 300) {
       airScore = score;
       cout << name << "'s air score is set to " << airScore << "." << endl;
    }
    else {
       cout << "Invalid air score! Please use a value between 0 and 300." << endl;
    }
  }
  void getAirScore() {
    cout << name << "'s current air score: " << airScore << "." << endl;</pre>
  }
};
class Speaker : public Device {
private:
  int volume;
  int rgbLightLevel;
public:
  Speaker(string deviceName) : Device(deviceName), volume(0), rgbLightLevel(0) {}
  void setVolume(int level) {
    if (!isOn) {
       cout << name << " is OFF. Turn it ON to adjust volume." << endl;
       return;
```

```
if (level >= 0 && level <= 100) {
      volume = level;
      cout << name << "'s volume is set to " << volume << "." << endl;
    }
    else {
      cout << "Invalid volume level! Please use a value between 0 and 100." << endl;
    }
  }
  void setRGBLightLevel(int level) {
    if (!isOn) {
      cout << name << " is OFF. Turn it ON to adjust RGB light level." << endl;
    }
    if (level >= 0 \&\& level <= 3) {
      rgbLightLevel = level;
      cout << name << "'s RGB light level is set to " << rgbLightLevel << "." << endl;
    }
    else {
      cout << "Invalid RGB light level! Please use a value between 0 and 3." << endl;
    }
 }
 void getConfig() {
    cout << name << "'s current configuration: Volume = " << volume << ", RGB light level = " <<
rgbLightLevel << "." << endl;
 }
};
int main() {
  Server webServer("Web Server");
  AirPurifier airPurifier("Air Purifier");
  Speaker musicSpeaker("Music Speaker");
  cout << "\n[Server Control]\n";</pre>
  cout << "| before turn on\n";</pre>
  webServer.status();
  webServer.setCPU(8);
  webServer.setRam(16);
  webServer.setStorage(256);
  webServer.getSpec();
  cout << "| after turn on\n";</pre>
  webServer.turnOn();
  webServer.status();
  webServer.setCPU(8);
  webServer.setRam(16);
  webServer.setStorage(256);
```

```
webServer.getSpec();
cout << "| re-adjuste all properties\n";</pre>
webServer.setCPU(16);
webServer.setRam(32);
webServer.setStorage(512);
webServer.getSpec();
webServer.turnOff();
webServer.status();
cout << "\n[Air Purifier Control]\n";</pre>
cout << "| before turn on\n";</pre>
airPurifier.status();
airPurifier.setFanSpeed(3);
airPurifier.setAirScore(150);
airPurifier.getAirScore();
cout << "| after turn on\n";</pre>
airPurifier.turnOn();
airPurifier.status();
airPurifier.setFanSpeed(3);
airPurifier.setAirScore(150);
airPurifier.getAirScore();
cout << "| re-adjuste all properties\n";</pre>
airPurifier.setFanSpeed(5);
airPurifier.setAirScore(300);
airPurifier.getAirScore();
airPurifier.turnOff();
airPurifier.status();
cout << "\n[Speaker Control]\n";</pre>
cout << "| before turn on\n";</pre>
musicSpeaker.status();
musicSpeaker.setVolume(50);
musicSpeaker.setRGBLightLevel(2);
musicSpeaker.getConfig();
cout << "| after turn on\n";</pre>
musicSpeaker.turnOn();
musicSpeaker.status();
musicSpeaker.setVolume(50);
musicSpeaker.setRGBLightLevel(2);
musicSpeaker.getConfig();
cout << "| re-adjuste all properties\n";</pre>
musicSpeaker.setVolume(100);
musicSpeaker.setRGBLightLevel(3);
musicSpeaker.getConfig();
musicSpeaker.turnOff();
musicSpeaker.status();
```

```
return 0;
}
```

ผลการทดลอง

```
TERMINAL
                                   OUTPUT
                                                      ROBOT OUTPUT
                                                                                   DEBUG CONSOLE
> g++ device.cpp -o main && ./main
 [Server Control]
 | before turn on
 Web Server is currently OFF.
 Web Server is OFF. Turn it ON to adjust CPU core. Web Server is OFF. Turn it ON to adjust RAM.
 Web Server is OFF. Turn it ON to adjust storage.
 Web Server's current spec: CPU core = 1, RAM = 2GB, Storage = 64GB.
 | after turn on
 Web Server is now ON.
 Web Server is currently ON.
 Web Server's CPU core is set to 8.
 Web Server's RAM is set to 16GB.
 Web Server's storage is set to 256GB.
Web Server's current spec: CPU core = 8, RAM = 16GB, Storage = 256GB.
 re-adjuste all properties
 Web Server's CPU core is set to 16.
 Web Server's RAM is set to 32GB.
 Web Server's storage is set to 512GB.
 Web Server's current spec: CPU core = 16, RAM = 32GB, Storage = 512GB.
 Web Server is now OFF.
 Web Server is currently OFF.
 [Air Purifier Control]
 | before turn on
 Air Purifier is currently OFF.
 Air Purifier is OFF. Turn it ON to adjust fan speed.
 Air Purifier is OFF. Turn it ON to adjust air score.
 Air Purifier's current air score: 0.
 | after turn on
 Air Purifier is now ON.
 Air Purifier is currently ON.
 Air Purifier's fan speed is set to level 3.
 Air Purifier's air score is set to 150.
 Air Purifier's current air score: 150.
 | re-adjuste all properties
 Air Purifier's fan speed is set to level 5.
 Air Purifier's air score is set to 300.
 Air Purifier's current air score: 300.
 Air Purifier is now OFF.
 Air Purifier is currently OFF.
 [Speaker Control]
 | before turn on
 Music Speaker is currently OFF.
 Music Speaker is OFF. Turn it ON to adjust volume.
 Music Speaker is OFF. Turn it ON to adjust RGB light level.
 Music Speaker's current configuration: Volume = 0, RGB light level = 0.
 | after turn on
 Music Speaker is now ON.
 Music Speaker is currently ON.
 Music Speaker's volume is set to 50.
 Music Speaker's RGB light level is set to 2.
 Music Speaker's current configuration: Volume = 50, RGB light level = 2.
 | re-adjuste all properties
 Music Speaker's volume is set to 100.
 Music Speaker's RGB light level is set to 3.
 Music Speaker's current configuration: Volume = 100, RGB light level = 3.
 Music Speaker is now OFF.
 Music Speaker is currently OFF.
  ~/Desktop/MUT/Y_1 T_2/MIIA0106/lab_10 | main !4 ?2
```



```
class Device:
  def __init__(self, name):
    self.name = name
    self.is_on = False
  def turn_on(self):
    self.is_on = True
    print(f"{self.name} is now ON.")
  def turn_off(self):
    self.is_on = False
    print(f"{self.name} is now OFF.")
  def status(self):
    state = "ON" if self.is_on else "OFF"
    print(f"{self.name} is currently {state}.")
class Server(Device):
  def __init__(self, name, cpu=1, ram=2, storage=64):
    super().__init__(name)
    self.cpu = cpu
    self.ram = ram
    self.storage = storage
  def set cpu(self, core):
    if not self.is_on:
      print(f"{self.name} is OFF. Turn it ON to adjust CPU core.")
      return
    if 1 <= core <= 16:
      self.cpu = core
      print(f"{self.name}'s CPU core is set to {self.cpu}.")
      print("Invalid CPU core! Please use a value between 1 and 16.")
  def set ram(self, gb):
    if not self.is_on:
      print(f"{self.name} is OFF. Turn it ON to adjust RAM.")
      return
    if 2 \le gb \le 64:
      self.ram = gb
      print(f"{self.name}'s RAM is set to {self.ram}GB.")
    else:
      print("Invalid RAM size! Please use a value between 2 and 64.")
  def set_storage(self, gb):
    if not self.is on:
```

```
print(f"{self.name} is OFF. Turn it ON to adjust storage.")
      return
    if 64 <= gb <= 1024:
      self.storage = gb
      print(f"{self.name}'s storage is set to {self.storage}GB.")
    else:
      print("Invalid storage size! Please use a value between 64 and 1024.")
  def get_spec(self):
    print(f"{self.name}'s current spec: CPU core = {self.cpu}, RAM = {self.ram}GB, Storage =
{self.storage}GB.")
class AirPurifier(Device):
  def init (self, name, fan speed=1, air score=0):
    super().__init__(name)
    self.fan_speed = fan_speed
    self.air_score = air_score
  def set_fan_speed(self, speed):
    if not self.is on:
      print(f"{self.name} is OFF. Turn it ON to adjust fan speed.")
      return
    if 1 <= speed <= 5:
      self.fan_speed = speed
      print(f"{self.name}'s fan speed is set to level {self.fan speed}.")
    else:
      print("Invalid fan speed! Please use a value between 1 and 5.")
  def set_air_score(self, score):
    if not self.is on:
      print(f"{self.name} is OFF. Turn it ON to adjust air score.")
      return
    if 0 <= score <= 300:
      self.air score = score
      print(f"{self.name}'s air score is set to {self.air score}.")
    else:
      print("Invalid air score! Please use a value between 0 and 300.")
  def get_air_score(self):
    print(f"{self.name}'s current air score: {self.air_score}.")
class Speaker(Device):
  def __init__(self, name, volume=0, rgb_light_level=0):
    super(). init (name)
    self.volume = volume
    self.rgb_light_level = rgb_light_level
  def set volume(self, level):
```

```
if not self.is on:
      print(f"{self.name} is OFF. Turn it ON to adjust volume.")
      return
    if 0 <= level <= 100:
      self.volume = level
      print(f"{self.name}'s volume is set to {self.volume}.")
    else:
      print("Invalid volume level! Please use a value between 0 and 100.")
  def set_rgb_light_level(self, level):
    if not self.is_on:
      print(f"{self.name} is OFF. Turn it ON to adjust RGB light level.")
      return
    if 0 <= level <= 3:
      self.rgb light level = level
      print(f"{self.name}'s RGB light level is set to {self.rgb_light_level}.")
    else:
      print("Invalid RGB light level! Please use a value between 0 and 3.")
  def get config(self):
    print(f"{self.name}'s current configuration: Volume = {self.volume}, RGB light level =
{self.rgb light level}.")
def main():
  web_server = Server("Web Server")
  air_purifier = AirPurifier("Air Purifier")
  music_speaker = Speaker("Music Speaker")
  print("\n[Server Control]\n")
  print("| before turn on")
  web server.status()
  web_server.set_cpu(8)
  web_server.set_ram(16)
  web_server.set_storage(256)
  web_server.get_spec()
  print("| after turn on")
  web_server.turn_on()
  web_server.status()
  web server.set cpu(8)
  web_server.set_ram(16)
  web_server.set_storage(256)
  web server.get spec()
  print("| re-adjuste all properties")
  web_server.set_cpu(16)
  web_server.set_ram(32)
  web server.set storage(512)
```

```
web server.get spec()
  web_server.turn_off()
  web server.status()
  print("\n[Air Purifier Control]\n")
  print("| before turn on")
  air_purifier.status()
  air_purifier.set_fan_speed(3)
  air_purifier.set_air_score(150)
  air purifier.get air score()
  print("| after turn on")
  air purifier.turn on()
  air_purifier.status()
  air purifier.set fan speed(3)
  air_purifier.set_air_score(150)
  air_purifier.get_air_score()
  print("| re-adjuste all properties")
  air_purifier.set_fan_speed(5)
  air_purifier.set_air_score(300)
  air_purifier.get_air_score()
  air purifier.turn off()
  air purifier.status()
  print("\n[Speaker Control]\n")
  print("| before turn on")
  music speaker.status()
  music_speaker.set_volume(50)
  music_speaker.set_rgb_light_level(2)
  music_speaker.get_config()
  print("| after turn on")
  music speaker.turn on()
  music speaker.status()
  music speaker.set volume(50)
  music_speaker.set_rgb_light_level(2)
  music_speaker.get_config()
  print("| re-adjuste all properties")
  music_speaker.set_volume(100)
  music_speaker.set_rgb_light_level(3)
  music_speaker.get_config()
if __name__ == "__main__":
  main()
```

```
TERMINAL
                                                       ROBOT OUTPUT
> python3 device.py
  [Server Control]
  | before turn on
 Web Server is currently OFF.
 Web Server is OFF. Turn it ON to adjust CPU core.
 Web Server is OFF. Turn it ON to adjust RAM.
 Web Server is OFF. Turn it ON to adjust storage.
 Web Server's current spec: CPU core = 1, RAM = 2GB, Storage = 64GB.
  | after turn on
 Web Server is now ON.
 Web Server is currently ON.
 Web Server's CPU core is set to 8.
 Web Server's RAM is set to 16GB.
 Web Server's storage is set to 256GB.
 Web Server's current spec: CPU core = 8, RAM = 16GB, Storage = 256GB.
  | re-adjuste all properties
 Web Server's CPU core is set to 16. Web Server's RAM is set to 32GB.
 Web Server's storage is set to 512GB.
 Web Server's current spec: CPU core = 16, RAM = 32GB, Storage = 512GB.
 Web Server is now OFF.
 Web Server is currently OFF.
  [Air Purifier Control]
  | before turn on
 Air Purifier is currently OFF.
 Air Purifier is OFF. Turn it ON to adjust fan speed.
 Air Purifier is OFF. Turn it ON to adjust air score.
  Air Purifier's current air score: 0.
  | after turn on
 Air Purifier is now ON.
 Air Purifier is currently ON.
 Air Purifier's fan speed is set to level 3.
  Air Purifier's air score is set to 150.
 Air Purifier's current air score: 150.
  | re-adjuste all properties
  Air Purifier's fan speed is set to level 5.
 Air Purifier's air score is set to 300.
 Air Purifier's current air score: 300.
 Air Purifier is now OFF.
 Air Purifier is currently OFF.
 [Speaker Control]
  | before turn on
 Music Speaker is currently OFF.
 Music Speaker is OFF. Turn it ON to adjust volume.
 Music Speaker is OFF. Turn it ON to adjust RGB light level.
 Music Speaker's current configuration: Volume = 0, RGB light level = 0.
  | after turn on
 Music Speaker is now ON.
 Music Speaker is currently ON.
 Music Speaker's volume is set to 50.
 Music Speaker's RGB light level is set to 2.
Music Speaker's current configuration: Volume = 50, RGB light level = 2.
  | re-adjuste all properties
 Music Speaker's volume is set to 100.
Music Speaker's RGB light level is set to 3.
  Music Speaker's current configuration: Volume = 100, RGB light level = 3.
  ~/Desktop/MUT/Y_1 T_2/MIIA0106/lab_10 | main !4 ?2
```