

Managing my website with Org Mode: a Journey into Emacs

March 6, 2025

Contents

1 Foreword	1
1.1 A Warning for Emacs Wizards	1
1.2 Dotfiles	1
2 Management of Style with org-mode	1

1 Foreword

1.1 A Warning for Emacs Wizards

My skill in emacs and org mode is very much limited compared to most, so forgive me if I blaspheme --

1.2 Dotfiles

You can find my dotfiles here, where they'll hopefully be updated with the changes mentioned in this blog by the time it's pushed to main.

2 Management of Style with org-mode

This journey started with me wanting to have a better experience making websites in a nicer-to-use text formatting style. While writing an essay for school, I noticed you could export .org files as html files, so the rusted gears in my head started turning in YARB-like fashion.

After a bit of searching, I added the following snippet to style.org.css in the root directory of this repo:

```
#+OPTIONS: org-html-head-include-default-style:nil
```

```
#+HTML_HEAD: <link rel="stylesheet" type="text/css" href="../style.css">
#+HTML_HEAD: <div class="topnav">
#+HTML_HEAD: <a class="home" href="https://kirawano.github.io">~</a>
#+HTML_HEAD: <a class="proj" href="https://kirawano.github.io/projects.html">Projects</a>
#+HTML_HEAD: <a class="YARB" href="https://kirawano.github.io/YARB.html">YARB</a>
#+HTML_HEAD: <a class="CONT" href="https://kirawano.github.io/contact.html">Contact</a>
#+HTML_HEAD: <a class="setp" href="https://kirawano.github.io/setup.html">setup</a>
#+HTML_HEAD: <a class="catd" href="https://kirawano.github.io/catdump.html">cat dump</a>
#+HTML_HEAD: <a class="x8831" href="https://kirawano.github.io/88x31.html">88x31</a>
#+HTML_HEAD: </div>
#+HTML_HEAD: <h1 id = 'titleText' style = 'color:rgb(204,0,255);'></h1>
#+HTML_HEAD: </head>
```

To fully utilize this, I created a tree structure of style.css.org files in each directory of the repo, each inheriting the org file of the super directory.