

Jenkins Task - 2

```
ubuntu@ip-172-31-16-47: ~$ cd downloads
PS C:\Users\kirub> cd downloads
PS C:\Users\kirub\downloads> ssh -i "karan.pem" ubuntu@ec2-54-165-232-23.compute-1.amazonaws.com
The authenticity of host 'ec2-54-165-232-23.compute-1.amazonaws.com (54.165.232.23)' can't be established.
ED25519 key fingerprint is SHA256:Rj7TpqJ90DzmYhdY2Vx94eNMUfa4L8MqOGv0Q3dG1QM.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-54-165-232-23.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
Welcome to Ubuntu 24.04.2 LTS (GNU/Linux 6.8.0-1024-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu May 1 14:22:13 UTC 2025

System load:  0.61           Processes:           105
Usage of /:   25.0% of 6.71GB Users logged in:     0
Memory usage: 21%          IPv4 address for enX0: 172.31.16.47
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
```

```
ubuntu@ip-172-31-16-47: ~$ sudo apt update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:6 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [782 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:12 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:13 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:14 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1028 kB]
Get:15 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [224 kB]
Get:16 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [161 kB]
Get:17 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [13.5 kB]
Get:18 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1059 kB]
Get:19 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [268 kB]
Get:20 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [376 kB]
Get:21 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [26.0 kB]
```

```
Windows PowerShell
X + v
- [ ] X

Fetched 33.7 MB in 6s (5528 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
82 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-16-47:~$ sudo apt install fontconfig openjdk-21-jre
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  adwaita-icon-theme alsa-topology-conf alsa-ucm-conf at-spi2-common at-spi2-core ca-certificates-java dconf-gsettings-backend
  dconf-service fontconfig fontconfig-config fonts-dejavu-core fonts-dejavu-extra fonts-dejavu-mono gsettings-desktop-schemas
  gtk-update-icon-cache hicolor-icon-theme humanity-icon-theme java-common libasound2-data libasound2t64 libatk-bridge2.0-0t64
  libatk-wrapper-java libatk-wrapper-java-jni libatk1.0-0t64 libatspi2.0-0t64 libavahi-client3 libavahi-common-data
  libavahi-common3 libcairo-gobject2 libcairo2 libcolord2 libcups2t64 libdatrie1 libdconf1 libdeflate0 libdrm-amdgpu1 libdrm-intel1
  libdrm-nouveau2 libdrm-radeon1 libepoxy0 libfontconfig1 libgbm1 libgdk-pixbuf-2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common
  libgif7 libgl1 libgl1-amd-glx libgl1-mesa-dri libglapi-mesa libglvnd0 libglx-mesa0 libglx0 libgraphite2-3 libgtk-3-0t64
  libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjpeg8 libjpeg-turbo8 libjpeg8 liblcms2-2 liblerc4 libllvm19 libpango-1.0-0
  libpangocairo-1.0-0 libpangoft2-1.0-0 libpciaccess0 libpcsclite1 libpixman-1-0 librsvg2-2 librsvg2-common libsharpyuv0 libsm6
  libthai-data libthai0 libtiff6 libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7
  libx11-xcb1 libxaw7 libxcb-dri2-0 libxcb-dri3-0 libxcb-glx0 libxcb-present0 libxcb-randr0 libxcb-render0 libxcb-shape0
  libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libxcomposite1 libxcursor1 libxdamage1 libxfixes3 libxft2 libxi6 libxinerama1 libxkbfile1
  libxmu6 libxpm4 libxrandr2 libxrender1 libxshmfence1 libxt6t64 libxtst6 libxv1 libxxf86dgal libxxf86vml mesa-libgallium
  mesa-vulkan-drivers openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
Suggested packages:
  default-jre alsa-utils libasound2-plugins colord cups-common gvfs liblcms2-utils pcsd librsvg2-bin libnss-mdns
  fonts-ipafont-gothic fonts-ipafont-mincho fonts-wqy-microhei | fonts-wqy-zenhei fonts-indic mesa-utils
Recommended packages:
  luit
The following NEW packages will be installed:
  adwaita-icon-theme alsa-topology-conf alsa-ucm-conf at-spi2-common at-spi2-core ca-certificates-java dconf-gsettings-backend
  dconf-service fontconfig fontconfig-config fonts-dejavu-core fonts-dejavu-extra fonts-dejavu-mono gsettings-desktop-schemas
  gtk-update-icon-cache hicolor-icon-theme humanity-icon-theme java-common libasound2-data libasound2t64 libatk-bridge2.0-0t64
```

```
Windows PowerShell
X + v
- [ ] X

Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.6+7-1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.4) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-16-47:~$ java -version
openjdk version "21.0.6" 2025-01-21
OpenJDK Runtime Environment (build 21.0.6+7-Ubuntu-124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.6+7-Ubuntu-124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-16-47:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc \
  https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-05-01 14:24:47-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 146.75.38.133, 2a04:4e42:78::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)[146.75.38.133]:443... connected.
```

```
Windows PowerShell
openjdk version "21.0.6" 2025-01-21
OpenJDK Runtime Environment (build 21.0.6+7-Ubuntu-124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.6+7-Ubuntu-124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-16-47:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc \
https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-05-01 14:24:47-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 146.75.38.133, 2a04:4e42:78::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)[146.75.38.133]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring 100%[=====] 3.10K --.-KB/s in 0s

2025-05-01 14:24:48 (60.6 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-16-47:~$ echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc]" \
https://pkg.jenkins.io/debian-stable binary/ | sudo tee \
/etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-16-47:~$ sudo apt-get update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Ign:5 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:7 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Get:8 https://pkg.jenkins.io/debian-stable binary/ Packages [29.0 kB]
Get:9 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [782 kB]
Get:10 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.6 kB]
Get:11 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.3 kB]
Get:12 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:13 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
```

```
Windows PowerShell
Get:8 https://pkg.jenkins.io/debian-stable binary/ Packages [29.0 kB]
Get:9 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [782 kB]
Get:10 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.6 kB]
Get:11 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.3 kB]
Get:12 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:13 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Fetched 1015 kB in 1s (930 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-16-47:~$ sudo apt-get install jenkins
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  net-tools
The following NEW packages will be installed:
  jenkins net-tools
0 upgraded, 2 newly installed, 0 to remove and 82 not upgraded.
Need to get 92.4 MB of archives.
After this operation, 95.2 MB of additional disk space will be used.
Do you want to continue? [Y/n] yes
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 net-tools amd64 2.10-0.1ubuntu4 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.504.1 [92.2 MB]
Fetched 92.4 MB in 1min 7s (1377 kB/s)
Selecting previously unselected package net-tools.
(Reading database ... 85332 files and directories currently installed.)
Preparing to unpack .../net-tools_2.10-0.1ubuntu4_amd64.deb ...
Unpacking net-tools (2.10-0.1ubuntu4) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.504.1_all.deb ...
Unpacking jenkins (2.504.1) ...
Setting up net-tools (2.10-0.1ubuntu4) ...
Setting up jenkins (2.504.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
```

```
Windows PowerShell
Need to get 92.4 MB of archives.
After this operation, 95.2 MB of additional disk space will be used.
Do you want to continue? [Y/n] yes
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 net-tools amd64 2.10-0.1ubuntu4 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.504.1 [92.2 MB]
Fetched 92.4 MB in 1min 7s (1377 kB/s)
Selecting previously unselected package net-tools.
(Reading database ... 85332 files and directories currently installed.)
Preparing to unpack .../net-tools_2.10-0.1ubuntu4_amd64.deb ...
Unpacking net-tools (2.10-0.1ubuntu4) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.504.1_all.deb ...
Unpacking jenkins (2.504.1) ...
Setting up net-tools (2.10-0.1ubuntu4) ...
Setting up jenkins (2.504.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning linux images...


Running kernel seems to be up-to-date.



No services need to be restarted.



No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-16-47:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
ffb6058fdc7748e896a9368335577717
ubuntu@ip-172-31-16-47:~$ client_loop: send disconnect: Connection reset
PS C:\Users\kirub\downloads> |
```







project for guvi Config - Jenkins

Not secure 54.165.232.23:8080/job/project%20for%20guvi/configure

Dashboard > project for guvi > Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Execute shell ?

Command

See [the list of available environment variables](#)

```
python3 hello.py
```

Advanced ▾

Add build step ▾

Post-build Actions

Save Apply

project for guvi Config - Jenkins

Not secure 54.165.232.23:8080/job/project%20for%20guvi/configure

Dashboard > project for guvi > Configuration

Configure

- General
- Source Code Management
- Triggers
- Environment
- Build Steps
- Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Editable Email Notification ?

Allows the user to disable the publisher, while maintaining the settings

☐ Disable Extended Email Publisher ?

Project From

kiruba

Project Recipient List ?

Comma-separated list of email address that should receive notifications for this project.

```
$DEFAULT_RECIPIENTS
```

Project Reply-To List ?

Comma-separated list of email address that should be in the Reply-To header for this project.

Save Apply

project for guvi - Jenkins

Not secure 54.165.232.23:8080/job/project%20for%20guvi/

vpn YouTube Gmail Maps Download and Fix... tradingview GUVI Inbox (5,805) - kirub... GitHub ChatGPT

Jenkins

Dashboard > project for guvi >

Status

Changes

Workspace

Build Now

Configure

Delete Project

Email Template Testing

GitHub Hook Log

Rename

Builds

project for guvi

creating a email notification when triggered in git repo change commit

Permalinks

Edit description

System - Jenkins

Not secure 54.165.232.23:8080/manage/configure

vpn YouTube Gmail Maps Download and Fix... tradingview GUVI Inbox (5,805) - kirub... GitHub ChatGPT

Dashboard > Manage Jenkins > System >

Jenkins Credentials Provider: Jenkins

Add Credentials

Domain

Global credentials (unrestricted)

Kind

Username with password

Scope ?



Global (Jenkins, nodes, items, all child items, etc)

Username ?

kirubawork123@gmail.com

☐ Treat username as secret ?

Save Apply



System - Jenkins

Not secure 54.165.232.23:8080/manage/configure

Dashboard > Manage Jenkins > System

E-mail Notification

SMTP server

Default user e-mail suffix ?

Advanced ^ Edited

☒ Use SMTP Authentication ?

User Name

Password

Save Apply

System - Jenkins

Not secure 54.165.232.23:8080/manage/configure

Dashboard > Manage Jenkins > System

Reply-To Address

Charset

☒ Test configuration by sending test e-mail



Test e-mail recipient


Email was successfully sent

Test configuration

Save Apply

REST API Jenkins 2.504.1





```
ubuntu@ip-172-31-16-47: ~/je
Last login: Thu May 1 14:22:14 2025 from 103.208.230.129
ubuntu@ip-172-31-16-47:~$ git clone https://github.com/kirba001/jenkins.git
Cloning into 'jenkins'...
remote: Enumerating objects: 79, done.
remote: Counting objects: 100% (79/79), done.
remote: Compressing objects: 100% (44/44), done.
remote: Total 79 (delta 17), reused 41 (delta 10), pack-reused 0 (from 0)
Receiving objects: 100% (79/79), 17.25 KiB | 2.46 MiB/s, done.
Resolving deltas: 100% (17/17), done.
ubuntu@ip-172-31-16-47:~$ ls
jenkins
ubuntu@ip-172-31-16-47:~$ cd jenkins
ubuntu@ip-172-31-16-47:~/jenkins$ ls
hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ vi hello.py
"hello.py" 2L, 78B written
ubuntu@ip-172-31-16-47:~/jenkins$ cat hello.py
print("Hello from Jenkins automation!")
print("Changed made to trigger mail")
ubuntu@ip-172-31-16-47:~/jenkins$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-172-31-16-47:~/jenkins$ git add hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ git commit -m "Change made"
[main 5f70667] Change made
```

```
ubuntu@ip-172-31-16-47: ~/j1 X + v
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-172-31-16-47:~/jenkins$ git add hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ git commit -m "Change made"
[main 5f70667] Change made
Committer: Ubuntu <ubuntu@ip-172-31-16-47.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
ubuntu@ip-172-31-16-47:~/jenkins$ git push origin main
Username for 'https://github.com': kirba001client_loop: send disconnect: Connection reset
PS C:\Users\kirub\downloads> ssh -i "karan.pem" ubuntu@ec2-54-165-232-23.compute-1.amazonaws.com
Welcome to Ubuntu 24.04.2 LTS (GNU/Linux 6.8.0-1024-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu May 1 15:03:53 UTC 2025
```

```
ubuntu@ip-172-31-16-47: ~/j1 X + v
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Thu May 1 15:03:53 UTC 2025

System load:  0.0          Processes:      115
Usage of /:   43.3% of 6.71GB Users logged in:   1
Memory usage: 72%         IPv4 address for enx0: 172.31.16.47
Swap usage:   0%

Expanded Security Maintenance for Applications is not enabled.

79 updates can be applied immediately.
44 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

Last login: Thu May 1 14:53:18 2025 from 103.208.230.129
ubuntu@ip-172-31-16-47:~$ git push origin main
fatal: not a git repository (or any of the parent directories): .git
ubuntu@ip-172-31-16-47:~$ git pull hello.py
fatal: not a git repository (or any of the parent directories): .git
ubuntu@ip-172-31-16-47:~$ git status
fatal: not a git repository (or any of the parent directories): .git
ubuntu@ip-172-31-16-47:~$ cd jenkins
ubuntu@ip-172-31-16-47:~/jenkins$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)
```

```

ubuntu@ip-172-31-16-47: ~/j...
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
ubuntu@ip-172-31-16-47:~/jenkins$ git push origin main
Username for 'https://github.com': kirba001
Password for 'https://kirba001@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 322 bytes | 322.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/kirba001/jenkins.git
   cb1c53d..5f70667  main -> main
ubuntu@ip-172-31-16-47:~/jenkins$ vi hello.py
"hello.py" 3L, 125B writtennkins$
ubuntu@ip-172-31-16-47:~/jenkins$ cat hello.py
print("Hello from Jenkins automation!")
print("Changed made to trigger mail")
print("Changed the trigger setting to always")
ubuntu@ip-172-31-16-47:~/jenkins$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-172-31-16-47:~/jenkins$ git add hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ git commit -m "change made"
[main afc9dc5] change made

```

```

ubuntu@ip-172-31-16-47: ~/j...
Committer: Ubuntu <ubuntu@ip-172-31-16-47.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
ubuntu@ip-172-31-16-47:~/jenkins$ git push origin main
Username for 'https://github.com': kirba001
Password for 'https://kirba001@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 336 bytes | 336.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/kirba001/jenkins.git
   5f70667..afc9dc5  main -> main
ubuntu@ip-172-31-16-47:~/jenkins$ vi hello.py
"hello.py" 4L, 152B writtennkins$
ubuntu@ip-172-31-16-47:~/jenkins$ cat hello.py
print("Hello from Jenkins automation!")
print("Changed made to trigger mail")
print("Changed the trigger setting to always")
print("Final change made")
ubuntu@ip-172-31-16-47:~/jenkins$ git status
On branch main

```

```
ubuntu@ip-172-31-16-47: ~/j... X + v
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-172-31-16-47:~/jenkins$ git add hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ git commit -m "change made"
[main 9d91987] change made
Committer: Ubuntu <ubuntu@ip-172-31-16-47.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
ubuntu@ip-172-31-16-47:~/jenkins$ git push origin main
Username for 'https://github.com': kirba001
Password for 'https://kirba001@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 303 bytes | 303.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
```

```
ubuntu@ip-172-31-16-47: ~/j... X + v
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.py

no changes added to commit (use "git add" and/or "git commit -a")
ubuntu@ip-172-31-16-47:~/jenkins$ git add hello.py
ubuntu@ip-172-31-16-47:~/jenkins$ git commit -m "change made"
[main 9d91987] change made
Committer: Ubuntu <ubuntu@ip-172-31-16-47.ec2.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
ubuntu@ip-172-31-16-47:~/jenkins$ git push origin main
Username for 'https://github.com': kirba001
Password for 'https://kirba001@github.com':
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 303 bytes | 303.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/kirba001/jenkins.git
   afc9dc5..9d91987  main -> main
ubuntu@ip-172-31-16-47:~/jenkins$ |
```

project for guvi - Jenkins

Not secure 54.165.232.23.8080/job/project%20for%20guvi/

Dashboard > project for guvi >

Workspace

Build Now

Configure

Delete Project

Email Template Testing

GitHub Hook Log

Rename

creating a email notification when triggered in git repo change commit

Permalinks

- Last build (#1), 16 sec ago
- Last stable build (#1), 16 sec ago
- Last successful build (#1), 16 sec ago
- Last completed build (#1), 16 sec ago

Builds

Filter

Today

#1 3:06 PM

REST API Jenkins 2.504.1

project for guvi #1 - Jenkins

Not secure 54.165.232.23.8080/job/project%20for%20guvi/1/

Dashboard > project for guvi > #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Polling Log

Timings

Git Build Data

#1 (May 1, 2025, 3:06:56 PM)

Add description Keep this build forever

Started by GitHub push by kirba001

Started 36 sec ago
Took 3.7 sec

This run spent:

- 8.3 sec waiting;
- 3.7 sec build duration;
- 12 sec total from scheduled to completion.

git

Revision: 5f70667c9e6f2e8706770bea0b7c8e71aede4118

Repository: <https://github.com/kirba001/jenkins.git>

- refs/remotes/origin/main

No changes.

REST API Jenkins 2.504.1

project for guvi #2 - Jenkins

Not secure 54.165.232.23.8080/job/project%20for%20guvi/2/

vpn YouTube Gmail Maps Download and Fix... trading.view GUVI Inbox (5,805) - kirub... GitHub ChatGPT

kirubakaran log out

Dashboard > project for guvi > #2

Status

Changes

Console Output

Edit Build Information

Delete build '#2'

Polling Log

Timings

Git Build Data

Previous Build

#2 (May 1, 2025, 3:10:51 PM)

Add description Keep this build forever

Started by GitHub push by kirba001

Started 26 sec ago
Took 0.29 sec

This run spent:

- 8.1 sec waiting;
- 0.29 sec build duration;
- 8.3 sec total from scheduled to completion.

git

Revision: afc9dc59e6a3151f5d276315fc28040ec99ce9a7
Repository: <https://github.com/kirba001/jenkins.git>

- refs/remotes/origin/main

Changes

1. change made ([details](#) / [githubweb](#))

REST API Jenkins 2.504.1

project for guvi #3 - Jenkins

Not secure 54.165.232.23.8080/job/project%20for%20guvi/3/

vpn YouTube Gmail Maps Download and Fix... trading.view GUVI Inbox (5,805) - kirub... GitHub ChatGPT

kirubakaran log out

Dashboard > project for guvi > #3

Status

Changes

Console Output

Edit Build Information

Delete build '#3'

Polling Log

Timings

Git Build Data

Previous Build

#3 (May 1, 2025, 3:13:46 PM)

Add description Keep this build forever

Started by GitHub push by kirba001

Started 16 sec ago
Took 0.23 sec

This run spent:

- 6.4 sec waiting;
- 0.23 sec build duration;
- 6.6 sec total from scheduled to completion.

git

Revision: 9d91987533c863deb5be4ff48cc945b44066bd58
Repository: <https://github.com/kirba001/jenkins.git>

- refs/remotes/origin/main

Changes

1. change made ([details](#) / [githubweb](#))

REST API Jenkins 2.504.1

project for guvi #3 Console - Je x +

Not secure 54.165.232.23:8080/job/project%20for%20guvi/3/console

vpn YouTube Gmail Maps Download and Fix... tradingview GUVI Inbox (5,805) - kirub... GitHub ChatGPT All Bookmarks

Dashboard > project for guvi > #3 > Console Output

Status Console Output Changes Edit Build Information Delete build '#3' Polling Log Timings Git Build Data Previous Build

Console Output

Download Copy View as plain text

```
Started by GitHub push by kirba001
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/project for guvi
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/project for guvi/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/kirba001/jenkins.git # timeout=10
Fetching upstream changes from https://github.com/kirba001/jenkins.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/kirba001/jenkins.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 9d91987533c863deb5be4ff48cc945b44066bd58 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 9d91987533c863deb5be4ff48cc945b44066bd58 # timeout=10
Commit message: "change made"
> git rev-list --no-walk afc9dc59e6a3151f5d276315fc28040ec99ce9a7 # timeout=10
No emails were triggered.
Finished: SUCCESS
```

project for guvi #3 Console - Je x +

Not secure 54.165.232.23:8080/job/project%20for%20guvi/3/console

vpn YouTube Gmail Maps Download and Fix... tradingview GUVI Inbox (5,805) - kirub... GitHub ChatGPT All Bookmarks

Dashboard > project for guvi > #3 > Console Output

```
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 9d91987533c863deb5be4ff48cc945b44066bd58 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 9d91987533c863deb5be4ff48cc945b44066bd58 # timeout=10
Commit message: "change made"
> git rev-list --no-walk afc9dc59e6a3151f5d276315fc28040ec99ce9a7 # timeout=10
No emails were triggered.
[project for guvi] $ /bin/sh -xe /tmp/jenkins9844774984747547206.sh
+ python3 hello.py
Hello from Jenkins automation!
Changed made to trigger mail
Changed the trigger setting to always
Final change made
Email was triggered for: Always
Sending email for trigger: Always
Not sending mail to unregistered user (id: ubuntu, email: ubuntu@ip-172-31-16-47.ec2.internal) because your SCM claimed this
was associated with a user ID 'ubuntu' which your security realm does not recognize; you may need changes in your SCM plugin
Sending email to: kirubawork123@gmail.com
Finished: SUCCESS
```

REST API Jenkins 2.504.1

