

Alina Evidence Pack V1

Publication-ready evidence draft with explicit validation caveats

STATUS: NOT FINAL VALIDATED INVESTOR PROOF




This pack is the designed reading layer on top of the evidence-first research OS. It summarizes what is currently supported, what is merely directional, and what still needs validation before any final market or product claim.

Publication-ready evidence draft. It is not final validated investor proof: manual competitor inspection, in-app paywall validation, ICP interviews, and prototype/user sessions remain open gates.

Executive Read


Area	Current read	Proof level
Product shape	Adjacent primitives exist; strict action-to-avatar causality is queued for manual inspection.	Medium, inspection-ready
Market money	Paid behavior is visible through IAP, Google Play, web/paywall, and competitor revenue proxies.	Medium-high proxy, not revenue proof
Whitespace	Narrow opening remains behavior-tied identity/avatar progression after a completed daily action.	Medium, hidden clone risk open
Audience	ICP hypotheses point to ritual/self-improvement/spirituality/calm/cozy-progress users.	Directional, validation-ready
Product core	Prototype stimulus translates the thesis into an 8-screen two-minute validation loop.	Ready, unvalidated

Evidence Dashboard



Evidence layer	Count	Interpretation
Five-market coverage	5	Core markets represented in the normalized universe.
Known raw universe	58755	Core + itch.io + Steam tag + desktop store + Chrome rows exceed the 30k lower-bound target.
Cross-source normalized raw	59006	Unified provenance rows across core app stores, Google Play fallback, Steam, itch.io, desktop, and Chrome.
Cross-source dedup	31866	Deduped normalization layer that protects against repeated query/country/tag rows.
Coverage matrix cells	34	Source-by-market interpretation layer for strong/medium/thin/context-only evidence cells.
Saturation/whitespace markets	6	Market-level prioritization layer; keeps gaming/progression benchmark-only unless direct overlap is validated.
Deduped source universe	12552	Normalized rows for matrices and scoring.
Chrome Web Store raw rows	252	Source-native browser-extension expansion across five markets.
Desktop store raw rows	15397	Source-native Mac App Store desktop/wellness/productivity/game expansion.
Chrome detail pages parsed	251	Fit bands, users, tags, and mechanic evidence.
Chrome mechanic battlecards	251	Browser-extension mechanics translated into whitespace lessons.
Market assumption audit	6	TAM/SAM/SOM risk rows by market and intersection.
Market stress scenarios	6	Bottom-up sensitivity cases for reachable users, conversion, and ARPPU.
Hypothesis decision rows	6	H1-H6 operating gates with go/hold/kill criteria and next validation actions.
P0 command center rows	75	Operator-ready validation commands across walkthrough, paid-flow, ICP, and prototype lanes.
P0 field guide sections	8	Executable scripts, evidence naming, and post-validation rebuild protocol.
Validation workspace lanes	5	Local intake folders and note templates for screenshots, quotes, signoff, and scorecards.
Validation Batch 01 rows	6	Prefilled blocker notes for the first observed validation tranche.
Validation Batch 02 rows	52	Prefilled non-blocker P0 notes across the full validation breadth.
Validation Batch 03 rows	17	Prefilled P1-context paid-flow notes for conservative monetization checks.
Validation note local evidence links	29	Existing local artifacts linked into batch notes; not human signoff.
Validation rollup rows	75	Command-level note coverage and local artifact link audit.
Manifest source-like refs	212924	Rows with URLs, package IDs, domains, source IDs, or comparable identifiers.
Top-100 primary apps	90	Human-facing competitor review layer.
Behavior-tied progression signals	1	Strict signal is rare in metadata, hence manual inspection is critical.
P0 public listings inspected	12	No-broad-search inspection of existing App Store listing excerpts.
Visible public causality cases	1	Highest-priority walkthrough target; not final clone proof.
Manual rubric dimensions	6	Dimensions for causality, hidden clone risk, paywall, and final verdict.
ICP segments	6	Segment hypotheses to test before product commitment.
ICP recruiting bridge rows	24	Segment-channel links from community/referral evidence to screeners, prototype prompts, WTP probes, and capture fields.
Community/referral rows	294	Local review/forum signals for audience language and channel hypotheses.
Prototype scorecard metrics	6	Success/kill metrics for the two-minute loop.

Evidence status mix



Requirement Status Matrix

The completion audit keeps the project honest: the evidence package is substantial, but several requirements remain draft, directional, or validation-ready instead of final.

Requirement	Status	Strength	Remaining gap
REQ_01_MASTER_PLAN	proved_v1	strong	Keep refreshing as validation results change.
REQ_02_COMPETITOR_UNIVERSE	proved_30k_plus_cross_source_dedup	medium_high	The 30k lower-bound dedup target is now met; the remaining expansion gap is the upper 50k aspiration plus Product Hunt/AlternativeTo, B2B directories...
REQ_03_FIVE_MARKET_COVERAGE	proved_v1	strong	Gaming should remain benchmark-only unless direct consumer overlap is validated.
REQ_04_MARKET_MONEY	supported_with_stress_test_and_bottom_up_proxy_not_final	medium_high	Market sizing is stress-tested and range-based, but actual competitor revenue estimates, paid intelligence, and manual in-app paywall validation are...
REQ_05_WHITESPACE	narrow_supported_public_listing_inspected_walkthrough_open	medium	Cross-source saturation now keeps gaming/progression as benchmark-only and finds no primary market opportunity strong enough to upgrade without manua...
REQ_06_AUDIENCE_ICP	directionally_supported_recruiting_ready	medium	Segments and recruiting assets are directional and need actual interviews/prototype/WTP validation.
REQ_07_COMPETITIVE_ADVANTAGE	prototype_stimulus_ready_not_validated	medium	No completed user/prototype sessions prove the loop is understood/preferred.
REQ_08_REPORT_PDF	polished_evidence_draft_done_not_validated_final	medium_high	Polished evidence PDF exists as a publication-ready draft, but it is not final validated investor/user-facing proof because manual competitor inspect...
REQ_09_VERSIONING_PROVENANCE	proved_active	high	Manifest must be regenerated after future evidence changes.
REQ_10_VALIDATION_GATES	proved_v1_open_gates_capture_ready	strong	Open P0 gates remain: app/onboarding walkthrough screenshots, paywall human sign-off, whitespace validation, competitive advantage prototype sessions...

Completion audit status mix

proved_v1		2
proved_30k_plus_cross_source_dedup		1
supported_with_stress_test_and_bottom_up_pr...		1
narrow_supported_public_listing_inspected_w...		1
directionally_supported_recruiting_ready		1
prototype_stimulus_ready_not_validated		1
polished_evidence_draft_done_not_validated_...		1
proved_active		1
proved_v1_open_gates_capture_ready		1

Hypothesis Decision Matrix

H1-H6 are not promoted from metadata alone. The matrix keeps hypotheses in hold/validate until walkthrough, paywall, ICP, or prototype evidence closes the relevant gate.

ID	Decision	Confidence	Key gap	Next action
H1	hold_validate	medium	Strict full loop is rare and still needs actual app/onboarding screenshots to confirm or downgrade public listing...	Capture onboarding, first action, progress/avatar feedback, and paywall screenshots for the highest-risk public-li...

ID	Decision	Confidence	Key gap	Next action
H2	hold_validate	medium	Market sizing still needs actual revenue estimates, paid intelligence, manual in-app paywall validation, and willi...	Use stress-test risk rows to prioritize paid-flow inspection and prototype willingness-to-pay questions.
H3	hold_validate	medium	Actual app/onboarding inspection results are still missing; public listings and cross-source text rules can overst...	Use the public-listing risk read to classify action->avatar causality in walkthrough as visible, inferred, absent,...
H4	hold_validate	medium	No human prototype session yet proves users understand, prefer, or value the integrated loop.	Run prototype sessions with the top two ICP segments and fill the scorecard with observed results.
H5	hold_validate	medium	Keyword/OCR/forum coding and directional ICP segments need human validation, interviews, and prototype tests.	Execute the ICP validation packet for the top two segments, then update segment status and selected primary ICP.
H6	hold_validate	medium	No user prototype evidence yet confirms comprehension, emotional value, or retention impact.	Run prototype sessions and measure loop completion, comprehension, meaning lift, return intent, and paid-depth int...

Decision state	Rows	Read
Hold / validate	6	Open evidence burden is explicit; this is the current dominant state.
Go for next phase		Only allowed after supporting evidence and confidence clear the gate.
Stop or pivot		Triggered only by missing/weak/fatal evidence states or kill-gate evidence.

P0 Validation Command Center

The command center converts the remaining validation burden into concrete operator rows. It keeps the next work focused on observed evidence rather than more claim expansion.

Priority	Rows	Read
P0 blocker	6	Run first: hidden direct clone risk, prototype comprehension, differentiation, trust/safety.
P0	52	Core walkthrough, paid-flow, ICP, and prototype evidence capture commands.
Total commands	75	Full operator checklist with source files and output files to update.

Command	Lane	Target	Next action
P0_MANUAL_01	manual_competitor_walkthrough	Shepherd: Spiritual Bible BFF	Open app/listing, capture required screenshots, answer: Does onboarding show one coherent daily loop or...
P0_SCORE_PVS_M01	prototype_scorecard_gate	comprehension	After prototype sessions, calculate metric and update gate verdict.
P0_SCORE_PVS_M04	prototype_scorecard_gate	differentiation	After prototype sessions, calculate metric and update gate verdict.
P0_SCORE_PVS_M05	prototype_scorecard_gate	trust_safety	After prototype sessions, calculate metric and update gate verdict.
P0_PROTO_ICP_A_S06_AVATAR_CHANGE	prototype_user_validation	Spiritual self-improvers / S06_AVATAR_CHANGE	Observe avatar/progress change and explain what caused it. Copy shown: Your future-self signal brightene...
P0_PROTO_ICP_D_S06_AVATAR_CHANGE	prototype_user_validation	Habit and progress users / S06_AVATAR_CHANGE	Observe avatar/progress change and explain what caused it. Copy shown: Your future-self signal brightene...

P0 Validation Field Guide

The field guide is the operating script for the first validation tranche: walkthroughs, paid-flow signoff, ICP interviews, prototype sessions, scorecard calculation, and rebuild/commit hygiene.

Section	Lane	Objective
Evidence handling rules	all	Prevent claim inflation while validation is being executed.
Evidence file naming	all	Make screenshots and session notes auditable without opening the whole repo.

Section	Lane	Objective
Competitor walkthrough script	manual_competitor_walkthrough	Decide whether P0 competitors secretly own the Alina loop.
Paid-flow signoff script	paid_flow_validation	Turn proxy market-money evidence into human-signed conservative labels.
ICP interview script	icp_interviews	Select a primary and secondary ICP from observed recent behavior, language resonance, and paid depth.
Two-minute prototype session script	prototype_user_validation	Validate whether the integrated loop is understood, differentiated, emotionally meaningful, and safe.
Prototype scorecard calculation	prototype_scorecard_gate	Translate session observations into H4/H6 go, hold, pivot, or stop evidence.
Post-validation rebuild protocol	all	Keep local evidence, report, PDF, manifest, and GitHub in sync after validation.

Validation Evidence Workspace

The workspace is the local intake structure for observed evidence. It keeps screenshots and notes linked to command_id before verdicts are changed.

Lane	Commands	Workspace
icp_interviews	12	output/validation/2026-05-31/icp_interviews
manual_competitor_walkthrough	12	output/validation/2026-05-31/manual_competitor_walkthrough
paid_flow_validation	29	output/validation/2026-05-31/paid_flow_validation
prototype_scorecard_gate	6	output/validation/2026-05-31/prototype_scorecard_gate
prototype_user_validation	16	output/validation/2026-05-31/prototype_user_validation

Validation Batch 01

Batch 01 pre-creates the first blocker-note files. These notes should be filled before H1/H3/H4/H6 move out of hold/validate.

Command	Lane	Target	Note file
P0_MANUAL_01	manual_competitor_walkthrough	Shepherd: Spiritual Bible BFF	output/validation/2026-05-31/manual_competitor_walkthrough/batch01_01_P0_MANUAL_01__...
P0_SCORE_PVS_M01	prototype_scorecard_gate	comprehension	output/validation/2026-05-31/prototype_scorecard_gate/batch01_02_P0_SCORE_PVS_M01__c...
P0_SCORE_PVS_M04	prototype_scorecard_gate	differentiation	output/validation/2026-05-31/prototype_scorecard_gate/batch01_03_P0_SCORE_PVS_M04__d...
P0_SCORE_PVS_M05	prototype_scorecard_gate	trust_safety	output/validation/2026-05-31/prototype_scorecard_gate/batch01_04_P0_SCORE_PVS_M05__t...
P0_PROTO_ICP_A_S06_AVATAR_CHANGE	prototype_user_validation	Spiritual self-improvers / S06_AVATAR_CHANGE	output/validation/2026-05-31/prototype_user_validation/batch01_05_P0_PROTO_ICP_A_S06...
P0_PROTO_ICP_D_S06_AVATAR_CHANGE	prototype_user_validation	Habit and progress users / S06_AVATAR_CHANGE	output/validation/2026-05-31/prototype_user_validation/batch01_06_P0_PROTO_ICP_D_S06...

Validation Batch 02

Batch 02 pre-creates the full non-blocker P0 workbench. Rows remain intake notes, not observed validation evidence.

Lane	Rows	Example note file
prototype_user_validation	14	output/validation/2026-05-31/prototype_user_validation/batch02_39__P0_PROTO_ICP_A_S01_ENTRY...
icp_interviews	12	output/validation/2026-05-31/icp_interviews/batch02_01__P0_ICP_ICP_A_T01__spiritual-self-im...
paid_flow_validation	12	output/validation/2026-05-31/paid_flow_validation/batch02_24__P0_PAYWALL_02__character-ai-c...
manual_competitor_walkthrough	11	output/validation/2026-05-31/manual_competitor_walkthrough/batch02_13__P0_MANUAL_02__zing-a...
prototype_scorecard_gate	3	output/validation/2026-05-31/prototype_scorecard_gate/batch02_36__P0_SCORE_PVS_M02__two-min...

Validation Batch 03

Batch 03 completes command-center note coverage by creating P1-context paid-flow intake files. These rows should refine monetization confidence without overriding P0 gates.

Rows	Lane	Example note file
17	paid_flow_validation	output/validation/2026-05-31/paid_flow_validation/batch03_01__P0_PAYWALL_01__the-sims-freep...

Validation Evidence Rollup

The rollup verifies command-level note coverage and local artifact links while keeping linked screenshots below human signoff.

Evidence state	Rows
note_ready_no_local_artifact	46
local_artifact_linked_not_signed_off	29

Market-Money Proxy Read

The strongest current claim is not exact revenue. It is that adjacent markets contain visible paid behavior and credible monetization surfaces worth validating more deeply.

Market	Reviewed	Strong	Medium+	Observed IAP	Market money read
astrology_esoterics	44	8	35	39	bottom_up_paid_behavior_visible
avatar_identity	22	7	16	18	bottom_up_paid_behavior_visible
coaching_self_improvement	14	5	11	13	bottom_up_paid_behavior_visible
mindfulness	5	2	4	5	bottom_up_paid_behavior_directional
gaming_progression	5	0	4	5	bottom_up_paid_behavior_directional

Paywall visual layer	Count	Read
Confirmed visible public pricing	2	Narrow, concrete public price evidence.
Partial paid-surface examples	8	Useful signal, needs human or in-app sign-off.
Total adjudicated screenshots	29	Evidence quality layer over raw web pages and OCR.

Whitespace And Competitor Inspection

The current whitespace thesis is intentionally narrow: not 'no competitors', but 'few visible solutions make identity/avatar progression causally respond to a completed daily action across meaning, action, reset, and progress'.

Rank	App	Prefill verdict	Money proxy	Why inspect
1	Shepherd: Spiritual Bible BFF	direct_reference_competitor	strong_bottom_up_money_proxy	only_current_direct_reference top_p0_validation_score strong_money_proxy metadata_claims_behavior_tied_progression deep...
2	Zing AI: Home & Gym Workouts	high_priority_close_substitute	strong_bottom_up_money_proxy	top_p0_validation_score strong_money_proxy deep_review_language
3	Miracle Morning Routine	high_priority_close_substitute	strong_bottom_up_money_proxy	top_p0_validation_score strong_money_proxy deep_review_language
4	EVOLVE: Transform Your Life	high_priority_close_substitute	strong_bottom_up_money_proxy	top_p0_validation_score strong_money_proxy deep_review_language
5	Daily Yoga: Yoga for Fitness®	high_priority_close_substitute	strong_bottom_up_money_proxy	strong_money_proxy
6	Daily Burn: Workout Coach	high_priority_close_substitute	strong_bottom_up_money_proxy	strong_money_proxy deep_review_language
7	Myla : Manifest & Vision Board	high_priority_close_substitute	medium_bottom_up_money_proxy	deep_review_language
8	Rosebud: AI Journal & Diary	high_priority_close_substitute	medium_bottom_up_money_proxy	deep_review_language
9	Habit Tracker : Haby	high_priority_close_substitute	medium_bottom_up_money_proxy	p0_queue_priority
10	Goddess■Women's Wellness Coach	high_priority_close_substitute	medium_bottom_up_money_proxy	deep_review_language
11	LifeWheel Goal Habit Tracker	high_priority_close_substitute	medium_bottom_up_money_proxy	p0_queue_priority
12	Habit Tracker	high_priority_close_substitute	strong_bottom_up_money_proxy	strong_money_proxy deep_review_language

Public listing execution	Count	Read
P0 public listings inspected	12	Public App Store copy/excerpts reviewed without broad search.
Visible action-to-avatar causality	1	High-risk case for immediate walkthrough.
High public hidden-clone risk	1	Requires onboarding/action/progress screenshots before H3 is upgraded or downgraded.

Inspection gate	Pass condition	Fail condition
Action -> identity/avatar causality	Completion visibly changes progress/avatar/identity feedback.	Metadata claim is decorative, generic, or blocked before first value.
Hidden direct clone risk	Flow confirms a close substitute and updates whitespace risk.	Flow is unrelated or lacks coherent daily transformation loop.
Paywall boundary	First meaningful value and paywall timing are captured.	Paid surface remains unknown or login/app-store-only.

Audience And Prototype Validation

The pack now has enough structure to run user validation without improvising the product story: ICP segments, an evidence-linked recruiting bridge, opt-in outreach copy, an 8-screen stimulus, and six success/kill metrics.

Segment	Evidence band	Primary job	Risk to validate
Spiritual self-improvers	strong_directional_icp	Turn symbolic/personal meaning into one grounded action today.	Alina needs careful framing: soft guidance, no deterministic claims, visible limits, and clear safety po...
Avatar identity builders	strong_directional_icp	See a version of myself change as I make progress.	Progression must be causally tied to the action users just completed; story/rewards cannot feel arbitrar...
Anxious daily reset users	strong_directional_icp	Calm down quickly and return to the day with one manageable next step.	The free loop must demonstrate value before asking for deeper paid analysis or personalization.
Habit and progress users	strong_directional_icp	Make vague growth concrete and keep momentum without streak anxiety.	The free loop must demonstrate value before asking for deeper paid analysis or personalization.
Cozy/casual progression users	strong_directional_icp	Return because progress feels gentle, visible, and emotionally rewarding.	Progression must be causally tied to the action users just completed; story/rewards cannot feel arbitrar...
Coaching professionals and structured growth users	strong_directional_icp	Get structured guidance that turns intention into accountable practice.	Depth should be earned after the core loop, especially custom rituals, richer avatar choices, and access...

Prototype validation asset	Count
ICP segments in prototype flow	2
ICP recruiting bridge rows	24
ICP opt-in message rows	24
Community/referral signal kinds	6
Community/referral signal rows	294
Prototype screens	8
Prototype flow rows	16
Success/kill scorecard metrics	6
P0 validation roadmap rows	4
P1 validation roadmap rows	12
P0 execution dashboard tasks	8
P1 execution dashboard tasks	3
Manual walkthrough capture rows	60
Paid-flow capture rows	40
ICP interview capture rows	96
Prototype session capture rows	80

Open Gates Before Final Claim

The next work should close validation gates rather than inflate claims. These gates decide whether the report graduates from polished evidence draft to final validated strategy.

Gate	Why it matters	Next action
REQ_04_MARKET_MON EY	Market sizing is stress-tested and range-based, but actual competitor revenue estimates, paid intelligence, and manual in-app payroll validation are still...	Use stress-test risk rows to prioritize manual paid-flow inspection and willingness-to-pay prototype questions.
REQ_05_WHITESPACE	Cross-source saturation now keeps gaming/progression as benchmark-only and finds no primary market opportunity strong enough to upgrade without manual wal...	Use the public-listing risk reads to prioritize walkthrough screenshots for onboarding, first action, progress/avatar feedback, and pa...
REQ_06_AUDIENCE_ICP	Segments and recruiting assets are directional and need actual interviews/prototype/WTP validation.	Use the ICP recruiting bridge to recruit the top two segments, then run the validation packet and update capture sheets.
REQ_07_COMPETITIVE_ ADVANTAGE	No completed user/prototype sessions prove the loop is understood/preferred.	Run prototype sessions with the top two ICP segments and record comprehension, meaning lift, differentiation, return intent, and paid-...
REQ_08_REPORT_PDF	Polished evidence PDF exists as a publication-ready draft, but it is not final validated investor/user-facing proof because manual competitor inspection a...	After manual inspection and prototype sessions, update the pack with validated screenshots, scorecards, and final claim statuses.

Execution task	Priority	Evidence to capture
manual_competitor_walkthrough	P0	listing screenshot onboarding first value first action progress/avatar feedback payroll/free boundary inspector notes
prototype_user_validation	P0	PVS_M01 PVS_M02 PVS_M03 PVS_M04 PVS_M05 PVS_M06
icp_interviews	P0	recent episode current workaround pain intensity language resonance trust/safety concerns acceptable price range
paid_flow_validation	P0	public pricing screenshot app/product match trial length monthly/annual price first meaningful payroll boundary
market_stress_followup	P1	source definition directness adjustment competitor proxy support paid-flow proof final model role
chrome_mechanic_screenshots	P1	extension listing first-use flow capture/progress surface emotional/behavioral/numeric/identity classification
final_report_upgrade	P1	manual inspection verdicts prototype scorecard observations ICP interview results paid-flow human notes

Evidence File Map

Evidence group	Primary files
Universe	data_raw/expanded/*; data_raw/expanded_itch_raw.csv; data_raw/expanded_steam_tags_raw.csv; data_raw/expanded_desktop_store_raw.csv
Cross-source universe	data_processed/cross_source_universe_raw_index.csv; data_processed/cross_source_universe_raw_parts/part_*.csv; data_processed/cross_source_universe_dedup.csv; data_processed/cross_source_universe_summary.csv
Coverage matrix	data_processed/cross_source_coverage_matrix.csv; docs/competitive/cross-source-coverage-matrix-v1.md
Saturation whitespace	data_processed/cross_source_market_saturation_matrix.csv; docs/intersections/cross-source-saturation-whitespace-v1.md
Market money	data_processed/tam_sam_som_model.csv; data_processed/competitor_revenue_proxy_review.csv
Whitespace	data_processed/whitespace_signal_matrix.csv; data_processed/manual_competitor_inspection_packet.csv
Audience	data_processed/icp_segment_matrix.csv; data_processed/icp_validation_test_plan.csv; data_processed/icp_recruiting_bridge.csv; data_processed/icp_recruiting_message_bank.csv; data_processed/community_referral_signal_rows.csv
Prototype	data_processed/prototype_validation_stimulus_flow.csv; data_processed/prototype_validation_scorecard.csv
Validation capture	data_processed/manual_walkthrough_capture_sheet.csv; data_processed/paid_flow_capture_sheet.csv; data_processed/icp_interview_capture_sheet.csv; data_processed/prototype_session_capture_sheet.csv
Decision gates	data_processed/hypothesis_decision_matrix.csv; docs/decision/hypothesis-decision-matrix-v1.md
P0 command center	data_processed/p0_validation_command_center.csv; docs/decision/p0-validation-command-center-v1.md
P0 field guide	data_processed/p0_validation_field_guide.csv; docs/decision/p0-validation-field-guide-v1.md
Validation workspace	data_processed/validation_evidence_workspace_index.csv; docs/decision/validation-evidence-workspace-v1.md; output/validation/README.md

Evidence group	Primary files
Validation Batch 01	data_processed/validation_batch_01_index.csv; docs/decision/validation-batch-01-v1.md; output/validation/2026-05-31/*batch01_*.md
Validation Batch 02	data_processed/validation_batch_02_index.csv; docs/decision/validation-batch-02-v1.md; output/validation/2026-05-31/*batch02_*.md
Validation Batch 03	data_processed/validation_batch_03_index.csv; docs/decision/validation-batch-03-v1.md; output/validation/2026-05-31/*batch03_*.md
Validation rollup	data_processed/validation_evidence_rollup.csv; docs/decision/validation-evidence-rollup-v1.md
Audit/provenance	data_processed/evidence_claim_register.csv; data_processed/research_completion_audit.csv; data_processed/evidence_artifact_manifest.csv