analysis

May 15, 2021

1 Analysis of stock prices in different time periods

NOTE: `base date point` will be set separatly for each period.

Example: if we want to get daily prices within a week then each Monday will be set as `base date point`

[1]:
```
import sys

sys.path.append('..')

from analysis import Column
from common import plot, YahooRange

from loguru import logger
import numpy as np
import pandas as pd
from seaborn import lineplot, barplot, scatterplot, boxplot
from matplotlib import pyplot


FILENAME = "dax/dax_mdax_sdax.csv"
LIMIT = None

logger.remove()
logger.add(sys.stdout, level="INFO")

pass
```

1.1 Monthly stock price fluctuations within a year

[2]:
```
from analysis import get_best_month

df = get_best_month(FILENAME, YahooRange.YEARS_10, limit=LIMIT)
df
```

[2]:

	year	month	Symbol	Percent (mean)
0	2011	1	BVB.DE	100.0

```
1       2011      2  BVB.DE       114.45313
2       2011      3  BVB.DE      117.578127
3       2011      4  BVB.DE      107.812502
4       2011      5  BVB.DE      121.054689
…       …     …      …               …
15787   2020      8  PAT.DE      116.565956
15788   2020      9  PAT.DE      124.874111
15789   2020     10  PAT.DE      118.328294
15790   2020     11  PAT.DE       98.690835
15791   2020     12  PAT.DE      121.349444

[15792 rows x 4 columns]
```

[3]:
```
plot(x=Column.MONTH, y=Column.PERCENT, data=df)
```

```
       Percent (mean)
month
1               100.0
2          103.235071
3          104.479022
4          103.561544
5          106.458575
```


Percent (mean)
month


Percent (mean)
month


Percent (mean)
month


Percent (mean)
month

1.2 Weekly stock price fluctuations within a year

[4]:
```
from analysis import get_best_week

df = get_best_week(FILENAME, YahooRange.YEARS_10, limit=LIMIT)

df
```

[4]:

	year	week	Symbol	Percent (mean)
0	2011	1	AFX.DE	100.0
1	2011	2	AFX.DE	99.441536
2	2011	3	AFX.DE	96.684123
3	2011	4	AFX.DE	97.033157
4	2011	5	AFX.DE	98.568936
…	…	…	…	…
67898	2020	49	S92.DE	140.763964
67899	2020	50	S92.DE	134.948682
67900	2020	51	S92.DE	145.524506
67901	2020	52	S92.DE	152.651073
67902	2020	53	S92.DE	160.205239

[67903 rows x 4 columns]

[5]:
```
plot(x=Column.WEEK, y=Column.PERCENT, data=df)
```

week	Percent (mean)
1	99.541714
2	97.919694
3	98.435284
4	100.015221
5	100.526573


Percent (mean)
week


Percent (mean)
week


Percent (mean)
week


Percent (mean)
week

1.3 Daily stock price fluctuations within a month

[6]:
```
from analysis import Column,get_best_month_day

df = get_best_month_day(FILENAME, YahooRange.YEARS_10, limit=LIMIT)

df
```

[6]:

	year	month	day	Symbol	Percent (mean)
0	2011	1	3	HYQ.DE	100.0
1	2011	1	4	HYQ.DE	100.308546
2	2011	1	5	HYQ.DE	102.989681
3	2011	1	6	HYQ.DE	102.989681
4	2011	1	7	HYQ.DE	108.628576
…	…	…	…	…	…
332648	2020	12	22	SBS.DE	103.436426
332649	2020	12	23	SBS.DE	103.951889
332650	2020	12	28	SBS.DE	104.123707
332651	2020	12	29	SBS.DE	104.467351
332652	2020	12	30	SBS.DE	104.123707

[332653 rows x 5 columns]

[7]:
```
plot(x=Column.DAY, y=Column.PERCENT, data=df)
```

day	Percent (mean)
1	100.0
2	99.990816
3	100.125494
4	100.175699
5	100.108565


Percent (mean)
day
Percent (mean)
day
Percent (mean)
day
Percent (mean)
day

1.4 Daily stock price fluctuations within a week

[8]:
```
from analysis import get_best_weekday


df = get_best_weekday(FILENAME, YahooRange.YEARS_10, limit=LIMIT)

df
```

[8]:

	year	week	weekday	Symbol	Percent (mean)
0	2011	1	0	HYQ.DE	100.0
1	2011	1	1	HYQ.DE	100.308546
2	2011	1	2	HYQ.DE	102.989681
3	2011	1	3	HYQ.DE	102.989681
4	2011	1	4	HYQ.DE	108.628576
…	…	…	…	…	…
335762	2020	52	1	SBS.DE	102.555366
335763	2020	52	2	SBS.DE	103.066438
335764	2020	53	0	SBS.DE	100.0
335765	2020	53	1	SBS.DE	100.330034
335766	2020	53	2	SBS.DE	100.0

[335767 rows x 5 columns]

[9]:
```
plot(x=Column.WEEKDAY, y=Column.PERCENT, data=df)
```

weekday	Percent (mean)
0	100.0
1	100.105653
2	100.126205
3	100.16834
4	100.127546


Percent (mean)
weekday


Percent (mean)
weekday


Percent (mean)
weekday


Percent (mean)
weekday

1.5 Hourly stock price fluctuations with a day

[10]:
```
from analysis import get_best_hour

df = get_best_hour(FILENAME, YahooRange.YEARS_2, limit=LIMIT)

df
```

[10]:

	year	week	day	hour	Symbol	Percent (mean)
0	2020	40	28	9	ENR.F	100.0
1	2020	40	28	10	ENR.F	95.592915
2	2020	40	28	11	ENR.F	102.998636
3	2020	40	28	12	ENR.F	102.998636
4	2020	40	28	13	ENR.F	99.045884
…	…	…	…	…	…	…
9700	2020	53	28	13	8TRA.DE	100.306814
9701	2020	53	28	14	8TRA.DE	100.043832
9702	2020	53	28	15	8TRA.DE	100.131487
9703	2020	53	28	16	8TRA.DE	100.284894
9704	2020	53	28	17	8TRA.DE	99.846593

[9705 rows x 6 columns]

[11]:
```
plot(x=Column.HOUR, y=Column.PERCENT, data=df)
```

hour	Percent (mean)
8	100.0
9	99.997603
10	99.777622
11	99.757996
12	99.744947


Percent (mean)
hour


Percent (mean)
hour


Percent (mean)
hour


Percent (mean)
hour

1.6 Hourly and quarterly stock price fluctuations within a day

[2]:
```
from analysis import get_best_time

df = get_best_time(FILENAME, YahooRange.DAYS_58, limit=LIMIT)

df
```

[2]:

	year	week	day	hour	minute	time	Symbol	Percent (mean)
0	2021	11	17	8	0	8.0	SZU.DE	100.0
1	2021	11	17	8	15	8.25	SZU.DE	99.782295
2	2021	11	17	8	30	8.5	SZU.DE	99.782295
3	2021	11	17	8	45	8.75	SZU.DE	99.854866
4	2021	11	17	9	0	9.0	SZU.DE	99.637154
…	…	…	…	…	…	…	…	…
207268	2021	19	11	14	15	14.25	PBB.DE	96.702191
207269	2021	19	11	14	30	14.5	PBB.DE	96.480994
207270	2021	19	11	14	45	14.75	PBB.DE	96.420672
207271	2021	19	11	15	0	15.0	PBB.DE	96.682084
207272	2021	19	11	15	15	15.25	PBB.DE	96.420672

[207273 rows x 8 columns]

[12]:
```
# NOTE: filter extreme points, plot df first and if charts are bad try with fdf
fdf = df[df[Column.TIME].isin(np.arange(9, 16.5, 0.25))].copy()

plot(x=Column.TIME, y=Column.PERCENT, data=fdf)
```

time	Percent (mean)
9.00	99.89904
9.25	99.889765
9.50	99.860612
9.75	99.841535
10.00	99.868492


Percent (mean)
time
Percent (mean)
time
Percent (mean)
time
Percent (mean)
time

1.7 Quarterly stock price fluctuations within an hour

[14]:
```
from analysis import get_best_quarter

df = get_best_quarter(FILENAME, YahooRange.DAYS_58, limit=LIMIT)

df
```

[14]:

	year	week	day	hour	minute	quarter	Symbol	Percent (mean)
0	2021	11	17	8	0	0	SZU.DE	100.0
1	2021	11	17	8	15	15	SZU.DE	99.782295
2	2021	11	17	8	30	30	SZU.DE	99.782295
3	2021	11	17	8	45	45	SZU.DE	99.854866
4	2021	11	17	9	0	0	SZU.DE	100.0
…	…	…	…	…	…	…	…	…
206307	2021	19	11	15	15	15	PBB.DE	99.729617
206308	2021	19	11	7	0	0	PBB.DE	100.0
206309	2021	19	11	7	15	15	PBB.DE	98.451636
206310	2021	19	11	7	30	30	PBB.DE	98.230448
206311	2021	19	11	7	45	45	PBB.DE	98.049465

[206312 rows x 8 columns]

[15]:
```
plot(x=Column.QUARTER, y=Column.PERCENT, data=df)
```

quarter	Percent (mean)
0	100.0
15	99.985235
30	99.979725
45	99.973171


Percent (mean)
110
105
100
95
90
0
15
30
45
quarter


Percent (mean)
100
80
60
40
20
0
0
15
30
45
quarter


Percent (mean)
110
105
100
95
90
0
10
20
30
40
quarter


Percent (mean)
100.000
99.995
99.990
99.985
99.980
99.975
99.970
0
10
20
30
40
quarter

[ ]: