



## **CLIA Annual Laboratory Registry Overview**

1. CFR 493.1850 requires that once a year CMS make available to physicians and the general public specific information - including information provided to CMS by the Office of the Inspector General (OIG)- that is useful in evaluating the performance of laboratories.
  - a. In January a letter is sent to each CMS Operations Location and Region requesting any sanctions taken against a laboratory in the previous calendar year.
  - b. Letters are also sent to each Accreditation Organization (AO) and Exempt State (ES).
  - c. Time frame -the CMS Operations Locations, Regions, AOs and ESs have 60 days to respond and submit actions to CMS Baltimore.
2. Once the information is received from the CMS Operations Locations, AOs and the ESs, it has to be sorted and put in numerical order within each category. There are 10 regulatory sections:
  1. A list of laboratories that have been convicted, under Federal or State laws relating to fraud and abuse, false billing or kickbacks.
  2. A list of laboratories that have had their CLIA certificate suspended, limited, or revoked, and the reason for the adverse actions.
  3. A list of persons who have been convicted of violating CLIA requirements, as specified in section 353(1) of the PHS Act, together with circumstances of each case and the penalties imposed.
  4. A list of laboratories on which alternative sanctions have been imposed, showing-
    - (i) the effective date off the sanctions;
    - (ii) the reason for imposing them;
    - (iii) any corrective action taken by the laboratory;
    - (iv) if the laboratory has achieved compliance, the verified date of compliance
  5. A list of laboratories whose accreditation has been withdrawn or revoked and the reason for the withdrawal or decision.
  6. All appeals and hearing decisions.
  7. A list of laboratories against which CMS has brought suit under Section 493.1846 and the reason for those actions.
  8. A list of laboratories that have been excluded from participation in Medicare or Medicaid and the reasons for exclusion.
  9. This Section is for "Corrections of any Erroneous Statements of Information that Appeared in a previous Registry".
  10. Other Actions. This Section includes other Specific information that may be useful in evaluating the performance of Laboratories, as specified in 42 CFR 493.1850(a). It also includes information provided by CLIA exempt status.

The Registry can also include SETTLEMENTS which is generally supplied by the Office of the Inspector General.



2024 CLIA LAB REGISTRY  
Laboratory Registry Activity from 01/01/2024 thru 12/31/2024  
(AS REQUIRED BY SECTION 353(N) OF THE PUBLIC HEALTH SERVICE ACT)

1. LABORATORIES SUBJECT TO CLIA THAT HAVE BEEN CONVICTED, UNDER FEDERAL OR STATE LAWS  
RELATING TO FRAUD AND ABUSE, FALSE BILLING, OR KICKBACKS.

\*\*\* NO DATA FOUND \*\*\*



2. LABORATORIES THAT HAVE HAD THEIR CLIA CERTIFICATE SUSPENDED, LIMITED, OR REVOKED, AND THE REASON FOR THE ADVERSE ACTION. (MEDICARE CANCELLATION, A PRINCIPAL SANCTION, HAS BEEN INCLUDED IN THIS CATEGORY.)

SAMUEL WALKER, DIRECTOR  
CRENSHAW COMMUNITY HOSPITAL  
101 HOSPITAL CIRCLE  
LUVERNE, AL 36049  
CLIA ID# 01D0303841

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	October 1, 2024
REASON:	Unsuccessful PT Failure to Correct Deficiencies Failure To Submit Acceptable POC or AOC

MARTY MCDONALD, DIRECTOR  
IMMEDIATE CARE FOLEY  
1265 SOUTH MCKENZIE STREET  
FOLEY, AL 36535  
CLIA ID# 01D2055268

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	October 4, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON:	Compliance Achieved November 21, 2024

MILLIE BEHERA, DIRECTOR  
BLOOM REPRODUCTIVE INSTITUTE, PLLC  
8415 N PIMA RD, STE 290  
SCOTTSDALE, AZ 85258  
CLIA ID# 03D2087820

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	September 27, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON:	Compliance Achieved November 19, 2024



CRANFORD SCOTT, DIRECTOR  
EQUALTOX, LLC  
550 N GOLDEN CIRCLE, STE B  
SANTA ANA, CA 92705  
CLIA ID# 05D0602385

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	June 21, 2024
REASON:	Unsuccessful PT

RICHARD SNYDER, DIRECTOR  
CARE BIOCLINICAL LABORATORY  
16311 VENTURA BLVD STE 888  
ENCINO, CA 91436  
CLIA ID# 05D0881670

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	November 8, 2024
REASON:	Unsuccessful PT

ROBERT WRIGHT, MD, DIRECTOR  
SANTA BARBARA PULMONARY ASSOCIATE  
2403 CASTILLO ST, STE 206  
SANTA BARBARA, CA 93105  
CLIA ID# 05D0971726

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	November 20, 2024
REASON:	Unsuccessful PT



AMRIK BASI MD, DIRECTOR  
ELITE URGENT CARE INC  
1524 MCHENRY AVE, STE 130  
MODESTO, CA 95350  
CLIA ID# 05D2093483

SANCTION: Limitation of CLIA Certificate  
  
EFFECTIVE DATE: August 8, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved November 12, 2024

ROBERT PRETZLAFF, DIRECTOR  
HENRY MAYO NEWHALL URGENT CARE  
23929 MCBEAN PKWY STE 102  
VALENCIA, CA 91355  
CLIA ID# 05D2115911

SANCTION: Limitation of CLIA Certificate  
  
EFFECTIVE DATE: January 3, 2024  
  
REASON: Unsuccessful PT

ROBERT WORLEY, DIRECTOR  
PRECISION CLINICAL LABORATORY  
11275 E MISSISSIPPI AVE, STE 2WI  
AURORA, CO 80012  
CLIA ID# 06D2097807

SANCTION: Revocation of CLIA Certificate  
  
EFFECTIVE DATE: January 5, 2024  
  
REASON: Cancellation of Medicare Approval Suspension  
Cancellation of Medicare Approval Revocation  
2 Year Prohibition From Owning, Operating and Directing  
Medicare Cancellation/Suspension  
Condition Level Non-Compliance with IJ  
Lab Owner/Oper Prohibited From Owning Lab  
  
STATUS: Revocation of CLIA Certificate

REASON: Revocation of CLIA Certificate finalized March 26, 2024



DAVID ROBERTSON, DIRECTOR  
ATLANTA DIABETES ASSOCIATES  
1800 HOWELL MILL ROAD, SUITE  
450 ATLANTA, GA 30318  
CLIA ID# 11D0259599

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	May 30, 2024
REASON:	Unsuccessful PT
STATUS:	Laboratory Voluntarily Ceased Testing

GEORGE KATSITADZE, DIRECTOR  
PEDIATRIC PARTNERS OF GWINNETT  
6450 SPALDING DRIVE, SUITE A  
PEACHTREE CORNERS, GA 30092  
CLIA ID# 11D0681282

SANCTION:	Limitation of CLIA Certificate August 6,
EFFECTIVE DATE:	2024
REASON:	Unsuccessful PT
STATUS:	Laboratory Voluntarily Ceased Testing

ANIL PURI, DIRECTOR  
MIDDLE GEORGIA CHEST & MEDICAL CENTER, LLC  
1209 N COLUMBIA DR  
MILLEDGEVILLE, GA 31061  
CLIA ID# 11D0975982

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	June 4, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted

REASON: Compliance Achieved November 1, 2024



JOI HALL, DIRECTOR  
COMMONWEALTH CANCER CENTER  
95 BOGLE OFFICE PARK DRIVE  
SOMERSET, KY 42503  
CLIA ID# 18D0945636

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	August 5, 2024
REASON:	Unsuccessful PT

JEAN CHERRY, DIRECTOR  
HOPE PRIMARY & URGENT CARE  
2157 SOUTH HWY 27  
STEARNS, KY 42647  
CLIA ID# 18D2156570

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	June 29, 2024
REASON:	Unsuccessful PT

ROBERT CROWE, DIRECTOR  
THE PEDIATRIC CENTER  
919 SOUTH 10TH STREET  
LEESVILLE, LA 71446  
CLIA ID# 19D1086156

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	December 26, 2024
REASON:	Unsuccessful PT



JONG LEE, DIRECTOR  
MOHAMMAD AFREEDI, OWNER  
LAB USA, INC  
108R MERRIMACK STREET  
HAVERHILL, MA 01830  
CLIA ID# 22D1042991

SANCTION:	Cancel Medicare/Medicaid Approval Revocation of CLIA Certificate Suspension of CLIA Certificate
EFFECTIVE DATE:	September 4, 2024 September 4, 2024 September 4, 2024
REASON:	Cancellation of Medicare Approval Suspension Cancellation of Medicare Approval Revocation 2 Year Prohibition From Owning, Operating and Directing Condition Level Non-Compliance with IJ Revocation of CLIA Certificate Failure To Submit Acceptable POC or AOC
STATUS:	Revocation of CLIA Certificate

AMRO ALMRADI, DIRECTOR  
D B LABS LLC  
911 E 9 MILE SUITE 100  
FERNDAL, MI 48220  
CLIA ID# 23D2089572

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	September 24, 2024
REASON:	Condition Level Non-Compliance with IJ Failure to Correct Deficiencies
STATUS:	Appeal Filed By Laboratory

TED NAMAN, DIRECTOR  
EXCLUSIVE PHYSICIANS, PLLC  
911 E 9 MILE RD SUITE 100  
FERNDAL, MI 48220  
CLIA ID# 23D2096521

SANCTION:	Cancel Medicare/Medicaid Approval
EFFECTIVE DATE:	October 25, 2024
REASON:	Condition Level Non-Compliance Failure to Correct Deficiencies Failure To Submit Acceptable POC or AOC



JORDAN KNEPPER, DIRECTOR  
MSU HEALTH CARE HEART AND VASCULAR CENTER  
CLINICAL CENTER  
804 SERVICE ROAD SUITE 204  
EAST LANSING, MI 48824  
CLIA ID# 23D2289252

SANCTION: Cancel Medicare/Medicaid Approval  
EFFECTIVE DATE: August 21, 2024  
REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Failure To Submit Acceptable POC or AOC  
STATUS: Laboratory Voluntarily Ceased Testing  
REASON: Certificate terminated by laboratory October 6, 2024

TURNER WILLIS, DIRECTOR  
LAWRENCE COUNTY HOSPITAL-DIVN OF SW MS REG MED CTR  
1065 E BROAD ST  
MONTICELLO, MS 39654  
CLIA ID# 25D0320077

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: March 1, 2024  
REASON: Unsuccessful PT  
STATUS: Suspension And Limitation Lifted  
Compliance Achieved  
REASON: Compliance Achieved August 26, 2024

MONICA MAY, DIRECTOR  
MRH MEDICAL GRP-PREMIER DIABETES & MEDICAL CLINIC  
2394 MCCULLOUGH BLVD  
BELDEN, MS 38826  
CLIA ID# 25D2167145

SANCTION: Limitation of CLIA Certificate  
EFFECTIVE DATE: October 1, 2024  
REASON: Unsuccessful PT



TERRY DANIELSON, DIRECTOR  
STL DIAGNOSTIC, LLC  
5203 CHIPPEWA ST  
SAINT LOUIS, MO 63109  
CLIA ID# 26D2197233

SANCTION:	Revocation of CLIA Certificate
EFFECTIVE DATE:	January 28, 2024
REASON:	Condition Level Non-Compliance with IJ Revocation of CLIA Certificate
STATUS:	Revocation of CLIA Certificate

JOSEPH MOLESKI, DIRECTOR  
TOTAL POINT URGENT CARE  
590 BIRCH RD  
HOLLISTER, MO 65672  
CLIA ID# 26D2278006

SANCTION:	Cancel Medicare/Medicaid Approval Suspension of CLIA Certificate Revocation of CLIA Certificate
EFFECTIVE DATE:	January 31, 2024 January 31, 2024 March 16, 2024
REASON:	Condition Level Non-Compliance with IJ Revocation of CLIA Certificate
STATUS:	Revocation of CLIA Certificate

JOSEPH SLOWOWITS, DIRECTOR  
JOSEPH SLOWOWITS MD  
5117 15TH AVE  
BROOKLYN, NY 11219  
CLIA ID# 33D0686097

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	September 16, 2024
REASON:	Unsuccessful PT



MITCHELL BERGER, DIRECTOR  
MITCHELL BERGER MD PLLC  
1999 MARCUS AVENUE, SUITE M14  
NEW HYDE PARK, NY 11042  
CLIA ID# 33D0879841

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	November 11, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON: Compliance Achieved October 31, 2024	

ARNOLD WEG, DIRECTOR  
ARNOLD LEON WEG MD  
71-36 110TH STREET SUITE 1E  
FOREST HILLS, NY 11375  
CLIA ID# 33D0887555

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	August 23, 2024
REASON:	Unsuccessful PT

ALFRED SHTAINER, DIRECTOR  
ALFRED SHTAINER MD PC  
2148 OCEAN AVENUE, SUITE 6A  
BROOKLYN, NY 11229  
CLIA ID# 33D0926623

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	August 23, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON: Compliance Achieved December 12, 2024	



TADEUSZ STRZELECKI, DIRECTOR  
GREGORY SHIFRIN MD PC OB GYN  
1766 EAST 12TH STREET, BASEMENT  
BROOKLYN, NY 11229  
CLIA ID# 33D1027412

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	June 8, 2024
REASON:	Unsuccessful PT

RUBIN FRENKEL, DIRECTOR  
BAY OB-GYN PC  
2736 OCEAN AVENUE SUITE 1A  
BROOKLYN, NY 11229  
CLIA ID# 33D2005337

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	December 19, 2024
REASON:	Unsuccessful PT

KHALID SINDHU, DIRECTOR  
NEPHROLOGY ASSOCIATES OF WATERTOWN, PC  
19316 US ROUTE 11, SUITE B  
WATERTOWN, NY 13601  
CLIA ID# 33D2042099

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	July 12, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON:	Compliance Achieved October 30, 2024



VICTOR NWANGUMA, DIRECTOR  
SUMMIT HEALTH CITY MD + BEND MEMORIAL CLINIC EAST  
1501 NE MEDICAL CENTER DR  
BEND, OR 97701  
CLIA ID# 38D0628274

SANCTION:                      Limitation of CLIA Certificate  
  
EFFECTIVE DATE:              May 11, 2024  
  
REASON:                        Unsuccessful PT

DAISY HEARING, DIRECTOR  
COMPLETE INTEGRATIVE CARE  
3156 STATE STREET  
MEDFORD, OR 97504  
CLIA ID# 38D2120851

SANCTION:                      Limitation of CLIA Certificate  
  
EFFECTIVE DATE:              August 21, 2024  
  
REASON:                        Unsuccessful PT  
  
STATUS:                        Suspension And Limitation Lifted  
                                      Compliance Achieved  
  
REASON: Compliance Achieved November 4, 2024

ROBERT REILLY, DIRECTOR  
ALLIANCE CANCER SPECIALISTS  
ALLIANCE CANCER SPECIALISTS, P.C.  
1203 LANGHORNE NEWTON RD  
LANGHORNE, PA 19047  
CLIA ID# 39D0862659

SANCTION:                      Limitation of CLIA Certificate  
  
EFFECTIVE DATE:              July 19, 2024  
  
REASON:                        Unsuccessful PT  
  
STATUS:                        Suspension And Limitation Lifted  
                                      Compliance Achieved  
                                      Appeal Filed By Laboratory  
  
REASON: Compliance Achieved September 23, 2024



LUIS MORENO, DIRECTOR  
LABORATORIO CLINICO RISAN  
AVE ROBERTO SANCHEZ VILELLA URB COUNTRY CLUB  
CAROLINA, PR 00982  
CLIA ID# 40D0658298

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	September 23, 2024
REASON:	Improper PT Testing Referral Activities
STATUS:	Appeal Filed By Laboratory

LUIS MORENO, DIRECTOR  
LABORATORIO CLINICO BORGES  
CALLE ARZUAGA NUM 168  
RIO PIEDRAS, PR 00925  
CLIA ID# 40D0715748

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	September 23, 2024
REASON:	Improper PT Testing Referral Activities
STATUS:	Appeal Filed By Laboratory

TAMI MASSEY, DIRECTOR  
SRHP -EDGEFIELD MEDICAL CENTER  
155 RIDGE MEDICAL PLAZA  
EDGEFIELD, SC 29824  
CLIA ID# 42D0687923

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	March 1, 2024
REASON:	Unsuccessful PT



MONNIEQUE SINGLETON MD, DIRECTOR  
SINGLETON HEALTH CENTER  
1773 VILLAGEPARK DRIVE  
ORANGEBURG, SC 29118  
CLIA ID# 42D1003115

SANCTION:	Limitation of CLIA Certificate Limitation of CLIA Certificate
EFFECTIVE DATE:	February 2, 2024 March 1, 2024
REASON:	Unsuccessful PT Unsuccessful PT
STATUS:	Laboratory Voluntarily Ceased Testing

GLORIA ORTIZ, DIRECTOR  
RGV ENDOCRINE CENTER  
1900 S JACKSON ROAD, STE 1  
MCALLEN, TX 78503  
CLIA ID# 45D2144058

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	December 20, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved

REASON: Compliance Achieved December 30, 2024

ROBERT MORENO, DIRECTOR  
D-RAD MOBILE IMAGING SERVICES  
1387 GEORGE DIETER STE 105 - D  
EL PASO, TX 79936  
CLIA ID# 45D2181925

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	March 1, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved

REASON: Compliance Achieved March 18, 2024



JAQUELYN YEH, DIRECTOR  
WHOLE WOMAN'S HEALTH ALEXANDRIA  
2839 DUKE STREET, BUILDING 3  
ALEXANDRIA, VA 22314  
CLIA ID# 49D0883911

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	July 24, 2024
REASON:	Unsuccessful PT

SURESH BALASUBRAMONY, DIRECTOR  
COPLIN CLINIC LABORATORY  
483 COURT ST  
ELIZABETH, WV 26143  
CLIA ID# 51D2076798

SANCTION:	Limitation of CLIA Certificate
EFFECTIVE DATE:	July 22, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved

REASON: Compliance Achieved October 2, 2024



3. A LIST OF PERSONS CONVICTED OF VIOLATING CLIA REQUIREMENTS AS SPECIFIED IN SECTION 353(1) OF THE PUBLIC HEALTH SERVICES ACT, WITH THE CIRCUMSTANCES OF EACH CASE AND THE PENALTIES IMPOSED.

\*\*\* NO DATA FOUND \*\*\*



4. A LIST OF LABORATORIES ON WHICH ALTERNATIVE SANCTIONS HAVE BEEN IMPOSED, SHOWING -

- (I) THE EFFECTIVE DATE OF THE SANCTIONS
- (II) THE REASON FOR IMPOSING THEM
- (III) ANY CORRECTIVE ACTION TAKEN BY THE LABORATORY AND
- (IV) IF LABORATORY HAS ACHIEVED COMPLIANCE, THE VERIFIED DATE OF THE COMPLIANCE

SAMUEL WALKER, DIRECTOR  
CRENSHAW COMMUNITY HOSPITAL  
101 HOSPITAL CIRCLE  
LUVERNE, AL 36049  
CLIA ID# 01D0303841

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: October 1, 2024

REASON: Unsuccessful PT  
Failure to Correct Deficiencies  
Failure To Submit Acceptable POC or AOC

J MICHAEL STANFIELD, DIRECTOR  
MIZELL MEMORIAL HOSPITAL  
702 N MAIN STREET  
OPP, AL 36467  
CLIA ID# 01D0305141

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 28, 2024

REASON: Unsuccessful PT

ALLEN CLINTON, DIRECTOR  
PERRY MEDICAL CLINIC PC  
401 NORTHWOOD DRIVE  
CENTRE, AL 35960  
CLIA ID# 01D0665218

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: October 4, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved  
Laboratory Voluntarily Ceased Testing

REASON: Testing reinstated 11/7/2024



WILLIAM BRIX, DIRECTOR  
ONCOLOGY SPECIALISTS, PC  
1310 14TH AVENUE SE  
DECATUR, AL 35601  
CLIA ID# 01D2019775

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 29, 2024

REASON: Condition Level Non-Compliance  
Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved 3/15/2024

ALEXIS MCBRAYER, DIRECTOR  
SOUTHERN LAB PARTNERS, LLC  
2732 7TH AVENUE SOUTH  
BIRMINGHAM, AL 35233  
CLIA ID# 01D2049864

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 5, 2024

REASON: Unsuccessful PT  
Failure to Permit Inspection

STATUS: Compliance Achieved

REASON: Compliance Achieved 3/21/2024

MARTY MCDONALD, DIRECTOR  
IMMEDIATE CARE FOLEY  
1265 SOUTH MCKENZIE STREET  
FOLEY, AL 36535  
CLIA ID# 01D2055268

SANCTION: Directed Plan of Correction (DPOC)  
Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: March 29, 2024  
October 4, 2024  
October 4, 2024

REASON: Unsuccessful PT  
Unsuccessful PT

STATUS: Compliance Achieved  
Compliance Achieved  
Laboratory Voluntarily Ceased Testing

REASON: Testing reinstated 11/21/2024



PAUL GLISSON, DIRECTOR  
SOUTHERN RAPID CARE  
4332 ORANGE BEACH BLVD  
ORANGE BEACH, AL 36561  
CLIA ID# 01D2111530

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: April 5, 2024  
  
REASON: Condition Level Non-Compliance  
Unsuccessful PT  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved 4/4/2024

DENNIS THOMAS, DIRECTOR  
CSL PLASMA INC  
1655 S COLLEGE ST SUITE C  
AUBURN, AL 36832  
CLIA ID# 01D2123107

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: March 14, 2024  
  
REASON: Unsuccessful PT  
Improper PT Testing Referral Activities  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved 4/25/2024

JOSEPH RING, DIRECTOR  
COBRE VALLEY REGIONAL MEDICAL CENTER  
CARDIOPULMONARY DEPARTMENT  
5880 SOUTH HOSPITAL DRIVE  
GLOBE, AZ 85501  
CLIA ID# 03D0882411

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: August 9, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved October 15, 2024.



MILLIE BEHERA, DIRECTOR  
BLOOM REPRODUCTIVE INSTITUTE, PLLC  
8415 N PIMA RD, STE 290  
SCOTTSDALE, AZ 85258  
CLIA ID# 03D2087820

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	September 27, 2024 September 27, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON:	Compliance Achieved November 19, 2024

CRANFORD SCOTT, DIRECTOR  
EQUALTOX, LLC  
550 N GOLDEN CIRCLE, STE B  
SANTA ANA, CA 92705  
CLIA ID# 05D0602385

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	June 21, 2024 June 21, 2024
REASON:	Unsuccessful PT

RICHARD SNYDER, DIRECTOR  
CARE BIOCLINICAL LABORATORY  
16311 VENTURA BLVD STE 888  
ENCINO, CA 91436  
CLIA ID# 05D0881670

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	November 8, 2024 November 8, 2024
REASON:	Unsuccessful PT



ROBERT WRIGHT, MD, DIRECTOR  
SANTA BARBARA PULMONARY ASSOCIATE  
2403 CASTILLO ST, STE 206  
SANTA BARBARA, CA 93105  
CLIA ID# 05D0971726

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: November 20, 2024  
November 20, 2024

REASON: Unsuccessful PT

AMRIK BASI MD, DIRECTOR  
ELITE URGENT CARE INC  
1524 MCHENRY AVE, STE 130  
MODESTO, CA 95350  
CLIA ID# 05D2093483

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: August 8, 2024  
August 8, 2024

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved November 12, 2024

ROBERT PRETZLAFF, DIRECTOR  
HENRY MAYO NEWHALL URGENT CARE  
23929 MCBEAN PKWY STE 102  
VALENCIA, CA 91355  
CLIA ID# 05D2115911

SANCTION: Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: January 3, 2024

REASON: Unsuccessful PT



DAVID ROBERTSON, DIRECTOR  
ATLANTA DIABETES ASSOCIATES  
1800 HOWELL MILL ROAD, SUITE 450  
ATLANTA, GA 30318  
CLIA ID# 11D0259599

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: May 30, 2024  
REASON: Unsuccessful PT  
STATUS: Laboratory Voluntarily Ceased Testing

JAMES HUDSON JR, DIRECTOR  
CLINCH MEMORIAL HOSPITAL  
1050 VALDOSTA HIGHWAY  
HOMERVILLE, GA 31634  
CLIA ID# 11D0265635

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: May 18, 2024  
REASON: Unsuccessful PT  
STATUS: Compliance Achieved  
REASON: Compliance Achieved June 17, 2024

GEORGE KATSITADZE, DIRECTOR  
PEDIATRIC PARTNERS OF GWINNETT  
6450 SPALDING DRIVE, SUITE A  
PEACHTREE CORNERS, GA 30092  
CLIA ID# 11D0681282

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
EFFECTIVE DATE: August 10, 2024  
August 10, 2024  
REASON: Unsuccessful PT  
STATUS: Laboratory Voluntarily Ceased Testing



ANIL PURI, DIRECTOR  
MIDDLE GEORGIA CHEST & MEDICAL CENTER, LLC  
1209 N COLUMBIA DR  
MILLEDGEVILLE, GA 31061  
CLIA ID# 11D0975982

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 4, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved November 1, 2024.

JOSEPH GAINES, DIRECTOR  
ST MARYS HEALTH CARE SYSTEM  
OUTPATIENT DIAGNOSTIC REHAB AND WELLNESS CENTER  
2470 DANIELS BRIDGE ROAD BUILDING 300  
ATHENS, GA 30606  
CLIA ID# 11D1068105

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 26, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved 01/18/2024

LAURENCE FISHEL, DIRECTOR  
N T L LABORATORY  
8833 GROSS POINT RD - SUITE 308  
SKOKIE, IL 60077  
CLIA ID# 14D2075610

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: March 18, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved



MICHAEL WOLTMAN, DIRECTOR  
BUCHANAN COUNTY HEALTH CENTER  
1600 FIRST STREET EAST  
INDEPENDENCE, IA 50644  
CLIA ID# 16D0384646

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 5, 2024  
REASON: Unsuccessful PT  
STATUS: Compliance Achieved  
REASON: Compliance Achieved July 8, 2024

OMAR HAMEED, DIRECTOR  
LABORATORY MANAGEMENT SERVICES, LLC  
15300 COLLEGE BLVD  
LENEXA, KS 66219  
CLIA ID# 17D2301181

SANCTION: Directed Plan of Correction (DPOC)  
Directed Portion Plan of Correction (DPPOC)  
EFFECTIVE DATE: October 31, 2024  
October 31, 2024  
REASON: Condition Level Non-Compliance with IJ  
STATUS: Compliance Achieved  
REASON: Compliance Achieved December 4, 2024

JOHN JANSEN, DIRECTOR  
MCDOWELL ARH  
9879 ROUTE 122  
MC DOWELL, KY 41647  
CLIA ID# 18D0325122

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: March 15, 2024  
REASON: Unsuccessful PT  
STATUS: Compliance Achieved  
REASON: Compliance Achieved May 1, 2024



JOI HALL, DIRECTOR  
COMMONWEALTH CANCER CENTER  
95 BOGLE OFFICE PARK DRIVE  
SOMERSET, KY 42503  
CLIA ID# 18D0945636

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: July 29, 2024  
  
REASON: Unsuccessful PT  
  
STATUS:

JEAN CHERRY, DIRECTOR  
HOPE PRIMARY & URGENT CARE  
2157 SOUTH HWY 27  
STEARNS, KY 42647  
CLIA ID# 18D2156570

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
  
EFFECTIVE DATE: June 29, 2024  
June 29, 2024  
  
REASON: Unsuccessful PT

CHARLES FOX, DIRECTOR  
OCHSNER LSU HEALTH SHREVEPORT  
1541 KINGS HIGHWAY ATTN WENDY ATNIP  
SHREVEPORT, LA 71103  
CLIA ID# 19D0904226

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: April 2, 2024  
April 17, 2024  
  
REASON: Improper PT Testing Referral Activities  
  
Compliance Achieved  
  
REASON: Compliance Achieved July 8, 2024



ROBERT CROWE, DIRECTOR  
THE PEDIATRIC CENTER  
919 SOUTH 10TH STREET  
LEESVILLE, LA 71446  
CLIA ID# 19D1086156

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: December 26, 2024  
December 26, 2024

Unsuccessful PT

REASON:

SUSAN VEILLON, DIRECTOR  
OLHS ST MARY PLACE MEDICAL CENTER LABORATORY  
911 MARGARET PLACE, SUITE 1A314  
SHREVEPORT, LA 71101  
CLIA ID# 19D2181178

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 2, 2024  
April 17, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

REASON: Compliance Achieved July 8, 2024

JONG LEE, DIRECTOR  
LAB USA, INC  
108R MERRIMACK STREET  
HAVERHILL, MA 01830  
CLIA ID# 22D1042991

SANCTION: Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: September 4, 2024

REASON: Cancellation of Medicare Approval Suspension  
Cancellation of Medicare Approval Revocation  
2 Year Prohibition From Owning, Operating and Directing  
Condition Level Non-Compliance with IJ  
Revocation of CLIA Certificate  
Failure To Submit Acceptable POC or AOC

STATUS: Revocation of CLIA Certificate



GLADSTONE PAYTON, DIRECTOR  
GLADSTONE A PAYTON DO  
247 N GRATIOT AVE  
MOUNT CLEMENS, MI 48043  
CLIA ID# 23D0363649

SANCTION:	Directed Plan of Correction (DPOC)
EFFECTIVE DATE:	March 22, 2024
REASON:	Unsuccessful PT
STATUS:	Laboratory Voluntarily Ceased Testing

MARK ROSENBERG, DIRECTOR  
MACOMB MEDICAL CLINIC PC DBA MICHIGAN HEALTHCARE PROFESSIONALS  
2405 E 14 MILE ROAD  
STERLING HEIGHTS, MI 48310  
CLIA ID# 23D0371506

SANCTION:	Directed Plan of Correction (DPOC) Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE:	October 18, 2024 October 18, 2024
REASON:	Condition Level Non-Compliance
STATUS:	Compliance Achieved
REASON:	Compliance Achieved October 31, 2024

AMRO ALMRADI, DIRECTOR  
D B LABS LLC  
911 E 9 MILE SUITE 100  
FERNDAL, MI 48220  
CLIA ID# 23D2089572

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	November 16, 2024 November 16, 2024
REASON:	Condition Level Non-Compliance with IJ Failure to Correct Deficiencies
STATUS:	Appeal Filed By Laboratory



TED NAMAN, DIRECTOR  
EXCLUSIVE PHYSICIANS, PLLC  
911 E 9 MILE RD SUITE 100  
FERNDALE, MI 48220  
CLIA ID# 23D2096521

SANCTION: Directed Plan of Correction (DPOC)  
Directed Portion Plan of Correction (DPPOC)

EFFECTIVE DATE: October 25, 2024  
October 25, 2024

REASON: Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Failure To Submit Acceptable POC or AOC

JORDAN KNEPPER, DIRECTOR  
MSU HEALTH CARE HEART AND VASCULAR CENTER  
CLINICAL CENTER  
804 SERVICE ROAD SUITE 204  
EAST LANSING, MI 48824  
CLIA ID# 23D2289252

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: August 21, 2024

REASON: Cancellation of Medicare Approval Suspension  
Condition Level Non-Compliance  
Failure to Correct Deficiencies  
Failure To Submit Acceptable POC or AOC

STATUS: Laboratory Voluntarily Ceased Testing

REASON: Certificate terminated by laboratory October 6, 2024.

SAMUEL CROSBY, DIRECTOR  
IMMEDIATE CARE  
105 THORNHILL DRIVE  
HATTIESBURG, MS 39401  
CLIA ID# 25D0318994

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: November 29, 2024

REASON: Unsuccessful PT



TURNER WILLIS, DIRECTOR  
LAWRENCE COUNTY HOSPITAL-DIVN OF SW MS REG MED CTR  
1065 E BROAD ST  
MONTICELLO, MS 39654  
CLIA ID# 25D0320077

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: March 1, 2024  
March 1, 2024

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved August 26, 2024

TODD KENDALL, DIRECTOR  
GREENE COUNTY HOSPITAL  
1017 JACKSON AVENUE  
LEAKESVILLE, MS 39451  
CLIA ID# 25D1047462

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: May 3, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved May 28, 2024

STEVEN BIGLER, DIRECTOR  
BAPTIST MEDICAL GROUP - MADISON SPECIALTY CARE  
401 BAPTIST DRIVE SUITE 401  
MADISON, MS 39110  
CLIA ID# 25D2047947

SANCTION: Directed Plan of Correction (DPOC) July

EFFECTIVE DATE: 12, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved  
Laboratory Voluntarily Ceased Testing

REASON: Testing reinstated 8/29/2024



MONICA MAY, DIRECTOR  
MRH MEDICAL GRP-PREMIER DIABETES & MEDICAL CLINIC  
2394 MCCULLOUGH BLVD  
BELDEN, MS 38826  
CLIA ID# 25D2167145

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	October 1, 2024 October 1, 2024
REASON:	Unsuccessful PT

LAEEQ AZMAT TAHIRKHELI, DIRECTOR  
CRMC ABG LAB  
1600 E EVERGREEN (RESPIRATORY)  
CAMERON, MO 64429  
CLIA ID# 26D0678066

SANCTION:	Directed Plan of Correction (DPOC)
EFFECTIVE DATE:	August 13, 2024
REASON:	Unsuccessful PT

JOSEPH MOLESKI, DIRECTOR  
TOTAL POINT URGENT CARE  
590 BIRCH RD  
HOLLISTER, MO 65672  
CLIA ID# 26D2278006

SANCTION:	Directed Portion Plan of Correction (DPPOC)
EFFECTIVE DATE:	January 31, 2024
REASON:	Revocation of CLIA Certificate
STATUS:	Revocation of CLIA Certificate



JOSEPH SLOWOWITS, DIRECTOR  
JOSEPH SLOWOWITS MD  
5117 15TH AVE  
BROOKLYN, NY 11219  
CLIA ID# 33D0686097

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of All of Medicare/Medicaid

EFFECTIVE DATE: September 16, 2024  
September 16, 2024

REASON: Unsuccessful PT

MITCHELL BERGER, DIRECTOR  
MITCHELL BERGER MD PLLC  
1999 MARCUS AVENUE, SUITE M14  
NEW HYDE PARK, NY 11042  
CLIA ID# 33D0879841

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: September 27, 2024  
September 27, 2024

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved October 31, 2024.

ARNOLD WEG, DIRECTOR  
ARNOLD LEON WEG MD  
71-36 110TH STREET SUITE 1E  
FOREST HILLS, NY 11375  
CLIA ID# 33D0887555

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: August 23, 2024  
August 23, 2024

REASON: Unsuccessful PT



ALFRED SHTAINER, DIRECTOR  
ALFRED SHTAINER MD PC  
2148 OCEAN AVENUE, SUITE 6A  
BROOKLYN, NY 11229  
CLIA ID# 33D0926623

SANCTION:	Directed Plan of Correction (DPOC) Suspension of Part of Medicare/Medicaid
EFFECTIVE DATE:	August 23, 2024 August 23, 2024
REASON:	Unsuccessful PT
STATUS:	Suspension And Limitation Lifted Compliance Achieved
REASON:	Compliance Achieved December 12, 2024

TADEUSZ STRZELECKI, DIRECTOR  
GREGORY SHIFRIN MD PC OB GYN  
1766 EAST 12TH STREET, BASEMENT  
BROOKLYN, NY 11229  
CLIA ID# 33D1027412

SANCTION:	Directed Plan of Correction (DPOC)
EFFECTIVE DATE:	June 8, 2024
REASON:	Unsuccessful PT

RUBIN FRENKEL, DIRECTOR  
BAY OB-GYN PC  
2736 OCEAN AVENUE SUITE 1A  
BROOKLYN, NY 11229  
CLIA ID# 33D2005337

SANCTION:	Directed Plan of Correction (DPOC) Suspension of All of Medicare/Medicaid
EFFECTIVE DATE:	December 19, 2024 December 19, 2024
REASON:	Unsuccessful PT



KHALID SINDHU, DIRECTOR  
NEPHROLOGY ASSOCIATES OF WATERTOWN, PC  
19316 US ROUTE 11, SUITE B  
WATERTOWN, NY 13601  
CLIA ID# 33D2042099

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: July 12, 2024  
July 12, 2024

REASON: Unsuccessful PT

REASON: Compliance Achieved October 30, 2024

CHELSEA WARD, DIRECTOR  
A WOMAN'S CHOICE OF CHARLOTTE  
421 N WENDOVER ROAD  
CHARLOTTE, NC 28211  
CLIA ID# 34D0244179

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: April 10, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved May 30, 2024

JOHN BRIGGS JR, DIRECTOR  
HARNETT COUNTY HEALTH DEPARTMENT  
307 W CORNELIUS HARNETT BOULEVARD  
LILLINGTON, NC 27546  
CLIA ID# 34D0864770

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: June 4, 2024

REASON: Unsuccessful PT

STATUS: Compliance Achieved

REASON: Compliance Achieved June 7, 2024



BADIE ALAKECH, DIRECTOR  
TOWNER COUNTY MEDICAL CENTER  
228 1ST AVE  
CANDO, ND 58324  
CLIA ID# 35D0408659

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: December 14, 2024  
REASON: Unsuccessful PT

DEREK IRWIN, DIRECTOR  
NORTHEASTERN HEALTH SYSTEM-SEQUOYAH  
213 EAST REDWOOD AVE  
SALLISAW, OK 74955  
CLIA ID# 37D0476048

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: August 23, 2024  
REASON: Unsuccessful PT  
STATUS: Compliance Achieved  
REASON: Compliance Achieved December 2, 2024

MARYAM FARINOLA, DIRECTOR  
OREGON MEDICAL GROUP CENTER FOR WOMEN  
330 S GARDEN WAY SUITE 220  
EUGENE, OR 97401  
CLIA ID# 38D0627519

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: December 14, 2024  
REASON: Unsuccessful PT



VICTOR NWANGUMA, DIRECTOR  
SUMMIT HEALTH CITY MD +  
BEND MEMORIAL CLINIC EAST  
1501 NE MEDICAL CENTER DR  
BEND, OR 97701  
CLIA ID# 38D0628274

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: May 11, 2024  
REASON: Unsuccessful PT

DAISY HEARING, DIRECTOR  
COMPLETE INTEGRATIVE CARE  
3156 STATE STREET  
MEDFORD, OR 97504  
CLIA ID# 38D2120851

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: August 21, 2024  
REASON: Unsuccessful PT  
STATUS: Suspension And Limitation Lifted  
Compliance Achieved  
REASON: Compliance Achieved November 4, 2024

ROBERT REILLY, DIRECTOR  
ALLIANCE CANCER SPECIALISTS  
ALLIANCE CANCER SPECIALISTS, P.C.  
1203 LANGHORNE NEWTON RD  
LANGHORNE, PA 19047  
CLIA ID# 39D0862659

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: June 4, 2024  
REASON: Unsuccessful PT  
STATUS: Suspension And Limitation Lifted  
Compliance Achieved  
Appeal Filed By Laboratory  
REASON: Compliance Achieved September 23, 2024



LUIS MORENO, DIRECTOR  
LABORATORIO CLINICO RISAN  
AVE ROBERTO SANCHEZ VILELLA URB COUNTRY CLUB  
CAROLINA, PR 00982  
CLIA ID# 40D0658298

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 23, 2024  
September 23, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Appeal Filed By Laboratory

ELIZABETH ALICEA, DIRECTOR  
LABORATORIO CLINICO VALPARAISO  
LIZZIE GRAHAM JR 1 SECCION # 7  
TOA BAJA, PR 00949  
CLIA ID# 40D0692668

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 20, 2024

REASON: Unsuccessful PT

STATUS: Certificate Reinstated  
Compliance Achieved

REASON: Compliance Achieved November 14, 2024.

LUIS MORENO, DIRECTOR  
LABORATORIO CLINICO BORGES  
CALLE ARZUAGA NUM 168  
RIO PIEDRAS, PR 00925  
CLIA ID# 40D0715748

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: September 23, 2024  
September 23, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Appeal Filed By Laboratory



JORGE DIAZ BLANCO, DIRECTOR  
LABORATORIO CLINICO GINARA  
1253 CALLE JUAN BAEZ URB SAN MARTIN  
RIO PIEDRAS, PR 00924  
CLIA ID# 40D1043613

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 21, 2024

REASON: Unsuccessful PT

TAMI MASSEY, DIRECTOR  
SRHP -EDGEFIELD MEDICAL CENTER  
155 RIDGE MEDICAL PLAZA  
EDGEFIELD, SC 29824  
CLIA ID# 42D0687923

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: March 1, 2024  
March 1, 2024

REASON: Unsuccessful PT

MONNIEQUE SINGLETON MD, DIRECTOR  
SINGLETON HEALTH CENTER  
1773 VILLAGEPARK DRIVE  
ORANGEBURG, SC 29118  
CLIA ID# 42D1003115

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid  
Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: February 2, 2024  
February 2, 2024  
March 1, 2024  
March 1, 2024

REASON: Unsuccessful PT  
Unsuccessful PT

STATUS: Laboratory Voluntarily Ceased Testing



KWAME TORGBE, DIRECTOR  
UT MEDICAL GROUP, INC  
DBA UTMG PATHOLOGY, LLC  
930 MADISON AVE, 5TH FLOOR, 544A AND 545A  
MEMPHIS, TN 38103  
CLIA ID# 44D2090400

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 26, 2024  
REASON: Improper PT Testing Referral Activities  
STATUS: Compliance Achieved  
REASON: Compliance Achieved July 26, 2024

LESLIE LOPEZ-CALDERON, DIRECTOR  
UT MEDICAL GROUP, INC DBA UTMG PATHOLOGY, LLC  
877 JEFFERSON AVE, CHANDLER BUILDING, 4TH FL &  
MEMPHIS, TN 38103  
CLIA ID# 44D2091956

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: July 26, 2024  
REASON: Improper PT Testing Referral Activities  
STATUS: Compliance Achieved  
REASON: Compliance Achieved May 15, 2024

LORENZ SCHMIEGE III, DIRECTOR  
CARTHAGE HOSPITAL, LLC  
409 COTTAGE ROAD  
CARTHAGE, TX 75633  
CLIA ID# 45D0051995

SANCTION: Directed Plan of Correction (DPOC)  
EFFECTIVE DATE: August 30, 2024  
REASON: Condition Level Non-Compliance  
STATUS: Compliance Achieved  
REASON: Compliance Achieved September 26, 2024



CLAUDIUS ROBINSON, DIRECTOR  
GLEN ROSE MEDICAL CENTER  
1021 HOLDEN STREET  
GLEN ROSE, TX 76043  
CLIA ID# 45D0485200

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 18, 2024  
February 2, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

REASON: Compliance Achieved May 15, 2024

ROBERT BIDWELL, DIRECTOR  
REGENCE HEALTH NETWORK, INC  
DBA HEREFORD  
125 WEST PARK AVE  
HEREFORD, TX 79045  
CLIA ID# 45D0506643

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 18, 2024  
February 2, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

REASON: Compliance Achieved April 22, 2024

ROBERT BIDWELL, DIRECTOR  
REGENCE HEALTH NETWORK, INC  
DBA PLAINVIEW  
410 CANYON STREET  
PLAINVIEW, TX 79072 CLIA ID#  
45D0506774

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: February 2, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

REASON: Compliance Achieved April 18, 2024



JUDE ABADIE, DIRECTOR  
CITY OF EL PASO DEPARTMENT OF PUBLIC HEALTH  
9566 RAILROAD DR  
EL PASO, TX 79924  
CLIA ID# 45D0660818

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: March 1, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved February 29, 2024

ROBERT BIDWELL, MD, DIRECTOR  
REGENCE HEALTH NETWORK ROSS  
3113 ROSS STREET  
AMARILLO, TX 79103  
CLIA ID# 45D0664603

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: January 18, 2024  
February 2, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved April 22, 2024

SUSAN STRATE, DIRECTOR  
WICHITA FALLS - WICHITA COUNTY PUBLIC HEALTH  
DISTRICT  
1700 THIRD STREET  
WICHITA FALLS, TX 76301  
CLIA ID# 45D0672374

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: March 15, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Compliance Achieved  
  
REASON: Compliance Achieved April 26, 2024



AUDRY JONES, DIRECTOR  
MCALLEN PRIMARY CARE CLINIC INC  
110 E SAVANNAH BLDG A SUITE 204  
MCALLEN, TX 78503  
CLIA ID# 45D0708410

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 19, 2024

REASON: Condition Level Non-Compliance

STATUS: Compliance Achieved

REASON: Compliance Achieved January 29, 2024

WAYNE CARTMELL, DIRECTOR  
GLEN ROSE MEDICAL CENTER PECAN LOCATION  
2800 VILLAGE ROAD, SUITE 108  
GRANBURY, TX 76049  
CLIA ID# 45D1071102

SANCTION: Civil Money Penalty  
Directed Plan of Correction (DPOC)

EFFECTIVE DATE: January 18, 2024  
February 2, 2024

REASON: Improper PT Testing Referral Activities

STATUS: Compliance Achieved

REASON: Compliance Achieved April 9, 2024

GLORIA ORTIZ, DIRECTOR  
RGV ENDOCRINE CENTER  
1900 S JACKSON ROAD, STE 1  
MCALLEN, TX 78503  
CLIA ID# 45D2144058

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: December 20, 2024  
December 20, 2024

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved December 30, 2024



ROBERT MORENO, DIRECTOR  
D-RAD MOBILE IMAGING SERVICES  
1387 GEORGE DIETER STE 105 - D  
EL PASO, TX 79936  
CLIA ID# 45D2181925

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: March 1, 2024  
March 1, 2024

REASON: Unsuccessful PT

STATUS: Suspension And Limitation Lifted  
Compliance Achieved

REASON: Compliance Achieved March 18, 2024

JEANNE RHEA MCMANUS, DIRECTOR  
VICTORIA HEALTHCARE RESOURCES  
DBA DOCTORS LAB TYLER  
3200 TROUP HWY, STE 210  
TYLER, TX 75701  
CLIA ID# 45D2214507

SANCTION: Directed Plan of Correction (DPOC)

EFFECTIVE DATE: December 7, 2024

REASON: Condition Level Non-Compliance

JAQUELYN YEH, DIRECTOR  
WHOLE WOMAN'S HEALTH ALEXANDRIA  
2839 DUKE STREET, BUILDING 3  
ALEXANDRIA, VA 22314  
CLIA ID# 49D0883911

SANCTION: Directed Plan of Correction (DPOC)  
Suspension of Part of Medicare/Medicaid

EFFECTIVE DATE: July 24, 2024  
July 24, 2024

REASON: Unsuccessful PT



MATTHEW JONES, DIRECTOR  
SHENANDOAH ONCOLOGY, PC  
400 CAMPUS BOULEVARD - SUITE 100  
WINCHESTER, VA 22601  
CLIA ID# 49D0890671

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: June 27, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Certificate Reinstated  
Compliance Achieved  
  
REASON: Compliance Achieved August 9, 2024.

SURESH BALASUBRAMONY, DIRECTOR  
COPLIN CLINIC LABORATORY  
483 COURT ST  
ELIZABETH, WV 26143  
CLIA ID# 51D2076798

SANCTION: Directed Plan of Correction (DPOC)  
  
EFFECTIVE DATE: July 22, 2024  
  
REASON: Unsuccessful PT  
  
STATUS: Suspension And Limitation Lifted  
Compliance Achieved  
  
REASON: Compliance Achieved October 2, 2024



5. LABORATORIES WHOSE ACCREDITATION HAS BEEN WITHDRAWN OR REVOKED AND THE REASON FOR THE WITHDRAWAL OR REVOCATION. (INCLUDES ALL OTHER ADVERSE ACTIONS TAKEN BY THE ACCREDITATION ORGANIZATIONS)

EDWIN CHRISTENSEN, DIRECTOR  
FAMILY MEDICINE OF TUSCALOOSA  
100 TOWNCENTER BLVD. SUITE 112  
TUSCALOOSA, AL 35406  
CLIA ID# 01D2018405 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 1/29/2024

REASON: Unsuccessful PT

STATUS: No longer accredited by COLA

REASON:

Cease Testing for White Blood Cell Differential (WBC Diff), Hematocrit, Hemoglobin, Red Blood Cell Count (Erythrocyte Count) (RBC), Thyroid Stimulating Hormone (TSH), Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC)

Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARY LOVIN, DIRECTOR  
ALABAMA CLINICS  
2812 HARTFORD HIGHWAY SUITE 1  
DOTHAN, AL 36305  
CLIA ID# 01D2035901 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 7/1/2024;7/8/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing still in effect

REASON:

Cease Testing for Sodium;

Cease Testing for Lithium

Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JAMES TIESINGA, DIRECTOR  
SAMUEL SIMMONDS MEMORIAL HOSPITAL LAB  
7000 UULA ST  
BARROW, AK 99723  
CLIA ID# 02D0641844 **(CAP)**

SANCTION: Cease Testing

EFFECTIVE DATE: 2/26/2024; 4/17/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing still in effect

REASON:

Cease Testing for Digoxin; Cease Testing for Digoxin

Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



CURTIS BUCHHOLZ, DIRECTOR  
NORTON SOUND REGIONAL HOSPITAL - LAB  
1000 GREG KRUSCHEK AVENUE  
NOME, AK 99762  
CLIA ID# 02D0641849 **(TJC)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/10/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing still in effect  
REASON:  
Cease Testing for pH  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing

STACI BRYSON, DIRECTOR  
SUMMIT HEALTHCARE REGIONAL MEDICAL (CENTER LABORATORY)  
2200 E SHOW LOW LAKE RD  
SHOW LOW, AZ 85901  
CLIA ID# 03D0676181 **(CAP)**

SANCTION: Probation; Cease Testing  
EFFECTIVE DATE: 2/2/2024; 11/5/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Probation and Cease Testing still in effect  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections; Corrective Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory;  
Cease Testing for Digoxin  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

IKJOT BHUTANI, DIRECTOR  
ABRAZO WEST CAMPUS - LABORATORY  
13677 W MCDOWELL RD  
GOODYEAR, AZ 85395  
CLIA ID# 03D1014090 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 09/05/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing still in effect  
REASON:  
Cease Testing for Compatibility Testing  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



DANNIEL STITES, DIRECTOR  
PHOENIX ER AND MEDICAL HOSPITAL  
3050 S DOBSON RD  
CHANDLER, AZ 85248  
CLIA ID# 03D2152981 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 Cease Testing still in effect  
REASON:  
Cease Testing for HCG, Beta, Serum, Quantitative, Thyroid Stimulating Hormone (TSH), Thyroxine, Free (FT4)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GEORGE WANG, DIRECTOR  
MENA REGIONAL HEALTH SYSTEM  
311 NORTH MORROW STREET  
MENA, AR 71953  
CLIA ID# 04D0049580 (**COLA**)

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: 11/20/2024  
REASON: See REASON  
STATUS: No longer accredited by COLA  
REASON:  
Failure to adhere to COLA-Imposed Required Improvement

GEORGE AINSLIE, DIRECTOR  
NEA RELIANT HEALTHCARE PROFESSIONALS DBA WALNUT RIDGE FAMILY MEDICAL CLINIC  
1045 W. MAIN STREET SUITE C  
WALNUT RIDGE, ARKANSAS 72476  
CLIA ID# 04D2127194 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for Thyroxine, Free (FT4)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing  
No longer accredited by COLA



ARTHUR WILLIAMS, DIRECTOR  
EMENATE HEALTH QUEEN OF THE VALLEY HOSPITAL CLINICAL LAB  
1115 S SUNSET AVE  
WEST COVINA, CA 91790  
CLIA ID# 05D0565194 (CAP)

SANCTION: Cease Testing  
EFFECTIVE DATE: 4/17/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
  
REASON:  
Cease Testing for TSH  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

REDA TADROS, DIRECTOR  
ORANGE COUNTY GLOBAL MEDICAL CENTER (LABORATORY)  
1001 N TUSTIN AVE  
SANTA ANA, CA 92705  
CLIA ID# 05D0581257 (CAP)

SANCTION: Probation  
EFFECTIVE DATE: 2/2/2024  
REASON: See REASON  
STATUS: Removed from Probation on 07/31/2024  
  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory

GLENN LITTELL, DIRECTOR  
ADVENTIST HEALTH SIMI VALLEY  
2975 N SYCAMORE DR  
SIMI VALLEY, CA 93065  
CLIA ID# 05D0584279 (CAP)

SANCTION: Cease Testing  
EFFECTIVE DATE: 4/17/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
  
REASON:  
Cease Testing for Gentamicin  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



SASHA PAVLOVICH, DIRECTOR  
JOHN F KENNEDY MEMORIAL HOSPITAL CLINICAL LAB  
47111 MONROE ST  
INDIO, CA 92201  
CLIA ID# 05D0643133 (CAP)

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/19/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Bacteriology  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TROY BASSIRI, DIRECTOR  
K IMA W MEDICAL CENTER CLINICAL LAB  
535 AIRPORT ROAD  
HOOPA, CA 95546  
CLIA ID# 05D0699458 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/12/2024; 12/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Alkaline Phosphatase (ALP), Amylase, Bilirubin, Total;  
Cease Testing for White Blood Cell Differential (WBC Diff), Hematocrit, Hemoglobin, Red Blood Cell  
Count (Erythrocyte Count) (RBC), Platelet Count, White Blood Cell Count (Leukocyte Count)(WBC)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RUSSELL KERSCHMANN, DIRECTOR  
ONE CELL DIAGNOSTICS INC DBA NOTABLE LABS INC-FLOW CYTOMETRY  
320 HATCH DR  
FOSTER CITY, CA 94404  
CLIA ID# 05D2006211 (CAP)

SANCTION: Revocation of Accreditation  
EFFECTIVE DATE: 12/26/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Not Accredited by CAP  
REASON:  
Laboratory Performance Does Not Meet CAP Standards of Accreditation



GARBIS APELIAN, DIRECTOR  
APELIAN MEDICAL INC  
14600 SHERMAN WAY STE 280  
VAN NUYS, CA 91405 CLIA ID#  
05D2018940 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/09/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Chloride  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BISMA SIDDIQI, DIRECTOR  
ORANGE COUNTY LABS INC (OC LABS INC)  
15165 TRITON LN  
HUNTINGTON BEACH, CA 92649  
CLIA ID# 05D2068755 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Calcium, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BASHAR DABBAS, DIRECTOR  
DERMTECH  
12340 EL CAMINO REAL  
SAN DIEGO, CA 92130  
CLIA ID# 05D2073519 (**CAP**)

SANCTION: Revocation of Accreditation  
EFFECTIVE DATE: 04/08/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Not Accredited by CAP  
REASON:  
Laboratory Performance Does Not Meet CAP Standards of Accreditation



JOY HARDISON, DIRECTOR  
HARDISON MEDICAL CORPORATION (DBA HEALTHTOPIA)  
142 ENCINITAS BLVD  
ENCINITAS, CALIFORNIA 92024  
CLIA ID# 05D2158820 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 5/3/2024

REASON: Unsuccessful PT

STATUS: Test reinstated 12/10/2024

REASON:  
Cease Testing for Red Blood Cell Count (Erythrocyte Count) (RBC) Non-  
Compliance Due to Unsuccessful Participation in Proficiency Testing

CHARLES SAILEY, DIRECTOR  
QVIN LABS  
3517 EDISON WAY, STE C  
MENLO PARK, CA 94025  
CLIA ID# 05D2255400 **(CAP)**

SANCTION: Denial of Accreditation

EFFECTIVE DATE: 9/11/2024

REASON: See REASON

STATUS: Not Accredited by CAP

REASON:  
Laboratory Performance Does Not Meet CAP Standards of Accreditation

COLLIN SMIKLE, DIRECTOR  
LAUREL FERTILITY CARE  
1524 MCHENRY AVE STE 370  
MODESTO, CA 95350  
CLIA ID# 05D2276984 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 7/1/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for HCG, Beta, Serum, Quantitative  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JEREMIAH ANDERSEN, DIRECTOR  
EAST MORGAN COUNTY HOSPITAL (MAIN LABORATORY)  
2400 W EDISON ST  
BRUSH, CO 80723-1640  
CLIA ID# 06D0516806 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/17/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 Cease Testing still in effect  
REASON:  
Cease Testing for PO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KENNETH FLANAGAN, DIRECTOR  
PEAK CLINICAL DIAGNOSTICS LLC  
2600 S PARKER ROAD SUITE 2-125  
AURORA, CO 80014  
CLIA ID# 06D2267171 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 5/3/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 Cease Testing still in effect  
REASON:  
Cease Testing for Prothrombin Time (PT) Unsuccessful Participation in  
Proficiency No longer accredited by COLA

DAVID BRENNER, DIRECTOR  
THE LAB AT SEASCAPE  
200 W LIBERTY WAY  
MILFORD, DE 19963  
CLIA ID# 08D2158835 **(COLA)**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: 8/28/2024  
REASON: See REASON  
STATUS: No longer accredited by COLA  
REASON:  
Failure to adhere to COLA-Imposed Required Improvement



JOEL ANG, DIRECTOR  
JOEL C ANG, MD PC DBA Q STREET MEDICAL ASSOCIATES  
1759 Q ST NW  
WASHINGTON, DC 20009  
CLIA ID# 09D0207838 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Chloride  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MIRZA BAIG, DIRECTOR  
HCA FLORIDA NORTHWEST HOSPITAL  
2801 N STATE ROAD 7  
MARGATE, FL 33063  
CLIA ID# 10D0278853 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 4/17/2024; 7/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Phenobarbital;  
Cease Testing for Compatibility Testing  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOANNA KOSKO, DIRECTOR  
BLAKE MEDICAL CENTER LABORATORY  
2020 59TH ST W  
BRADENTON, FL 34209  
CLIA ID# 10D0295239 **(TJC)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/12/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Albumin  
Non-Compliance Due to Unsuccessful Participation in Proficiency



WILLIAM BRENT YOUNG, DIRECTOR  
WILLIAM BRENT YOUNG M.D., P.A. MEDICAL & DIAGNOSTIC CENTER OF SPRING HILL  
1550 PINEHURST DR  
SPRING HILL, FL 34606  
CLIA ID# 10D0674058 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/8/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for Protein, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

UBALDO MIRANDA, DIRECTOR  
PHYSICIANS STAT LAB INC  
4290 S HWY 27, SUITE 204  
CLERMONT, FL 34711  
CLIA ID# 10D0929347 **(CAP)**

SANCTION: Probation; Revocation of Accreditation  
EFFECTIVE DATE: 5/16/2024; 6/17/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Not Accredited by CAP  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One  
or More Areas of the Laboratory;  
Laboratory Performance Does Not Meet CAP Standards of Accreditation

MUKESH GOEL, DIRECTOR  
PUTNAM HEART CENTER, PA  
6710 OLD WOLF BAY ROAD  
PALATKA, FLORIDA 32177  
CLIA ID# 10D0991646 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 6/4/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Urea (BUN), Potassium, Sodium, Glucose, Chloride, Hematocrit,  
Creatinine  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



HUGO ROMEU, DIRECTOR  
FIRST QUALITY LABORATORY 20861  
JOHNSON STREET SUITE 117  
PEMBROKE PINES, FL 33029  
CLIA ID# 10D1056759 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/15/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Iron  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MAULIK SHAH, DIRECTOR  
APPLIED INGENUITY DIAGNOSTICS LLC  
7040 LAKE ELLENOR DR  
ORLANDO, FL 32809  
CLIA ID# 10D2156444 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SEAN KAUFMAN, DIRECTOR  
CITYWIDE MEDICAL LAB LLC  
1000 PARK CENTRE BLVD STE #150  
MIAMI GARDENS, FL 33169  
CLIA ID# 10D2193203 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 6/4/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Rubella antibodies  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



KENT SWIMLEY, DIRECTOR  
ADVENTHEALTH LAB  
7823 PALM PARKWAY  
ORLANDO, FL 32836  
CLIA ID# 10D2218447 (**CAP**)

SANCTION: Cease Testing

EFFECTIVE DATE: 10/11/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Compatibility Testing  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RAJA GIDWANI, DIRECTOR  
LAB TEST 123 LABORATORY SERVICES INC  
8333 W MCNAB ROAD SUITE 228  
TAMARAC, FL 33321  
CLIA ID# 10D2230451 (**CAP**)

SANCTION: Probation; Revocation of Accreditation

EFFECTIVE DATE: 4/10/2024; 4/15/2024

REASON: See REASON

STATUS: As of 12/31/2024, Not Accredited by CAP

REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections - Corrective Action Fails to Support Implementation and Prevention of  
Recurrence in One or More Areas of the Laboratory;  
Laboratory Performance Does Not Meet CAP Standards of Accreditation

ALICIA HIRZEL, DIRECTOR  
MEDILAB INC  
1860 SE PORT SAINT LUCIE BLVD  
PORT SAINT LUCIE, FL 34952  
CLIA ID# 10D2284492 (**COLA**)

SANCTION: Cease Testing

EFFECTIVE DATE: 12/20/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Prothrombin Time (PT)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



HAOHAI LIANG, DIRECTOR  
WELLSTAR WINDY HILL HOSPITAL (LABORATORY)  
2540 WINDY HILL RD SE  
MARIETTA, GA 30067  
CLIA ID# 11D0255256 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 4/10/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for pCO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MICHAEL MCEACHIN, DIRECTOR  
SHEPHERD CENTER  
2020 PEACHTREE ROAD, NW  
ATLANTA, GA 30309  
CLIA ID# 11D0259055 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/09/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for PO2Non-Compliance Due to Unsuccessful  
Participation in Proficiency Testing

CARL MINAMI, DIRECTOR  
BLUE RIDGE GEORGIA HOSPITAL COMJPANY, LLC DBA FANNIN REGIONAL HOSPITAL  
2855 OLD HIGHWAY 5  
NORTH BLUE RIDGE, GA 30513  
CLIA ID# 11D0708538 **(TJC)**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: 2/1/2024  
REASON: See REASON  
STATUS: Reinstated effective 3/6/2024  
REASON:  
Denied  
Failure to pay fees



ROBERT BURNETTE, DIRECTOR  
ID-TECH MOLECULAR LABORATORY  
777 CLEVELAND AVENUE, SUITE 516  
ATLANTA, GA 30315  
CLIA ID# 11D2187599 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 07/01/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for Creatine Kinase (CK)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BERNADETTE WILDEMORE, DIRECTOR  
EMERGENT TESTING LAB DBA LUX ENTERPRISE ETL  
13 CORPORATE SQUARE NE, STE 100  
BROOKHAVEN, GA 30329  
CLIA ID# 11D2197452 **(CAP)**

SANCTION: Probation  
EFFECTIVE DATE: 6/12/2024  
REASON: See REASON  
STATUS: As of 12/31/2024 Probation still in effect  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections;  
Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas  
of the Laboratory

RODERICK ROLLE, DIRECTOR  
SHEPARD HEALTH  
8601 DUNWOODY PLACE, SUITE 338  
SANDY SPRINGS, GA 30350  
CLIA ID# 11D2202138 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/09/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for Treponema pallidum Antibodies (includes Reagin), HIV-1 and HIV-2  
Antibodies Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



MICHAEL HECK, DIRECTOR  
PPD LABS, INC  
4654 N SHALLOWFORD ROAD  
DUNWOODY, GA 30338  
CLIA ID# 11D2251528 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

STEPHEN GODFREY, DIRECTOR  
FERRELL HOSPITAL COMMUNITY FOUNDATION  
1201 PINE ST  
ELDORADO, IL 62930  
CLIA ID# 14D0436524 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 9/17/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON: 09/17/2024  
Cease Testing for ABO group – RBC, D(Rho) Type, Donor/Recipient Compatibility, Unexpected  
RBC antibody - detection-serum, plasma  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SUE STRAYER, DIRECTOR  
WARNER HOSPITAL & HEALTH SERVICES  
422 W WHITE STREET  
CLINTON, IL 61727  
CLIA ID# 14D0646831 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 5/8/2024  
REASON: Unsuccessful PT  
STATUS: Test reinstated 11/25/2024  
REASON:  
Cease Testing for Chlamydia, Neisseria gonorrhoeae  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



FARZAN ESKANDARI, DIRECTOR  
CGH MEDICAL CENTER  
LABORATORY 100 E LEFEVRE RD  
STERLING, IL 61081  
CLIA ID# 14D0879019 **(CAP)**

SANCTION: Cease Testing

EFFECTIVE DATE: 6/26/2024; 12/23/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for pO2;  
Cease Testing for Sperm Count, Manual  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

FREDERICK NG, DIRECTOR  
ST ALEXIUS MEDICAL CTR-BLOOD GAS/RESP  
1555 BARRINGTON RD - 5 WEST, RESPIRATORY DEPT  
HOFFMAN ESTATES, IL 60169  
CLIA ID# 14D0900224 **(CAP)**

SANCTION: Cease Testing

EFFECTIVE DATE: 3/22/2024; 7/23/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Hematocrit, Cease Testing for Hemoglobin;  
Cease Testing for Hematocrit  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

VISHAKANTHA MURTHY, DIRECTOR  
CLINICARE LAB LTD  
11S270 JACKSON ST - STE 103  
BURR RIDGE, IL 60527  
CLIA ID# 14D2257830 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 7/1/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Sodium  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



SUSAN NEWMAN, DIRECTOR  
COFFEYVILLE FAMILY PRACTICE CLINIC  
209 W 7TH ST  
COFFEYVILLE, KS 67337  
CLIA ID# 17D0452201 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ZARIUS DRUMMOND, DIRECTOR  
BATON ROUGE GENERAL MEDICAL CENTER (MID CITY LABORATORY)  
3600 FLORIDA BLVD  
BATON ROUGE, LA 70806  
CLIA ID# 19D1000346 **(CAP)**

SANCTION: Probation  
EFFECTIVE DATE: 7/10/2024  
REASON: see REASON:  
STATUS: Removed from Probation on 11/08/2024; as of 12/31/2024, accredited by CAP  
  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in  
One or More Areas of the Laboratory

EUN OH, DIRECTOR  
KAISER PERMANENTE LARGO MEDICAL CENTER LAB  
1221 MERCANTILE LANE  
LARGO, MD 20774  
CLIA ID# 21D0211188 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/5/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
  
REASON:  
Cease Testing for Protein, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



EUGENE OLSOWKA, DIRECTOR  
NORTHWEST LABS, INC  
29580 NORTHWESTERN HWY SUITE 120  
SOUTHFIELD, MI 48034  
CLIA ID# 23D2126347 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 7/23/2024; 12/20/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Triiodothyronine (T3);  
Cease Testing for Creatine Kinase MB Fraction (CKMB), Gentamicin, Hepatitis Be Antigen (HBe), Rubella antibodies  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TARA MCMICHAEL, DIRECTOR  
LAKEVIEW CLINIC LTD  
424 STATE HWY 5 WEST  
WACONIA, MN 55387  
CLIA ID# 24D0400859 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 3/8/2024

REASON: Unsuccessful PT

STATUS: Test reinstated 10/14/2024

REASON:  
Cease Testing for HCG, Beta, Serum, Quantitative  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARIGNY ROBERTS, DIRECTOR  
BAPTIST MEMORIAL HOSPITAL  
7601 SOUTHCREST PKWY  
SOUTHAVEN, MS 38671  
CLIA ID# 25D0316619 **(CAP)**

SANCTION: Cease Testing

EFFECTIVE DATE: 6/28/2024 and 9/25/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Triiodothyronine (T3)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



SCOTT SEGARS, DIRECTOR  
SEGARS CLINIC  
1507 W QUITMAN  
IUKA, MS 38852  
CLIA ID# 25D0317139 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for Bilirubin, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DEVIN BROADWATER, DIRECTOR  
BILOXI, HMA, LLC, DBA MERIT HEALTH BILOXI  
150 REYNOIR ST  
BILOXI, MS 39530  
CLIA ID# 25D0319605 (**TJC**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 9/18/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for pO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

THOMAS CAREY, DIRECTOR  
FIELD MEMORIAL COMMUNITY HOSPITAL DBA FIELD HEALTH SYSTEM  
178 HWY 24  
CENTREVILLE, MS 39631  
CLIA ID# 25D0651977 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 9/17/2024; 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for ABO group – RBC, D(Rho Type, Donor/Recipient Compatibility,  
Unexpected RBC antibody - detection-serum, plasma;  
Cease Testing for Phenobarbital, blood  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



TRACY MURPHY, DIRECTOR  
BLESSING HEALTH HANNIBAL MAIN LABORATORY  
100 MEDICAL DRIVE  
HANNIBAL, MO 63401  
CLIA ID# 26D0441456 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for HCG, Beta, Serum, Quantitative  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KENNETH SPENGEL, DIRECTOR  
ST MARY'S MEDICAL CENTER  
201 NW RD MIZE ROAD  
BLUE SPRINGS, MO 64014  
CLIA ID# 26D0442588 **(TJC)**

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: 7/17/2024  
REASON: See REASON  
STATUS: Denial of Accreditation  
REASON:  
Laboratory not able to demonstrate that they have fully abated the Immediate Threat to Health or Safety that exists for patients, staff, or the public.

FERNANDO CASTRO SILVA, DIRECTOR  
CABINET PEAKS MEDICAL CENTER  
209 HEALTH PARK DRIVE  
LIBBY, MT 59923  
CLIA ID# 27D0411323 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for pCO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



ADAM HORN, DIRECTOR  
MARY LANNING MEMORIAL HOSPITAL (HEALTHCARE-MAIN LABORATORY)  
15 N SAINT JOSEPH AVE  
HASTINGS, NE 68901  
CLIA ID# 28D0456093 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/5/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for CK and Nitrogen  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ALAN DRESNER, DIRECTOR  
DIABETES AND ENDOCRINOLOGY CONSULTANTS, PC  
2 CROSFIELD AVE., STE 204  
WEST NYACK, NY 10994  
CLIA ID# 33D0142047 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 5/15/2024  
REASON: Unsuccessful PT  
STATUS: Test reinstated 11/18/2024  
REASON: 5/15/2024  
Cease Testing for White Blood Cell Differential (WBC Diff), Hematocrit, Hemoglobin, Red Blood Cell Count (Erythrocyte Count) (RBC), Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ARISTOTELIS SAKELLARIDIS, DIRECTOR  
ARISTOTELIS SAKELLARIDIS, MD PC  
33-44 BELL BLVD  
BAYSIDE, NEW YORK 11361  
CLIA ID# 33D0680729 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/1/2024  
REASON: Unsuccessful PT  
STATUS: TSH AND FT4 Test reinstated 10/17/2024  
As of 12/31/2024, Cease Testing Still in Effect for T3  
REASON:  
Cease testing for Thyroid Stimulating Hormone (TSH), Thyroxine, Free (FT4), Triiodothyronine (T3)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



MING YIN, DIRECTOR  
CENTRAL CAROLINA HOSPITAL  
1135 CARTHAGE STREET  
SANFORD, NC 27330  
CLIA ID# 34D0238637 **(TJC)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/22/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for compatibility testing  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TRACEY BOWEN, DIRECTOR  
PITT FAMILY PHYSICIANS PA  
137 3RD ST  
AYDEN, NC 28513  
CLIA ID# 34D0690167 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/12/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Hemoglobin  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

TRACEY BOWEN, DIRECTOR  
PITT FAMILY PHYSICIANS PA  
137 3RD ST  
AYDEN, NC 28513  
CLIA ID# 34D0690167 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 11/12/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Hemoglobin  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



GULAMNABI VAHORA, DIRECTOR  
ANDOR LABS, LLC  
1000 BEAR CAT WAY, SUITE 107  
MORRISVILLE, NC 27560  
CLIA ID# 34D1095319 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for HCG, Beta, Serum, Quantitative, T Uptake (TU)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MEGAN SEIBERT, DIRECTOR  
FAMILY PHYSICIANS INC  
4860 FRANK AVENUE NW  
NORTH CANTON, OH 44720  
CLIA ID# 36D0343708 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/8/2024  
REASON: Unsuccessful PT  
STATUS: Test reinstated 10/17/2024  
REASON:  
Cease Testing for Chloride  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MEGAN SMITH, DIRECTOR  
BETHESDA BUTLER HOSPITAL LABORATORY  
3125 HAMILTON MASON ROAD  
HAMILTON, OH 45011  
CLIA ID# 36D0973633 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Bacteriology  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



CARMEN POPA, DIRECTOR  
MEDCARE GROUP  
6975 WEST 130TH STREET  
PARMA HEIGHTS, OH 44130  
CLIA ID# 36D1025951 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Bilirubin, Total, HDL Cholesterol, Magnesium  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MARTIN BAUTISTA, DIRECTOR  
SPECIALTY CLINICS OF ST ANNE  
350 NE 12TH STREET  
GUYMON, OK 73942  
CLIA ID# 37D0960643 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/1/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Chloride  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DAVID L. BRADSHAW, DIRECTOR  
ANALYTICAL EDGE LABORATORIES  
120 NE 26TH ST  
OKLAHOMA CITY, OK 73105  
CLIA ID# 37D2070976 (**CAP**)

SANCTION: Probation  
EFFECTIVE DATE: 3/13/2024  
REASON: See REASON  
STATUS: As of 12/31/2024 Probation still in effect  
REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence  
in One or More Areas of the Laboratory



ALEXIS MCBRAYER, DIRECTOR  
ALPHA MEDICAL LABORATORY, LLC  
224 N 6TH ST  
JENKS, OK 74037  
CLIA ID# 37D2198725 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/30/2024  
REASON: Unsuccessful PT  
STATUS: Test reinstated 10/15/2024  
REASON:  
Cease Testing for Creatine Kinase MB Fraction (CKMB)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

BRADLEY BRYAN, DIRECTOR  
ST CHARLES HEALTH SYSTEM INC, DBA ST CHARLES BEND CAMPUS 2  
500 NE NEFF RD  
BEND, OR 97701  
CLIA ID# 38D0628340 **(TJC)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 2/5/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Parasitology  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

GERALD MEIS, DIRECTOR  
TAYLOR HOSPITAL RESPIRATORY THERAPY  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
CLIA ID# 39D0668456 **(CAP)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/17/2024  
REASON: Failure to Correct Deficiencies  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for pO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



DANIEL GRAZIANO, DIRECTOR  
HISTOCOMPATIBILITY LABORATORY ALLEGHENY GENERAL HOSPITAL  
320 EAST NORTH AVENUE SNYDER PAVILLION  
PITTSBURGH, PA 15212  
CLIA ID# 39D0982225 **(ASHI)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/7/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, suspended accreditation still in effect  
REASON:  
Cease all testing – lab accreditation suspension

WILLIS MONTE, DIRECTOR  
ABSOLUTE GENOMICS-LABORATORY  
1300 OLD PLANK RD STE 400  
MAYFIELD, PA 18433  
CLIA ID# 39D2191740 **(CAP)**

SANCTION: Revocation of Accreditation  
EFFECTIVE DATE: 9/16/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Not Accredited by CAP  
REASON:  
Laboratory Performance Does Not Meet CAP Standards of Accreditation

JOHN DANIELS, DIRECTOR  
COASTAL CAROLINA HOSPITAL - BLOOD GAS LABORATORY  
1000 MEDICAL CTR DR  
HARDEEVILLE, SC 29927  
CLIA ID# 42D1100000 **(TJC)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/15/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for p02  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JENNIFER JONES, DIRECTOR  
COASTAL CAROLINA HOSPITAL HOSPITAL - LAB  
349 TIDEWATCH DRIVE  
BLUFFTON, SC 29909  
CLIA ID# 42D2168286 (TJC)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/15/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for p02  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

KARLA GARCIA, DIRECTOR  
SOUTHERN TENNESSEE MEDICAL CENTER (DBA SOUTHERN TENNESSEE  
REGIONAL HEALTH SYSTEM – WINCHESTER)  
185 HOSPITAL ROAD  
WINCHESTER, TN 37398  
CLIA ID# 44D0309870 (TJC)

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/31/2024  
REASON: Unsuccessful PT  
STATUS: Reinstated as of 8/28/2024  
REASON:  
Cease Testing for prothrombin time  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

RICHARD KNAPP, DIRECTOR  
INTERVENTIONAL PAIN CONSULTANTS  
102 DUNHIL PLACE NW  
CLEVELAND, TN 37311  
CLIA ID# 44D2140491 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/13/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Thyroxine (T4)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



SETH COOK, DIRECTOR  
HEIGHTS HEALTHCARE, LLC DBA WHITE ROCK MEDICAL CENTER  
9440 POPPY DRIVE  
DALLAS, TX 75218  
CLIA ID# 45D0479604 (TJC)

SANCTION: Denial of Accreditation  
EFFECTIVE DATE: 8/1/2024  
REASON: See REASON  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Failure to pay fees

B.C. MUTHAPPA, DIRECTOR  
B. C. MUTHAPPA, MD  
120 FM 2825  
CLARKSVILLE, TEXAS 75426  
CLIA ID# 45D0481945 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DEDRIC MYERS, DIRECTOR  
SURGERY SPECIALTY HOSPITALS OF AMERICA (SOUTHEAST HOUSTON)  
4301 VISTA ROAD  
PASADENA, TEXAS 77504  
CLIA ID# 45D0496271 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/19/2024; 12/12/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Creatine Kinase MB Fraction (CKMB);  
Cease Testing for Hemoglobin and Hematocrit  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



LOPEZ VALENTIN, DIRECTOR  
MYCARE MEDICAL MEDICAL PLLC  
501 N WARE  
MCALLEN, TX 78501  
CLIA ID# 45D0503327 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/29/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for Rheumatoid factor (RF)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN CLARK, DIRECTOR SWISHER  
MEMORIAL HEALTHCARE  
539 SOUTHEAST 2ND STREET  
TULIA, TX 79088  
CLIA ID# 45D0506814 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for pCO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

EMILY HART, DIRECTOR  
PROFESSIONAL ASSOCIATION FOR PEDIATRICS  
1850 HICKORY STREET SUITE 102  
ABILENE, TX 79601  
CLIA ID# 45D0508343 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/8/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON: 3/8/2024  
Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count)(RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff) Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



RONNIE DEAL, DIRECTOR  
KNOX COUNTY HOSPITAL LABORATORY  
701 SOUTH 5TH STREET  
KNOX CITY, TEXAS 79529  
CLIA ID# 45D0660755 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/13/2024; 7/1/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Valproic Acid;  
Cease Testing for Thyroxine (T4)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ORVILLE CERNA, DIRECTOR  
REEVES REGIONAL HEALTH  
2349 MEDICAL DRIVE  
PECOS, TX 79772  
CLIA ID# 45D0672351 (COLA)

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Hemoglobin  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

CLAUDIUS ROBINSON, DIRECTOR  
CORYELL MEMORIAL HEALTH CARE SYSTEM  
1507 WEST MAIN  
GATESVILLE, TX 76528  
CLIA ID# 45D0674792 (CAP)

SANCTION: Probation  
EFFECTIVE DATE: 2/14/2024  
REASON: See REASON  
STATUS: Removed from Probation on 10/09/2024; as of 12/31/2024, accredited by CAP  
REASON:  
Probation Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain  
Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One  
or More Areas of the Laboratory



ALEJANDRO LONGORIA, DIRECTOR  
ADVANCE MEDICAL LAB  
2016 E GRIFFIN PKWY  
MISSION, TX 78572  
CLIA ID# 45D2005805 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 3/13/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Chloride  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JASON GUHKOOL, DIRECTOR  
ELITECARE EMERGENCY HOSPITAL  
2530 GULF FREEWAY SOUTH  
LEAGUE CITY, TX 77573  
CLIA ID# 45D2022504 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 6/4/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Lactate Dehydrogenase (LDH), Magnesium  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ASIM AHMAD, DIRECTOR  
THE CENTER FOR CANCER AND BLOOD DISORDERS  
1600 COIT ROAD SUITE 408  
PLANO, TX 75075  
CLIA ID# 45D2047210 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JOHN BENSON, DIRECTOR  
ADVANCED DIAGNOSTICS HOSPITAL EAST  
12950 EAST FREEWAY  
HOUSTON, TX 77015  
CLIA ID# 45D2047748 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/14/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Alanine Aminotransferase (ALT) (SGPT), Albumin, Alkaline  
Phosphatase (ALP), Aspartate Aminotransferase (AST) (SGOT), Calcium, Total, Chloride,  
Creatinine, Glucose, Protein, Total. Urea (BUN), Uric Acid  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MELORA BERARDO, DIRECTOR  
CHRISTUS SANTA ROSA EMERGENCY CENTER CREEKSIDE  
244 CREEKSIDE CROSSING  
NEW BRAUNFELS, TX 78130  
CLIA ID# 45D2051524 (**CAP**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 9/5/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for PTT  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ROBERT PHELAN, DIRECTOR  
PROCARE PRESTON HOLLOW ER, LLC  
8007 WALNUT HILL LANE  
DALLAS, TX 75231  
CLIA ID# 45D2078269 (**COLA**)

SANCTION: Cease Testing  
EFFECTIVE DATE: 6/4/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for hCG, beta, whole blood, quantitative  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



OSCAR VELA, DIRECTOR  
EL PASO WEST EMERGENCY ROOM  
351 E REDD ROAD  
EL PASO, TX 79932  
CLIA ID# 45D2112932 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 3/13/2024

REASON: Unsuccessful PT

STATUS: Test reinstated 9/13/2024

REASON:  
Cease Testing for hCG, beta, whole blood, quantitative, Blood Gases, Creatine Kinase MB  
Fraction (CKMB), PCO2, PO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ILANA GREVER, DIRECTOR  
IGNITE MEDICAL RESORT SAN ANTONIO, LLC  
6035 ECKHERT ROAD  
SAN ANTONIO, TX 78240  
CLIA ID# 45D2129451 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 6/4/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON: 6/4/2024  
Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count)  
(RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

ILANA GREVER, DIRECTOR  
IGNITE MEDICAL RESORT ROUND ROCK, LCC  
16219 RANCH ROAD 620 NORTH  
AUSTIN, TX 78717  
CLIA ID# 45D2135862 **(COLA)**

SANCTION: Cease Testing

EFFECTIVE DATE: 8/27/2024

REASON: Unsuccessful PT

STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count)  
(RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JOE PELLI, DIRECTOR  
TOTALCARE EMERGENCY- BENBROOK  
8501 BENBROOK BLVD, STE 103  
BENBROOK, TX 76126  
CLIA ID# 45D2138465 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/1/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024 cease testing still in effect  
REASON:  
Cease Testing for PO2  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

MEHAR OAD, DIRECTOR  
WALK IN AND URGENT CARE, PA  
633 SW JOHNSON AVENUE  
BURLESON, TX 76028  
CLIA ID# 45D2139029 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/29/2024  
REASON: Unsuccessful PT  
STATUS: Test reinstated 10/16/2024  
REASON:  
Cease Testing for Hematocrit, Hemoglobin, Platelet Count, Red Blood Cell Count (Erythrocyte Count) (RBC), White Blood Cell Count (Leukocyte Count) (WBC), White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

DANIEL AKERS, DIRECTOR  
PLAINS ER MANAGEMENT ABILENE LTD. DBA EXPRESS ER  
4157 BUFFALO GAP ROAD  
ABILENE, TX 79605  
CLIA ID# 45D2146552 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 12/20/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



MICHAEL TSCHICKARDT, DIRECTOR  
SOUTH TEXAS CLINICAL LABORATORY  
427 DURANTA AVE STE, 101 A  
ALAMO, TX 78516  
CLIA ID# 45D2148863 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 10/9/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Protein, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

NATHAN VERMEDAHL, DIRECTOR  
VITAL HEALTHCARE OF TEXAS PLLC  
102 W TEXAS BLVD  
DALHART, TX 79022  
CLIA ID# 45D2181272 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/29/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff, Hematocrit, Hemoglobin, Thyroxine, Free  
(FT4, Platelet Count, Thyroid Stimulating Hormone (TSH, White Blood Cell Count (Leukocyte Count  
(WBC), Red Blood Cell Count (Erythrocyte Count) (RBC)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SIDONI FINDONG, DIRECTOR  
KINGSPPOINT LABORATORY  
14200 GULF FREEWAY SUITE 202  
HOUSTON, TX 77034  
CLIA ID# 45D2191884 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/30/2024; 3/13/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for Phenytoin;  
Cease Testing for Protein, Total  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JEAN JOSEPH, DIRECTOR  
PARCERIA ER CONROE LLC  
3840 W DAVIS ST  
CONROE, TX 77304  
CLIA ID# 45D2260580 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 8/27/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

SARALA KRISHNAGIRI, DIRECTOR  
CHURCHLAND INTERNAL MEDICINE  
2994 CHURCHLAND BOULEVARD  
CHESAPEAKE, VA 23321  
CLIA ID# 49D0957296 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 7/1/2024; 10/9/2024  
REASON: Unsuccessful PT  
STATUS: No longer accredited by COLA  
REASON:  
Cease Testing for Sodium;  
Cease Testing for Alanine Aminotransferase (ALT) (SGPT), Glucose  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

JOHN CARMACK, DIRECTOR  
ROANOKE VALLEY HEALTHCARE PARTNERS DBA AFC URGENT CARE  
602 BRANDON AVENUE SW, SUITE 222  
ROANOKE, VA 24015  
CLIA ID# 49D2026671 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 1/18/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect  
REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff)  
Non-Compliance Due to Unsuccessful Participation in Proficiency Testing



JOHN CARMACK, DIRECTOR  
AFC URGENT CARE WOODBRIDGE  
14087 RICHMOND HIGHWAY  
WOODBIDGE, VA 22191  
CLIA ID# 49D2271010 **(COLA)**

SANCTION: Cease Testing  
EFFECTIVE DATE: 5/3/2024  
REASON: Unsuccessful PT  
STATUS: As of 12/31/2024, Cease Testing Still in Effect

REASON:  
Cease Testing for White Blood Cell Differential (WBC Diff), Hematocrit, Hemoglobin, Platelet Count, White Blood Cell Count (Leukocyte Count) (WBC), Red Blood Cell Count (Erythrocyte Count) (RBC) Non-Compliance Due to Unsuccessful Participation in Proficiency Testing

HOSSEINI, SEYED ALI, MD, DIRECTOR  
BERRIES HEALTH & GENETICS-LABORATORY  
OLYMPIC BLDG 204 D&E & 202  
204 CENTRAL WAY  
KIRKLAND, WA 98033  
CLIA ID# 50D2287930 **(CAP)**

SANCTION: Probation  
EFFECTIVE DATE: 9/25/2024  
REASON: See REASON  
STATUS: As of 12/31/2024 Probation still in effect

REASON:  
Quality and Severity of Deficiencies Is Significant Enough to Question Ability to Sustain Corrections; Corrective Action Fails to Support Implementation and Prevention of Recurrence in One or More Areas of the Laboratory



6. ALL APPEALS AND HEARING DECISIONS. FOR DETAILED INFORMATION REGARDING THE FOLLOWING LISTING  
SEE CLIA HEARING DECISION INDEX AT [HTTP://WWW.CMS.GOV/CLIA/HEARINGGROUP.ASP](http://www.cms.gov/clia/hearinggroup.asp)

Precision Clinical Laboratory vs. Centers for Medicare & Medicaid Services  
DECISION NUMBER: ALJ Ruling No. 2024-5  
DECISION DATE: March 26, 2024  
DECISION: For CMS



7. A LIST OF LABORATORIES AGAINST WHICH CMS HAS BROUGHT SUIT UNDER SECTION 493.1846 AND THE REASON FOR THOSE ACTIONS.

\*\*\* NO DATA FOUND \*\*\*



8. A LIST OF LABORATORIES THAT HAVE BEEN EXCLUDED FROM PARTICIPATION IN MEDICARE OR MEDICAID AND THE REASON FOR EXCLUSION.

\*\*\* NO DATA FOUND \*\*\*



9. CORRECTION OF ANY ERRONEOUS STATEMENTS OF INFORMATION THAT APPEARED IN THE 2023 REGISTRY.

CYNTHIA CHAMBLESS MD, DIRECTOR

CYNTHIA CHAMBLESS MD

6501 PEAKE ROAD BUILDING 200

MACON, GA 31210

CLIA ID# 11D0983961

REASON: Sanctions should have appeared in the 2023 Registry:

Alternative Sanction:

Directed Plan of Correction effective 12/2/2023

Reason: Condition Level Non-Compliance; Unsuccessful PT

Status: Certificate Voluntarily Terminated by Laboratory

NING LIU, DIRECTOR

BEING HUMAN MEDICAL, LLC, AM LABORATORY

6027 N CICERO AVE

CHICAGO, IL 60646

CLIA ID# 14D2233521

REASON: Sanctions should have appeared in the 2023 Registry:

Principal Sanctions:

Suspension of CLIA Certificate effective 7/23/2023

Cancellation of Medicare Approval effective 7/23/2023

Revocation of CLIA Certificate effective 9/16/2023

Alternative Sanctions:

Civil Money Penalty effective 4/15/2023

Directed Portion of a Plan of Correction effective 7/26/2023

Reason: Condition Level Non-Compliance with IJ

Status: Revocation of CLIA Certificate



10. OTHER ACTIONS. THIS SECTION INCLUDES OTHER SPECIFIC INFORMATION THAT MAY BE USEFUL EVALUATING THE PERFORMANCE OF LABORATORIES AS SPECIFIED IN 493 CFR 1859(A). IT ALSO INCLUDES INFORMATION PROVIDED BY CLIA EXEMPT STATES.

BARRY R. WITT, DIRECTOR  
GREENWICH FERTILITY AND IVF CENTER PC  
55 HOLLY HILL LANE SUITE 270  
GREENWICH CT 06830  
CLIA ID# 07D1011767

REASON:  
6/5/2024 NY Permit Void  
Failure to identify NY qualified director change within required timeframe  
Permit voided

ELVIRA BARROSO, DIRECTOR  
APEX LABS INC  
6015 BENJAMIN RD STE 315  
TAMPA, FL 33634  
CLIA ID# 10D2034314

REASON:  
7/24/2024 NYS Permit Suspended  
Failure to pay fees  
11/7/2024 NY Permit Void  
Failure to complete permit reapplication process  
Permit voided 11/7/2024

JOHN HANSON, DIRECTOR  
PROVISTA DIAGNOSTICS, INC. 2001  
WESTSIDE PARKWAY, STE 240  
ALPHARETTA, GA 30004  
CLIA ID# 11D2052150

REASON:  
3/29/2024  
NY Permit Void  
Failure to identify NY qualified director change within required timeframe  
Permit voided

HENRY SKELTON, DIRECTOR  
IPSUM DIAGNOSTICS LLC  
8607 ROBERTS DR.  
ATLANTA, GA 30350  
CLIA ID# 11D2125186

REASON:  
6/5/2024  
NY Permit Void  
Failure to notify NY of owner change within required  
timeframe Permit voided



DONALD WARKENTIN, DIRECTOR  
RNJ SERVICES INC DBA PREMIER MEDICAL LABORATORY INC  
35-37 PROGRESS ST STE B-6  
EDISON, NJ 08820  
CLIA ID# 31D0894713

REASON:  
6/28/2024  
Cease Testing for chloride  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
As of 12/31/2024, cease testing order still in effect.

YESHPAL CHAUHAN, DIRECTOR  
STAR LABORATORY CORPORATION  
125 FLEMING STREET  
PISCATAWAY, NJ 08854  
CLIA ID# 31D2014717

REASON:  
5/24/2024  
Cease Testing for phenobarbital  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
Test removed from Test Menu

STACEY LONGO, DIRECTOR  
PRECISION DIAGNOSTIC  
80 HAZLET AVE STE 11 AND 12  
HAZLET, NJ 07730  
CLIA ID# 31D2058237

REASON:  
6/5/2024  
NY permit void  
Failure to identify NY qualified director change within required time frame  
Permit voided

ASIMA ARSLAN, DIRECTOR  
OMNIA DIAGNOSTIC SERVICES, LLC  
ONE DUNCAN DRIVE  
CRANBURY, NJ 08512  
CLIA ID# 31D2103631

REASON:  
4/4/2024  
NY permit void  
Failure to identify NY qualified director change within required time frame  
Permit voided



SUVAS DESAI, DIRECTOR  
VIDHATA GENOMICS LLC DBA LABRITE  
4270 STATE HIGHWAY ROUTE 1 NORTH  
MONMOUTH JUNCTION, NJ 08852  
CLIA ID# 31D2204542

REASON:  
10/9/2024  
NYS Permit Void  
Failure to identify NY qualified director change within required timeframe  
Permit voided

PATRICIA SPIZUOCO, DIRECTOR  
ST JOSEPHS HOSPITAL HEALTH CENTER  
301 PROSPECT AVE  
SYRACUSE, NY 13203  
CLIA ID# 33D0166206

REASON:  
6/28/2024  
Cease Testing for carbamazepine  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
Test removed from Test Menu

WILLIAM DEAN, DIRECTOR  
SOLDIERS & SAILORS MEMORIAL HOSP LAB  
418 N MAIN STREET  
PENN YAN, NY 14527  
CLIA ID# 33D0172206

REASON:  
11/4/2024  
Cease Testing for urea nitrogen  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
As of 12/31/2024, cease testing order still in effect

ROBERT BOORSTEIN, DIRECTOR  
BIODIAGNOSTIC LABS INC  
2380 EAST 22ND STREET  
BROOKLYN, NY 11229  
CLIA ID# 33D0713273

REASON:  
7/23/2024  
Cease Testing for T3, T3 Uptake, T4 and TSH  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
As of 12/31/2024, cease testing order still in effect.



BRIAN PAVLOVITZ, DIRECTOR  
LABORATORY ALLIANCE OF CENTRAL NEW YORK LLC  
113 INNOVATION LANE  
LIVERPOOL, NY 13088  
CLIA ID# 33D0954150

REASON:  
6/28/2024  
Cease Testing for IgM  
Non-compliance Due to Unsuccessful Participation in Proficiency Testing  
Testing resumed, laboratory performed satisfactorily on two consecutive events.

CHANDANDEEP NAGI, DIRECTOR  
CENTURY MEDICAL AND DENTAL CENTER INC  
260 AVENUE X  
BROOKLYN, NY 11223  
CLIA ID# 33D0988518

REASON:  
10/26/2024  
NYS Permit Void  
Failure to identify NY qualified director change within required time frame  
Permit voided

GREAT LAKES PHYSICIANS, PC DBA  
WESTERN NEW YORK UROLOGY ASSOCIATES  
117 FOOTE AVE, SUITE 200  
JAMESTOWN, NY 14701  
CLIA ID# 33D1021289

REASON:  
6/28/24  
NYS Permit Void  
Failure to notify NY of owner change within required time frame  
Permit voided

JAMES GRIFO, DIRECTOR  
GREENWICH FERTILITY AND MEDICAL GROUP  
115 MAIN ST STE 300  
TUCKAHOE NY 10707  
CLIA ID# 33D2015015

REASON:  
6/5/2024  
NY Permit Void  
Failure to identify NY qualified director change within required time frame  
Permit voided



LIYING HAN, DIRECTOR  
ALL MEDICAL CARE LLP  
8622 BAY PARKWAY SUITE 1  
BROOKLYN NY 11214  
CLIA ID# 33D2073392

REASON:  
10/8/2024  
NYS Permit void  
Failure to identify NY qualified director change within required time frame  
Permit voided

JON MILLER, DIRECTOR  
VIP STARNETWORK  
68 34TH ST, SUITE 636  
BROOKLYN, NY 11232  
CLIA ID# 33D2240045

REASON:  
7/24/2024 NYS Permit Suspended  
Failure to pay fees  
Permit Voided, see below  
9/25/24 NYS Permit Void  
Change in laboratory director  
Permit Voided

BING SU, DIRECTOR  
CRESCENT LABORATORY INC  
435 CREEKSIDE DRIVE, SUITE 100 EAST  
AMHERST, NY 14228  
CLIA ID# 33D2246405

REASON:  
4/3/2024  
NY permit void  
Failure to identify NY qualified director change within required time frame  
Permit voided

ERIC KNOCHENHAUER, DIRECTOR  
ISLAND ANDROLOGY  
237 RICHMOND VALLEY ROAD  
STATEN ISLAND, NY 10309  
CLIA ID# 33D2278834

REASON:  
2/7/2024  
NYS Permit Terminated  
Failure to meet proficiency testing requirements  
Permit Terminated



SOPHIA STEWART, DIRECTOR  
GENETICS ASSOCIATES INC  
1916 PATTERSON ST STE 400  
NASHVILLE, TN 37203  
CLIA ID# 44D0688266

REASON:  
10/9/24  
NYS Permit Void  
Failure to notify NY of owner change within required time frame  
Permit voided

SUSAN ROSSMAN, DIRECTOR  
GULF COAST REGIONAL BLOOD CENTER  
1400 LA CONCHA LANE  
HOUSTON, TX 77054  
CLIA ID# 45D0660146

REASON:  
4/18/24  
NY permit void  
Failure to identify NY qualified director change within required time frame  
Permit voided

CONCETTA BORMANS, DIRECTOR  
GENE BY GENE  
1445 NORTH LOOP WEST, STE 820  
HOUSTON, TX 77008  
CLIA ID# 45D1102202

REASON:  
6/5/24  
NYS Permit Void  
Failure to identify NY qualified director change within required time frame  
Permit voided

QUOC NGUYEN, DIRECTOR  
QUINCY VALLEY MEDICAL CENTER LABORATORY  
908 10TH AVE SW  
QUINCY, WA 98848  
CLIA ID# 50D0065980

REASON:  
10/9/2024  
One year onsite revisit survey  
Serious deficiencies found at the 10/5/2023 survey.  
Compliance pending as of 12/31/2024



ANNETTE SABATH, DIRECTOR  
KAISER PERMANENTE CAPITOL HILL LABORATORY  
125 16TH AVE E  
SEATTLE, WA 98112  
CLIA ID# 50D0632501

REASON:  
10/11/2024  
Laboratory discontinued testing  
Unsuccessful PT - Bacteriology  
Compliance achieved on 12/5/2024"

ERIC WEPPLER, DIRECTOR  
HARBOR REGIONAL HEALTH COMMUNITY HOSPITAL  
915 ANDERSON DR  
ABERDEEN, WA 98520  
CLIA ID# 50D0637008

REASON:  
6/26/2024 Directed Plan of Correction  
Repeat deficiencies found at the 6/26/2024 survey  
Compliance achieved on 9/27/2024  
9/20/2024 60-d Onsite Follow-up to review corrections  
Serious deficiencies found at the 6/26/2024 survey  
Compliance achieved on 9/27/2024

MATTHEW FRANK, DIRECTOR  
OCEAN BEACH HOSPITAL  
174 FIRST AVE NORTH  
ILWACO, WA 98624  
CLIA ID# 50D0637370

REASON:  
8/20/2024  
60-d Onsite Follow-up to verify corrections  
Serious deficiencies found at the 4/10/2024 survey  
Compliance achieved on 8/29/2024

GEORGI PIRUMYAN, DIRECTOR  
COLUMBIA BASIN HOSPITAL LABORATORY  
200 NAT WASHINGTON WAY  
EPHRATA, WA 98823  
CLIA ID# 50D0638098

REASON:  
2/14/2024  
Directed Plan of Correction  
Unsuccessful PT - Serum hCG  
Compliance achieved on 4/12/2024



CHRISTOPHER MONTAGUE, DIRECTOR  
COULEE MEDICAL CENTER  
411 FORTUYN RD  
GRAND COULEE, WA 99133  
CLIA ID# 50D0638826

REASON:  
8/14/2024  
One year onsite revisit survey  
Serious deficiencies found at the 9/19/2023 survey.  
Compliance achieved on 9/23/2024"

PAUL FURMANCZYK, DIRECTOR  
CONFLUENCE HEALTH - OMAK CAMPUS  
916 KOALA DR  
OMAK, WA 98841  
CLIA ID# 50D0661558

REASON:  
1/18/2024  
Laboratory discontinued testing  
Unsuccessful PT - CK Isoenzyme  
Compliance achieved on 1/19/2024

GEORGI PIRUMYAN, DIRECTOR  
ODESSA MEMORIAL HOSPITAL  
502 E AMENDE DR  
ODESSA, WA 99159  
CLIA ID# 50D0661583

REASON:  
4/26/2024  
Directed Plan of Correction  
Unsuccessful PT - RBC  
Compliance achieved on 7/25/2024

GREGORY CHEENEY, DIRECTOR  
KLICKITAT VALLEY HEALTH  
310 S ROOSEVELT AVE  
GOLDENDALE, WA 98620  
CLIA ID# 50D0681568

REASON:  
01/11/2024  
Directed Plan of Correction  
Unsuccessful PT - PTT  
Compliance achieved on 2/26/2024



HELEN KIM, DIRECTOR  
ARBOR HEALTH MORTON HOSPITAL  
521 ADAMS AVE  
MORTON, WA 98356-9323  
CLIA ID# 50D0705486

REASON:  
10/23/2024  
Partial Directed Plan of Correction  
Repeat deficiencies found at 10/23/24 survey  
Compliance pending as of 12/31/2024

SIBEL BLAU, DIRECTOR  
NORTHWEST MEDICAL SPECIALTIES PLLC  
1624 S I ST STE 305  
TACOMA, WA 98405  
CLIA ID# 50D0945821

REASON:  
12/18/2024  
Directed Plan of Correction  
Unsuccessful PT - Cell ID/WBC Differential  
Compliance pending as of 12/31/2024

CALVIN KIERUM, DIRECTOR  
WOODCREEK PEDIATRICS - MARY BRIDGE CHILDRENS  
10004 204TH AVE E STE 1300  
BONNEY LAKE, WA 98391  
CLIA ID# 50D0947904

REASON:  
12/18/2024  
Directed Plan of Correction  
Unsuccessful PT - Cell ID/WBC Differential  
Compliance pending as of 12/31/2024

JOHN HOYT, DIRECTOR  
ASTRIA TOPPENISH HOSPITAL  
502 W 4TH AVE  
TOPPENISH, WA 98948  
CLIA ID# 50D1014708

REASON:  
4/16/2024  
One year onsite revisit survey  
Serious deficiencies found at the 4/12/2023 survey.  
Compliance achieved on 7/11/2024



DAVID SCHUMER, DIRECTOR  
DAVID SCHUMER MD PS  
125 3RD ST NE STE 403  
AUBURN, WA 98002  
CLIA ID# 50D1029984

REASON:  
2/26/2024 Directed Plan of Correction  
Repeat deficiencies found at 2/26/2024 survey  
7/19/2024 60-d Onsite Follow-up to verify corrections  
Site did not provide adequate documentation of corrections for 2/26/2024 survey.  
Compliance achieved on 7/19/2024

CARMEN NAZARIO, DIRECTOR  
SEA MAR COMMUNITY HEALTH CENTER OLYMPIA  
3030 LIMITED LN NW  
OLYMPIA, WA 98502  
CLIA ID# 50D1099344

REASON:  
4/26/2024  
Laboratory discontinued testing and changed to certificate of waiver  
Unsuccessful PT - Cell ID/WBC Differential  
Compliance achieved on 10/24/2024

ALAN C BOUDOUSQUIE, DIRECTOR  
PROVIDENCE SWEDISH MILL CREEK LABORATORY  
13020 MERIDIAN AVE S  
EVERETT, WA 98208  
CLIA ID# 50D2035098

REASON:  
8/13/2024  
Laboratory discontinued testing  
Unsuccessful PT - Endocrinology & TSH  
Compliance achieved on 9/6/2024

LARRY O'BRYANT, DIRECTOR  
MHS GOOD SAMARITAN HOSPITAL CAMPUS  
401 15TH AVE SE  
PUYALLUP, WA 98372  
CLIA ID# 50D2044577

REASON:  
1/18/2024  
Directed Plan of Correction  
Unsuccessful PT pCO<sub>2</sub>, Blood Gas  
Compliance achieved on 3/18/2024



KELLY A LLOYD, DIRECTOR  
FAMILY CARE NETWORK LABORATORY SERVICES  
715 W ORCHARD DR STE 4  
BELLINGHAM, WA 98225  
CLIA ID# 50D2125205

REASON:  
10/3/2024  
Directed Plan of Correction  
Unsuccessful PT Triiodothyronine (T3)  
Compliance achieved on 11/13/2024

BASIR HAQUE, DIRECTOR  
KADLEC CLINIC HEMATOLOGY ONCOLOGY  
7360 W DESCHUTES AVE  
KENNEWICK, WA 99336  
CLIA ID# 50D2140330

REASON:  
8/20/2024  
Directed Plan of Correction  
Unsuccessful PT Hematology & Cell ID/WBC Differential  
Compliance achieved on 10/10/2024

ALIX PHELPS, DIRECTOR  
INLAND IMAGING LLC  
5715 N LIDGERWOOD LOWER LEVEL  
SPOKANE, WA 99208  
CLIA ID# 50D2266895

REASON:  
4/30/2024  
60-d Onsite Follow-up to verify corrections  
Serious deficiencies found at the 1/16/2024 survey.  
Compliance achieved on 4/30/2024

JON V RITTENBACH, DIRECTOR  
INCYTE DIAGNOSTICS, INC - WALLA WALLA  
55 W TIETAN ST  
WALLA WALLA, WA 99362  
CLIA ID# 50D2273095

REASON:  
6/12/2024  
One year onsite revisit survey  
Serious deficiencies found at the 7/18/2023 survey.  
Compliance achieved on 6/21/2024



PAUL GIERL, DIRECTOR  
AMERICAN LABWORKS, LLC  
4310 COLBY AVE STE 300  
EVERETT, WA 98203  
CLIA ID# 50D2274879

REASON:

9/23/2024

Unreported change of ownership

New owner did not apply for a new MTSC credential at the time of sale (December 11, 2023).

No Longer Operating CLOSED 9/23/2024