

CALY

Design System

Caly is calm, note-like, and writing-first. The design system supports Sign In / Registration, Today’s Food Note, Food Correction, Food History, and Settings. On Today, Breakfast, Lunch, and Dinner are separate MealSection widgets, and each section ends with its own Add food action. A completed food row simply shows its calorie value.

Color Scheme

Caly ColorScheme — light only

All visual colors live in the theme file.

primary
Caly Gold #D9A400

onPrimary
Ink #1C1C1E

secondary
Soft Gold #FFF4C2

surface
Warm Paper #FFDF8

surfaceContainer
White #FFFFFF

onSurfaceVariant
Support Gray #6F6F73

outline
Divider #E7E4DE

error
Caly Red #C63A35

Body text on Warm Paper: strong contrast

Save changes

Dark mode decision: light only for the MVP. All colors are centralized in the theme file; screen widgets do not hardcode colors.

Role	Hex	Used for
primary	#D9A400	Main buttons, active navigation, focus/selected controls
onPrimary	#1C1C1E	Text/icons on primary
secondary	#FFF4C2	Quiet highlights and selected states
surface	#FFDF8	Main screen and note canvas
surfaceContainer	#FFFFFF	Bottom sheet, input surfaces, grouped rows
onSurface	#1C1C1E	Food text, titles, totals
onSurfaceVariant	#6F6F73	Dates, helper text, inactive navigation
outline	#E7E4DE	Thin dividers and field borders
error	#C63A35	Validation and destructive actions

onError	#FFFFFF	Text/icons on error
---------	---------	---------------------

Contrast check: Ink #1C1C1E on Warm Paper #FFFDF8 comfortably exceeds the 4.5:1 target for body text. Gold #D9A400 uses Ink rather than white for button labels so the primary action remains readable.

```
const calyGold = Color(0xFFD9A400);

final calyLightScheme = ColorScheme.fromSeed(
  seedColor: calyGold,
  brightness: Brightness.light,
).copyWith(
  primary: const Color(0xFFD9A400),
  onPrimary: const Color(0xFF1C1C1E),
  secondary: const Color(0xFFFFF4C2),
  onSecondary: const Color(0xFF1C1C1E),
  surface: const Color(0xFFFFFDF8),
  surfaceContainer: const Color(0xFFFFFFFF),
  onSurface: const Color(0xFF1C1C1E),
  onSurfaceVariant: const Color(0xFF6F6F73),
  outline: const Color(0xFFE7E4DE),
  error: const Color(0xFFC63A35),
  onError: const Color(0xFFFFFFFF),
);
```

Text Theme

Caly TextTheme

Use named theme slots; do not write font sizes inline.

headlineSmall 32 sp / 700

Today

titleLarge 24 sp / 700

Edit food

bodyMedium 16 sp / 400

Chicken adobo + 1 cup rice 520 kcal

labelSmall 13 sp / 400

Sunday, September 20

Your style	Flutter slot	Size	Weight	Used for
Screen heading	headlineSmall	32 sp	700	Today, Food History, Settings, Sign In
Sheet / section title	titleLarge	24 sp	700	Edit food and strong section titles
Body	bodyMedium	16 sp	400	Food rows, inputs, settings, history previews
Caption	labelSmall	13 sp	400	Dates, helper/error text, navigation labels

```
const calyTextTheme = TextTheme(  
  headlineSmall: TextStyle(fontSize: 32, fontWeight: FontWeight.w700),  
  titleLarge: TextStyle(fontSize: 24, fontWeight: FontWeight.w700),  
  bodyMedium: TextStyle(fontSize: 16, fontWeight: FontWeight.w400),  
  labelSmall: TextStyle(fontSize: 13, fontWeight: FontWeight.w400),  
);
```

Widgets use Theme.of(context).textTheme.<slot> by name. Meal headings and calorie totals may use copyWith(fontWeight: FontWeight.w600) while keeping the size owned by the theme.

Spacing System

8-point spacing system

Margins, gaps and control padding use the same base scale.

xs = 8

sm = 16

md = 24

lg = 32

xl = 48

8px

16px

24px

32px

48px

Screen edge padding

24 px

Gap between list items

8 px

Gap between sections

24 px

Control padding

16 px

Minimum touch target

48 × 48 px

Decision	Value
Base unit	8 px
Screen edge padding	24 px
Gap between list items	8 px
Gap between sections	24 px
Control padding	16 px
Large separation	32–48 px
Minimum touch target	48 × 48 px

```
abstract final class AppSpacing {  
  static const double xs = 8;  
  static const double sm = 16;  
  static const double md = 24;  
  static const double lg = 32;  
  static const double xl = 48;  
}
```

Component Files

Reusable component sketches

Repeated pieces from the Caly screens, ready to become Flutter widgets.

LargeTitleHeader

large_title_header.dart

History

September 2026

FoodEntryRow

food_entry_row.dart

1 cup rice

200 kcal

MealSection

meal_section.dart

BREAKFAST

1 cup rice

Add food...

AddFoodRow

add_food_row.dart

Add food...

CalorieTotalRow

calorie_total_row.dart

Total

1,455 kcal

SavedNoteRow

saved_note_row.dart

Sep 19, Saturday

1,780 kcal

Rice, eggs, chicken adobo...

PrimaryButton

primary_button.dart

Save changes

SettingsRow

settings_row.dart

Daily calorie goal

2,000 kcal >

SearchField

search_field.dart

Search food or date

AppTextField

app_text_field.dart

you@example.com

Each repeated component receives data and callbacks; parent screens own state. Components should use const constructors whenever their fields allow it. MealSection owns the visual grouping, while tapping its Add food action tells the parent which mealCategory to assign to the new FoodEntry.

Component	File	Constructor parameters	Appears on
CalyAppShell	lib/widgets/caly_app_shell.dart	Widget body; CalyTab currentTab; ValueChanged<CalyTab> onTabChanged	Today, History, Settings
LargeTitleHeader	lib/widgets/large_title_header.dart	String title; String? subtitle; Widget? trailing	Today, History, Settings
PrimaryButton	lib/widgets/primary_button.dart	String label; VoidCallback? onPressed; bool isLoading	Sign In, Food Correction, dialogs
AppTextField	lib/widgets/app_text_field.dart	TextEditingController controller; String label; bool obscureText; TextInputType? keyboardType; String? errorText	Sign In, Food Correction
FoodEntryRow	lib/widgets/food_entry_row.dart	FoodEntry entry; ValueChanged<String> onTextChanged; ValueChanged<String> onSubmitted; VoidCallback onCaloriesTap; VoidCallback? onRetry; bool isLoading	Today; repeated for food lines
MealSection	lib/widgets/meal_section.dart	String title; String mealCategory; List<FoodEntry> entries; ValueChanged<FoodEntry> onEdit; VoidCallback onAdd	Today
CalorieTotalRow	lib/widgets/calorie_total_row.dart	int totalCalories; int? goalCalories	Today; note totals in History
SavedNoteRow	lib/widgets/saved_note_row.dart	DailyNote note; VoidCallback onTap	History
SearchField	lib/widgets/search_field.dart	TextEditingController controller; ValueChanged<String> onChanged; VoidCallback onClear	History
SettingsRow	lib/widgets/settings_row.dart	String label; String? value; Widget? trailing; VoidCallback? onTap; bool destructive	Settings

AddFoodRow	lib/widgets/add_food_row.dart	String label; VoidCallback onTap	Today; once inside each MealSection
------------	-------------------------------	----------------------------------	-------------------------------------

FoodEntryRow behavior

FoodEntryRow is the signature component. The left side remains editable note text and the right side is reserved for the calorie result. Meal membership is not inferred inside this component; the FoodEntry already carries mealCategory from the MealSection where the user tapped Add food. The interface does not label where the calorie result came from.

State	Example display	Behavior
Ready	1 cup rice 200 kcal	Keep the row editable; tapping the calorie opens Food Correction.
Loading	1 cup rice [small spinner]	Only the current row waits; the rest of the note remains usable.
Error	1 cup rice Try again	Preserve the typed food and expose a simple retry action.
Corrected	1 cup rice 180 kcal	Show the saved calorie value normally; no extra permanent badge is required.
Editing	1 cup rice [typing]	Created only after the user taps Add food in a meal section. Submitting sends that food text for its calorie count; the mealCategory stays unchanged.

Assembled Theme File

```
// lib/theme/caly_theme.dart
import 'package:flutter/material.dart';

const calyGold = Color(0xFFD9A400);
const calyInk = Color(0xFF1C1E);

final calyLightScheme = ColorScheme.fromSeed(
  seedColor: calyGold,
  brightness: Brightness.light,
).copyWith(
  primary: calyGold,
  onPrimary: calyInk,
  secondary: const Color(0xFFFFF4C2),
  onSecondary: calyInk,
  surface: const Color(0xFFFFFDF8),
  surfaceContainer: const Color(0xFFFFFFFF),
  onSurface: calyInk,
  onSurfaceVariant: const Color(0xFF6F6F73),
  outline: const Color(0xFFE7E4DE),
  error: const Color(0xFFC63A35),
  onError: const Color(0xFFFFFFFF),
);

const calyTextTheme = TextTheme(
  headlineSmall: TextStyle(fontSize: 32, fontWeight: FontWeight.w700),
  titleLarge: TextStyle(fontSize: 24, fontWeight: FontWeight.w700),
  bodyMedium: TextStyle(fontSize: 16, fontWeight: FontWeight.w400),
  labelSmall: TextStyle(fontSize: 13, fontWeight: FontWeight.w400),
);

final calyTheme = ThemeData(
  useMaterial3: true,
  colorScheme: calyLightScheme,
  scaffoldBackgroundColor: calyLightScheme.surface,
```

```
textTheme: calyTextTheme,
dividerColor: calyLightScheme.outline,
filledButtonTheme: FilledButtonThemeData(
  style: FilledButton.styleFrom(
    backgroundColor: calyLightScheme.primary,
    foregroundColor: calyLightScheme.onPrimary,
    minimumSize: const Size.fromHeight(48),
    shape: RoundedRectangleBorder(
      borderRadius: BorderRadius.circular(16),
    ),
  ),
),
);
```

What changed, and why

Element	Prelim said	Now says	Why it changed
Screen scope	Welcome/Sign In, Today, Food Correction, History, Insights, and Settings were defined.	Sign In / Registration, Today, Food Correction, Food History, and Settings are the core visual set.	Insights is now a stretch goal so the design system matches the realistic core screen list.
Food row states	Recognition included visible processing, estimated, corrected, and confidence-style descriptions.	A normal row shows only food text and calories; loading uses a small spinner, errors show Try again, and corrected values look like normal saved values.	The journal should not expose implementation details after a calorie result is available.
Type scale	Three visual sizes were described on paper.	Four named Flutter slots cover screen titles, sheet titles, body, and caption text.	Building Flutter screens showed that the correction sheet needs a reusable title level between the screen heading and body.
Components	Reusable pieces were described visually.	Every repeated piece now has a lib/widgets/ file and named constructor parameters.	The design system can now be translated directly into Flutter components instead of remaining a visual reference only.
Palette	Warm amber/paper colors were defined with a separate dark palette.	The mockup-derived light ColorScheme is centralized and uses Ink on Gold for readable primary actions.	Painting the actual phone screens showed the light note aesthetic is the priority and exposed the white-on-gold contrast issue.
Meal organization	Meal headings and editable food areas were defined, but the exact add-entry behavior was not fixed.	Each MealSection ends with an AddFoodRow. Tapping it creates a FoodEntry whose mealCategory comes from that section.	The interaction is explicit, easy to build, and does not require time-based or service-based meal classification.