MongoDB Exercise 2

| name | maths_marks | english_marks | science_marks |
|---------|-------------|---------------|---------------|
| Mala | 45 | 53 | 72 |
| Vanu | 80 | 75 | 85 |
| Kala | 32 | 46 | 53 |
| Aruli | 78 | 85 | 80 |
| Shayu | 80 | 76 | 65 |
| Kumaran | 32 | 73 | 84 |
| Lucky | 66 | 90 | 45 |
| Gva | 71 | 75 | 56 |
| Raam | 41 | 65 | 88 |

1) Create a Database called student

```
> use student
switched to db student
```

2) Create a collection called studentmarks

```
> db.createCollection("studentmarks")
{ "ok" : 1 }
```

```
3) Create the documents listed in above table.
> db.studentmarks.insert({"name":"mala","maths marks":45,"english marks
":53,"english_marks":72})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"vanu","maths_marks":80,"english_marks
":75, "english_marks":85})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"kala","maths_marks":32,"english_marks
":46,"english_marks":53})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"Aruli","maths_marks":78,"english_mark
s":85,"english_marks":80})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"shayu","maths_marks":80,"english_mark
s":76,"english marks":65})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"Kumaran","maths_marks":32,"english_ma
rks":73,"english_marks":84})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"Lucky","maths_marks":66,"english_mark
s":90,"english_marks":45})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"Gua","maths marks":71,"english marks"
:75, "english_marks":56})
WriteResult({ "nInserted" : 1 })
> db.studentmarks.insert({"name":"Raam","maths_marks":41,"english_marks
":65,"english_marks":88})
WriteResult({ "nInserted" : 1 })
```

4) Increase the maths marks of Mala by 6 marks

```
> db.studentmarks.update({"name":"mala"},{$inc:{"maths_marks":6}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>
```

5) List the names of students who got more than 50 marks in Maths Subject.

```
> db.studentmarks.update({"name":"mala"},{$inc:{"maths_marks":6}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.studentmarks.find({"maths_marks":{$gt:50}},{"name":1,_id:0})
{ "name" : "mala" }
{ "name" : "vanu" }
{ "name" : "Aruli" }
{ "name" : "shayu" }
{ "name" : "Lucky" }
{ "name" : "Gua" }
```

6)Add a new column(field) for Average for all students.

```
> db.studentmarks.update({},{$set:{"Average":"null"}},{multi:true})
WriteResult({ "nMatched" : 9, "nUpserted" : 0, "nModified" : 9 })
```

```
7) Update Marks_Science=75 to Lucky.
> db.studentmarks.update({"name":"Lucky"},{$set:{"science_marks":75}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>
```

8) List the names who got more than 50 marks in all subjects.

```
> db.studentmarks.find({$and:[{"english_marks":{$gt:50}},{"science_marks"
:{$gt:50}},{"maths_marks":{$gt:50}}]},{"name":1,_id:0})
{ "name" : "Mala" }
{ "name" : "Vanu" }
{ "name" : "Aruli" }
{ "name" : "Shayu" }
{ "name" : "Lucky" }
{ "name" : "Gva" }
```

```
9) List the names who got less than 50 marks in Maths subject and more than 50 marks in English
> db.studentmarks.find({$and:[{"english_marks":{$gt:50}},{"maths_marks":{$lt:50}}]},{"name":1,_id:0})
{ "name" : "Kumaran" }
{ "name" : "Raam" }
>
```

10) List the names who got less than 40 in both Maths and Science.

```
> db.studentmarks.find({$or:[{"maths_marks":{$lt:40}},{"science_marks":{$
lt:40}}]},{"name":1,_id:0})
{ "name" : "Kala" }
{ "name" : "Kumaran" }
>
```

11) Remove Science column/field for Raam

```
> db.studentmarks.update({"name":"Raam"},{$unset:{"science_marks":88}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
>
```

```
12) Update John's Math mark as 87 and English mark as 23, if john not available upsert.

> db.studentmarks.insert({"name":"John","maths_marks":87,"english_marks":23})
WriteResult({ "nInserted" : 1 })
>
```

```
13) Rename the english_marks column/field for John to science_marks
> db.studentmarks.update({"_id": ObjectId("5c3df7f743508f24340ad803")},{$rename:
{"english_marks":"science_marks"}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
```

14) Remove Kumaran's document from collection

```
> db.studentmarks.remove({"name":"Kumaran"},{})
WriteResult({ "nRemoved" : 1 })
>
```

15) Find Kala's or Aruli's math_marks and science_marks
> db.studentmarks.find({"name":"Kala"},{"maths_marks":1,"science_marks":1,_id:0}
)
{ "maths_marks" : 32, "science_marks" : 53 }
> db.studentmarks.find({"name":"Aruli"},{"maths_marks":1,"science_marks":1,_id:0}
})
{ "maths_marks" : 78, "science_marks" : 80 }