Kirti Sharma

# Report – HW2

### Ping.py:

Python implementation of the ping utility, designed to test the reachability of a host on an Internet Protocol (IP) network and measure the round-trip time for messages sent from the originating host to a destination computer.

1. The basic usage of ping.py allows users to ping a specified host. python ping.py example.com

```
PS D:\kirti_sharma_hw2> python ping.py google.com
PING google.com (142.250.81.238) 56 bytes of data.
76 bytes from 142.250.81.238: icmp_seq=1 ttl=64 time=18.01 ms
76 bytes from 142.250.81.238: icmp_seq=2 ttl=64 time=24.41 ms
76 bytes from 142.250.81.238: icmp_seq=3 ttl=64 time=11.81 ms
76 bytes from 142.250.81.238: icmp_seq=4 ttl=64 time=21.30 ms
76 bytes from 142.250.81.238: icmp_seq=5 ttl=64 time=26.15 ms
76 bytes from 142.250.81.238: icmp_seq=6 ttl=64 time=23.38 ms
76 bytes from 142.250.81.238: icmp_seq=7 ttl=64 time=25.58 ms
76 bytes from 142.250.81.238: icmp_seq=8 ttl=64 time=24.75 ms
76 bytes from 142.250.81.238: icmp_seq=8 ttl=64 time=21.06 ms
```

2. The count option allows users to specify the number of ping requests to send.

python ping.py -c 5 example.com

```
● PS D:\kirti_sharma_hw2> python ping.py -c 5 google.com

PING google.com (142.250.80.46) 56 bytes of data.

76 bytes from 142.250.80.46: icmp_seq=1 ttl=64 time=26.95 ms

76 bytes from 142.250.80.46: icmp_seq=2 ttl=64 time=20.01 ms

76 bytes from 142.250.80.46: icmp_seq=3 ttl=64 time=24.15 ms

76 bytes from 142.250.80.46: icmp_seq=4 ttl=64 time=23.11 ms

76 bytes from 142.250.80.46: icmp_seq=5 ttl=64 time=12.75 ms

5 packets transmitted, 5 received, 0.0% packet loss
```

3. The Interval option sets the time interval between ping requests.

python my\_ping.py -i 2 example.com

```
PS D:\kirti_sharma_hw2> python ping.py -i 2 google.com
PING google.com (142.250.80.46) 56 bytes of data.
76 bytes from 142.250.80.46: icmp_seq=1 ttl=64 time=31.65 ms
76 bytes from 142.250.80.46: icmp_seq=2 ttl=64 time=15.20 ms
76 bytes from 142.250.80.46: icmp_seq=3 ttl=64 time=14.97 ms 76 bytes from 142.250.80.46: icmp_seq=4 ttl=64 time=13.27 ms
76 bytes from 142.250.80.46: icmp_seq=5 ttl=64 time=24.06 ms
76 bytes from 142.250.80.46: icmp_seq=6 ttl=64 time=20.38 ms 76 bytes from 142.250.80.46: icmp_seq=7 ttl=64 time=26.38 ms
 76 bytes from 142.250.80.46: icmp_seq=8 ttl=64 time=22.09 ms
76 bytes from 142.250.80.46: icmp_seq=9 ttl=64 time=25.99 ms 76 bytes from 142.250.80.46: icmp_seq=10 ttl=64 time=17.91 ms
 76 bytes from 142.250.80.46: icmp_seq=11 ttl=64 time=25.53 ms
76 bytes from 142.250.80.46: icmp_seq=12 ttl=64 time=23.11 ms
76 bytes from 142.250.80.46: icmp_seq=13 ttl=64 time=26.63 ms
76 bytes from 142.250.80.46: icmp_seq=14 ttl=64 time=23.84 ms
 76 bytes from 142.250.80.46: icmp_seq=15 ttl=64 time=23.88 ms
76 bytes from 142.250.80.46: icmp_seq=16 ttl=64 time=23.95 ms 76 bytes from 142.250.80.46: icmp_seq=17 ttl=64 time=21.71 ms
 76 bytes from 142.250.80.46: icmp_seq=18 ttl=64 time=21.63 ms
76 bytes from 142.250.80.46: icmp_seq=19 ttl=64 time=22.88 ms 76 bytes from 142.250.80.46: icmp_seq=20 ttl=64 time=13.24 ms
 76 bytes from 142.250.80.46: icmp_seq=21 ttl=64 time=24.14 ms
 76 bytes from 142.250.80.46: icmp_seq=22 ttl=64 time=26.37 ms
 76 bytes from 142.250.80.46: icmp_seq=23 ttl=64 time=21.47 ms
 76 bytes from 142.250.80.46: icmp_seq=24 ttl=64 time=26.21 ms
76 bytes from 142.250.80.46: icmp_seq=25 ttl=64 time=20.81 ms
      Ping statistics
 25 packets transmitted, 25 received, 0.0% packet loss
```

4. Users can specify the size of the ping packet with -s option. python my ping.py -s 100 example.com

```
PS D:\kirti_sharma_hw2> python ping.py -s 100 google.com
PING google.com (142.250.65.174) 100 bytes of data.
120 bytes from 142.250.65.174: icmp seq=1 ttl=64 time=30.22 ms
120 bytes from 142.250.65.174: icmp_seq=2 ttl=64 time=23.18 ms
120 bytes from 142.250.65.174: icmp_seq=3 ttl=64 time=24.25 ms
120 bytes from 142.250.65.174: icmp seq=4 ttl=64 time=24.15 ms
120 bytes from 142.250.65.174: icmp_seq=5 ttl=64 time=14.87 ms
120 bytes from 142.250.65.174: icmp_seq=6 ttl=64 time=22.73 ms
120 bytes from 142.250.65.174: icmp_seq=7 ttl=64 time=14.07 ms
120 bytes from 142.250.65.174: icmp_seq=8 ttl=64 time=24.28 ms
120 bytes from 142.250.65.174: icmp_seq=9 ttl=64 time=16.85 ms
120 bytes from 142.250.65.174: icmp_seq=10 ttl=64 time=24.10 ms
120 bytes from 142.250.65.174: icmp seq=11 ttl=64 time=16.78 ms
120 bytes from 142.250.65.174: icmp seq=12 ttl=64 time=23.65 ms
120 bytes from 142.250.65.174: icmp_seq=13 ttl=64 time=22.90 ms
120 bytes from 142.250.65.174: icmp_seq=14 ttl=64 time=18.49 ms
120 bytes from 142.250.65.174: icmp seq=15 ttl=64 time=17.58 ms
--- Ping statistics ---
15 packets transmitted, <u>1</u>5 received, 0.0% packet loss
```

5. The timeout option -t sets the maximum time to wait for a response.

```
PING google.com (142.251.40.110) 56 bytes of data.
76 bytes from 142.251.40.110: icmp_seq=1 ttl=64 time=27.67 ms
76 bytes from 142.251.40.110: icmp_seq=2 ttl=64 time=21.66 ms
76 bytes from 142.251.40.110: icmp_seq=3 ttl=64 time=12.70 ms
76 bytes from 142.251.40.110: icmp_seq=4 ttl=64 time=27.48 ms
76 bytes from 142.251.40.110: icmp seq=5 ttl=64 time=27.15 ms
76 bytes from 142.251.40.110: icmp_seq=6 ttl=64 time=15.83 ms
76 bytes from 142.251.40.110: icmp_seq=7 ttl=64 time=23.70 ms
76 bytes from 142.251.40.110: icmp_seq=8 ttl=64 time=15.83 ms
76 bytes from 142.251.40.110: icmp_seq=9 ttl=64 time=28.74 ms
76 bytes from 142.251.40.110: icmp_seq=10 ttl=64 time=23.85 ms 76 bytes from 142.251.40.110: icmp_seq=11 ttl=64 time=15.90 ms
76 bytes from 142.251.40.110: icmp seq=12 ttl=64 time=25.68 ms
76 bytes from 142.251.40.110: icmp_seq=13 ttl=64 time=21.22 ms
76 bytes from 142.251.40.110: icmp seq=14 ttl=64 time=25.34 ms
 -- Ping statistics ---
14 packets transmitted, <u>1</u>4 received, 0.0% packet loss
```

# Traceroute.py:

Traceroute is a network diagnostic tool used to trace the route taken by packets from one host to a destination. The Python implementation allows for customizable options to explore network paths.

#### 1. Basic Usage:

#### python traceroute.py example.com

```
PS D:\kirti_sharma_hw2> python traceroute.py google.com
traceroute to google.com (142.251.40.110), 30 hops max

1 192.168.1.1 1.250 ms 192.168.1.1 0.000 ms 192.168.1.1 1.124 ms

2 syn-142-254-218-125.inf.spectrum.com 12.272 ms syn-142-254-218-125.inf.spectrum.com 8.457 ms syn-142-254-218-125.inf.spectrum.com 9.454 ms

3 lag-63.hnrtnyaf0th.netops.charter.com 12.272 ms syn-142-254-218-125.inf.spectrum.com 29.230 ms

4 lag-46.mcr11hnrtnyaf.netops.charter.com 13.135 ms lag-46.mcr11hnrtnyaf.netops.charter.com 8.755 ms lag-46.mcr11hnrtnyaf.netops.charter.com 59.230 ms

5 lag-28.rcr01albynyyf.netops.charter.com 16.081 ms lag-28.rcr01albynyyf.netops.charter.com 11.188 ms

6 lag-16-10.nycmny837aw-bcr00.netops.charter.com 31.897 ms lag-16-10.nycmny837aw-bcr00.netops.charter.com 18.981 ms lag-16-10.nycmny837aw-bcr00.netops.charter.com 31.823 ms

7 72.14.218.88 22.977 ms 72.14.218.88 26.366 ms 72.14.218.88 18.516 ms

8 142.251.78.63 29.033 ms 142.251.78.63 25.525 ms 142.251.78.63 28.672 ms

9 108.170.235.133 26.070 ms 108.170.235.133 20.151 ms 108.170.235.133 79.576 ms

9 10 1ga25579-in-f14.1e100.net 28.393 ms

PS D:\kirti_sharma_hw2> [
```

# 2. python traceroute.py example.com -n

```
PS D:\kirti_sharma_hw2> python traceroute.py google.com -n traceroute to google.com (142.250.80.46), 30 hops max

1 192.168.1.1 0.000 ms 192.168.1.1 0.000 ms 192.168.1.1 0.000 ms

2 142.254.218.125 19.088 ms 142.254.218.125 0.000 ms 142.254.218.125 20.966 ms

3 24.58.232.209 12.847 ms 24.58.232.209 33.332 ms 24.58.232.209 29.177 ms

4 24.58.49.70 12.371 ms 24.58.49.70 10.293 ms 24.58.49.70 9.950 ms

5 24.58.32.70 19.367 ms 24.58.32.70 16.295 ms 24.58.32.70 24.765 ms

6 66.109.6.74 24.173 ms 66.109.6.74 18.901 ms 66.109.6.74 31.410 ms

7 66.109.7.97 34.516 ms 66.109.7.97 27.347 ms 66.109.7.97 21.332 ms

8 142.251.255.87 34.806 ms 142.251.225.87 24.867 ms 142.251.225.87 23.694 ms

9 142.251.65.97 26.578 ms 142.251.65.97 25.293 ms 142.251.65.97 26.474 ms

10 142.250.80.46 27.241 ms
```

# 3. python traceroute.py example.com -q 5

```
PS D:\kirti_sharma_hw2> python traceroute.py google.com -q 5
traceroute to google.com (142.251.41.14), 30 hops max

1 192.168.1.1 2.028 ms 192.168.1.1 2.361 ms 192.168.1.1 2.361 ms 192.168.1.1 2.010 ms 192.168.1.1 0.306 ms 192.168.1.1 0.000 ms

2 syn-142-254-218-125.inf.spectrum.com 12.954 ms syn-142-254-218-125.inf.spectrum.com 10.952 ms syn-142-254-218-125.inf.spectrum.com 12.647 ms syn-142-254-218-125.inf.spectrum.com 0.000 ms

3 lag-63.hnrtnyaf01h.netops.charter.com 17.686 ms lag-63.hnrtnyaf01h.netops.charter.com 31.891 ms lag-63.hnrtnyaf01h.netops.charter.com 35.779 ms

4 lag-64.mcr11hnrtnyaf.netops.charter.com 14.479 ms lag-46.mcr11hnrtnyaf.netops.charter.com 41.479 ms lag-46.mcr11hnrtnyaf.netops.charter.com 0.000 ms lag-46.mcr11hnrtnyaf.netops.charter.com 6.311 ms

5 lag-28.rcr01albynyyf.netops.charter.com 16.364 ms lag-28.rcr01albynyyf.netops.charter.com 16.459 ms lag-28.rcr01albynyyf.netops.charter.com 16.450 ms lag-28.rcr01albynyyf.netops.charter.com 17.085 ms

6 lag-16-10.nycmny837aw-bcr00.netops.charter.com 25.155 ms lag-16-10.nycmny837aw-bcr00.netops.charter.com 17.061 ms lag-16-10.nycmny837aw-bcr00.netops.charter.com 27.063 ms syn-066-109-007-093.inf.spectrum.com 27.063 ms syn-066-109-007-093.inf.spectrum.com 27.063 ms syn-066-109-007-093.inf.spectrum.com 27.063 ms syn-066-109-007-093.inf.spectrum.com 27.063 ms 142.251.53.151 15.800 ms

10 lga34s40-in-f14.1e100.net 33.133 ms

PS D:\kirti sharma hw2>
```