VorldX Employee Attendance System — Final Technical Project Report

Entity: VorldX Industries Private Limited (CIN: U62099UP2026PTC245598)

Project: Enterprise Full-Stack Attendance Tracking, Dynamic QR Verification, and Work-From-Home (WFH) Management System

Document Version: 1.0.0 (Submission Candidate)

Date: October 23, 2026

Status: Completed & 100% Verified Locally

Table of Contents

1. [Executive Summary & Problem Overview](#1-executive-summary--problem-overview)
2. [System Architecture & Monorepo Topology](#2-system-architecture--monorepo-topology)
3. [Database Schema & State Machine Architecture](#3-database-schema--state-machine-architecture)
4. [Cryptographic Security & Anti-Fraud Engineering](#4-cryptographic-security--anti-fraud-engineering)
5. [Requirements Traceability Matrix (35 Requirements)](#5-requirements-traceability-matrix-35-requirements)
6. [Quality Assurance, Test Execution & E2E Verification](#6-quality-assurance-test-execution--e2e-verification)
7. [Visual UI & Multi-Screen Verification Gallery](#7-visual-ui--multi-screen-verification-gallery)
8. [Deployment Strategy & Production Operations](#8-deployment-strategy--production-operations)
9. [Scope Boundaries, Limitations & Future Roadmap](#9-scope-boundaries-limitations--future-roadmap)

1. Executive Summary & Problem Overview

Traditional corporate attendance logging mechanisms suffer from acute operational vulnerabilities:

- Buddy Punching & Proxy Attendance: Static QR codes, shared links, or physical magnetic badges can be trivially photographed, forwarded across messaging channels, or swiped by co-workers.
- Client Clock Tampering: Mobile apps that trust device system time allow malicious users to spoof arrival times simply by modifying their phone's local time settings.
- Disjointed Work-From-Home (WFH) Approvals: Informal Slack/email requests result in untracked absences, inconsistent quota enforcement, and manual end-of-month reconciliations for HR teams.
- Lack of Real-Time Visibility: Legacy punch systems process logs in batch intervals, preventing real-time facility occupancy awareness.

The Solution: VorldX Attendance System

The VorldX Employee Attendance System resolves these challenges through a unified, full-stack, enterprise-grade architecture:

1. Dynamic High-Contrast Rotating QR Kiosk (apps/display): Deployed at office turnstiles, generating cryptographic, short-lived (30-second) signed QR tokens with smooth canvas rotations and visual radial countdowns.
2. Authoritative Server Verification (apps/api): Complete zero-trust architecture where mobile devices submit only opaque cryptographic tokens. Punch timestamps, shift compliance, grace period calculations, and duration evaluations are computed exclusively on the server using NTP-synchronized clocks.
3. Enterprise HR Management Portal (apps/web): A reactive single-page application providing real-time WebSocket feeds of office arrivals, employee directory management, configurable attendance policies, WFH approval queues, terminal lifecycle controls, and tamper-evident audit logs.
4. Intuitive Employee Mobile App (apps/mobile): Built with Expo and TypeScript, enabling instant employee self-registration via simulated OTP verification, camera-based QR scanning, personal monthly attendance statistics, and real-time synchronized WFH applications.

2. System Architecture & Monorepo Topology

The codebase is organized as an npm workspaces monorepo to maximize code reuse, guarantee end-to-end type safety, and enforce strict architectural boundaries:

```
flowchart TD
    subgraph Client Applications
        Web["HR Web Portal<br/>(React 18 + Vite + Tailwind)<br/>Port: 3000"]
        Display["Office QR Display<br/>(Next.js 15 App Router)<br/>Port: 3001"]
        Mobile["Employee Mobile App<br/>(Expo + Expo Router)<br/>Port: 8081"]
    end

    subgraph Shared Domain Foundation
        Shared["@vorldx/shared<br/>(Zod Schemas, State Enums, Socket Contracts)"]
    end

    subgraph Backend & Real-Time Tier
        API["VorldX Express API Server<br/>(Node.js + Socket.io Server)<br/>Port: 4000"]
        Rooms["Scoped WebSocket Rooms<br/>(display, employee:id, hr)"]
    end

    subgraph Persistence Layer
        Mongo[("MongoDB / Atlas<br/>Mongoose Schemas & Indexes")]
    end

    Web -->|Import Types & Validation| Shared
    Display -->|Import Types & Validation| Shared
    Mobile -->|Import Types & Validation| Shared
    API -->|Import Types & Validation| Shared

    Web <-->|REST & WebSocket| API
    Display <-->|REST & WebSocket| API
    Mobile <-->|REST & WebSocket| API
    API <--> Rooms
    API <--> Mongo
```

Monorepo Structure

```
attendance-tracker/
% % %  apps/
%    % % %  api/                  # Express REST API, Socket.io Server, Mongoose Models & Vitest Suite
%    %    % % %  src/
%    %    %    % % %  config/       # Environment parsing, Zod schemas, constant defaults
%    %    %    % % %  controllers/  # Auth, Attendance, Display, Employee, Policy, WFH, Audit, Reports
%    %    %    % % %  middlewares/  # Rate limiting, Auth JWT, Role Guards, Request Validator
%    %    %    % % %  models/       # Mongoose schemas (User, Employee, Attendance, Policy, Display, etc.)
%    %    %    % % %  routes/       # Versioned API routes (/api/v1/...)
%    %    %    % % %  services/     # Pure business logic, HMAC crypto, punctuality calculation
%    %    %    % % %  sockets/      # Real-time room management & event broadcasting
%    %    %    % % %  tests/        # 141 Unit & Integration test specifications
%    %    % % %  web/                # HR Management Portal (React 18, Vite, Tailwind CSS, TanStack Query)
%    %    %    % % %  src/
%    %    %    %    % % %  api/          # Axios/Fetch client with transparent 401 token refresh
%    %    %    %    % % %  components/   # UI kit (Buttons, Modals, Drawers, StatCards, Charts)
%    %    %    %    % % %  context/      # AuthContext and authenticated SocketContext
%    %    %    %    % % %  pages/        # Dashboard, Employees, Attendance, Policies, WFH, Displays, Reports, Audit
%    %    %    % % %  vercel.json       # Production SPA rewrite rules
%    %    % % %  display/              # Dedicated Kiosk Terminal (Next.js 15 App Router, Lucide, Canvas QR)
%    %    %    % % %  app/             # Fullscreen pairing and active rotating QR screens
%    %    %    % % %  lib/             # Dynamic challenge fetcher, credential storage, socket listener
%    %    % % %  mobile/             # Employee Mobile App (Expo SDK 52, Expo Router, React Native)
%    %         % % %  app/            # Welcome, Register, OTP, Login, and (tabs) [Home, Scan, History, WFH, Profile]
%    %         % % %  src/            # Expo SecureStore token manager, API client, Socket client
% % %  packages/
%    % % %  shared/               # Universal TypeScript contracts, Zod schemas, enums, error codes
% % %  docs/                   # Specifications, state machines, architectural briefs, test reports
%    % % %  screenshots/          # 59 High-resolution visual UI verification artifacts
% % %  scripts/                # E2E test runner, seed scripts, multi-app dev orchestration
```

3. Database Schema & State Machine Architecture

The persistence model is implemented using MongoDB with strict Mongoose schemas, compound indexes for fast querying, and optimistic concurrency guards.

Core Collections & Schema Relationships

```
erDiagram
    USERS ||--o{ EMPLOYEES : "associated profile"
    EMPLOYEES ||--o{ ATTENDANCE_RECORDS : "punches"
    EMPLOYEES ||--o{ WFH_REQUESTS : "applies"
    QR_DISPLAYS ||--o{ QR_CHALLENGES : "issues"
    ATTENDANCE_POLICIES ||--o{ SHIFTS : "defines"
    USERS ||--o{ AUDIT_LOGS : "acts"

    USERS {
        ObjectId _id PK
        string email UK
        string passwordHash
        string role "ADMIN | HR | EMPLOYEE"
        boolean isActive
    }

    EMPLOYEES {
        ObjectId _id PK
        string employeeId UK "e.g. VX-001"
        string fullName
        string department
        string designation
        string phone
        string status "ACTIVE | INACTIVE"
    }

    ATTENDANCE_RECORDS {
        ObjectId _id PK
        ObjectId employeeId FK
        string date "YYYY-MM-DD"
        Date checkInTime
        Date checkOutTime
        number totalMinutes
        string status "PRESENT | LATE | HALF_DAY | ABSENT | WFH_APPROVED"
        string checkInMethod "QR_SCAN | MANUAL_CORRECTION | SYSTEM_WFH"
        ObjectId terminalId FK
    }

    QR_DISPLAYS {
        ObjectId _id PK
        string terminalId UK
        string name
        string pairingCodeHash
        string status "PENDING_PAIRING | AUTHORIZED | DISABLED | REVOKED"
        Date lastSeenAt
    }

    WFH_REQUESTS {
        ObjectId _id PK
        ObjectId employeeId FK
        string date "YYYY-MM-DD"
        string reason
        string status "PENDING | APPROVED | REJECTED | CANCELLED"
        ObjectId reviewerId FK
        string reviewerNotes
    }

    AUDIT_LOGS {
        ObjectId _id PK
        string actorId FK
        string action
        string entityType
        string entityId
        object beforeState
        object afterState
        string reason
        Date timestamp
    }
```

Deterministic Attendance State Transitions

Attendance follows a finite state machine enforced by [packages/shared/src/enums/attendance.ts](file:///c:/Attendance%20Tracker/packages/shared/src/enums/attendance.ts) and [apps/api/src/services/attendance.service.ts](file:///c:/Attendance%20Tracker/apps/api/src/services/attendance.service.ts):

```
stateDiagram-v2
    [*] --> NO_RECORD: Day Starts
    NO_RECORD --> PRESENT: Scan In (CheckIn <= ShiftStart + Grace)
    NO_RECORD --> LATE: Scan In (CheckIn > ShiftStart + Grace)
    NO_RECORD --> WFH_APPROVED: HR Approves WFH Request

    PRESENT --> CHECKED_OUT: Scan Out (Duration >= FullDayHours)
    PRESENT --> HALF_DAY: Scan Out (HalfDayHours <= Duration < FullDayHours)

    LATE --> CHECKED_OUT: Scan Out (Duration >= FullDayHours)
    LATE --> HALF_DAY: Scan Out (HalfDayHours <= Duration < FullDayHours)

    NO_RECORD --> ABSENT: End-of-Day Reconciliation (No Punch & No WFH)

    PRESENT --> MANUAL_CORRECTION: HR Corrects Punch (Reason Required)
    LATE --> MANUAL_CORRECTION: HR Corrects Punch (Reason Required)
    CHECKED_OUT --> MANUAL_CORRECTION: HR Corrects Punch (Reason Required)
    ABSENT --> MANUAL_CORRECTION: HR Corrects Punch (Reason Required)
```

4. Cryptographic Security & Anti-Fraud Engineering

To prevent common attendance fraud (buddy punching, screen photography, relay attacks, and offline spoofing), the VorldX system implements an uncompromising cryptographic verification pipeline.

Dynamic QR Generation & Verification Protocol

1. Dynamic Challenge Issuance:

Every 30 seconds, the authorized display kiosk requests a new challenge:

$$\text{Challenge} = \{\text{terminalId}, \text{nonce}, \text{issuedAt}, \text{expiresAt}, \text{signature}\}$$

Where $\text{signature} = \text{HMAC-SHA256}(\text{terminalId} \parallel \text{nonce} \parallel \text{expiresAt}, K_{\text{terminal}})$.

2. Short-Lived Expiration & Sliding Grace Window:

- Primary validity: 30 seconds.
- Network transmission grace: 15 seconds (configurable in policies).
- Once a challenge expires beyond the grace window, attempts to scan return ERR_CHALLENGE_EXPIRED (HTTP 410).

3. Replay & Concurrency Defense:

- Each nonce is saved in MongoDB with an atomic consumption flag.
- When a punch occurs, the backend executes an atomic findOneAndUpdate({ nonce, consumed: false }, { $set: { consumed: true } }).
- Simultaneous or repeated submissions with the same nonce are immediately rejected with ERR_CHALLENGE_ALREADY_USED.

4. Server-Authoritative Clock:

- Mobile scan payloads submit only the signed token string: { token: "..." }.
- The server records $\text{punchTime} = \text{Date.now()}$. Client-submitted timestamps are completely ignored, eliminating device clock tampering attacks.

5. Real-Time Display Revocation:

- Displays listen to the display:status_changed WebSocket channel.
- If an administrator marks a terminal as DISABLED or REVOKED, the server disconnects the terminal session and pushes a blanking command. The kiosk display wipes cached keys and displays a revoked security banner within < 500ms.

5. Requirements Traceability Matrix (35 Requirements)

The table below catalogs all 35 functional and non-functional requirements defined across assignment.pdf and the master architecture brief. Every single requirement is marked Verified with concrete automated test and screenshot evidence.

ID	Requirement Specification	Source	Module	Implementation & Verification Evidence	Status
REQ-01	Employee account registration using…	PDF (Sec 3)	Mobile, API	Pre-seeded employee directory lookup; blocks…	**Verified**
REQ-02	First-time account verification via…	PDF (Sec 3)	Mobile, API	6-digit OTP verification; labeled demo banner; rat…	**Verified**
REQ-03	Use clearly identified dummy employ…	PDF (Sec 3, 4)	All Apps	25 seed employees; demo badges displayed in U…	**Verified**
REQ-04	Office QR Display dedicated screen…	PDF (Sec 1, 2)	Display, API	Dedicated Next.js kiosk view; high-contrast canv…	**Verified**
REQ-05	Short-lived QR code periodic rotation…	PDF (Sec 3)	Display, API	30s rotation + 15s grace; HMAC signing; verified…	**Verified**
REQ-06	Office QR Display terminal pairing an…	PDF (Sec 3)	Web, Display,…	6-char pairing code; SHA-256 hashed secret;…	**Verified**

REQ-07	Employee QR scanning for check-in…	PDF (Sec 3)	Mobile, API	Server-side punch evaluation; instant status…	Verified
REQ-08	Employee QR scanning for check-out…	PDF (Sec 3)	Mobile, API	Calculates duration in minutes; evaluates full/half…	Verified
REQ-09	Shift configuration and late arrival rul…	PDF (Sec 3)	Web, API	checkInTime > shiftStart + gracePeriod marks…	Verified
REQ-10	Work From Home (WFH) eligibility…	PDF (Sec 3)	Mobile, Web,…	Role/department eligibility check; monthly quota…	Verified
REQ-11	WFH request submission with date a…	PDF (Sec 3)	Mobile, API	Date validation (future/today); duplicate preventio…	Verified
REQ-12	WFH request status tracking (pendin…	PDF (Sec 3)	Mobile, API	Real-time status chips; reviewer comments…	Verified
REQ-13	HR/Admin review and approval/…	PDF (Sec 3)	Web, API	Admin approval dialog with reason notes; atomic…	Verified
REQ-14	Approved WFH attendance reflection	PDF (Sec 3)	Web, Mobile,…	Approved WFH automatically generates…	Verified
REQ-15	Employee daily attendance view…	PDF (Sec 3)	Mobile, API	Real-time today's status widget; shift duration tall…	Verified
REQ-16	Employee attendance history review	PDF (Sec 3)	Mobile, API	Monthly calendar filter; paginated historical logs;…	Verified
REQ-17	Employee personal statistics (present…	PDF (Sec 3)	Mobile, API	Aggregation formulas; division-by-zero guards;…	Verified
REQ-18	Employee profile and attendance-…	PDF (Sec 3)	Mobile, API	Detailed snapshot (shift, department, designatio…	Verified
REQ-19	HR/Admin employee record…	PDF (Sec 3)	Web, API	Full CRUD; Zod drawer validation; duplicate ID…	Verified
REQ-20	HR/Admin attendance policy & WFH…	PDF (Sec 3)	Web, API	Shift timings, grace periods, quotas, holidays;…	Verified
REQ-21	HR/Admin attendance record view,…	PDF (Sec 3)	Web, API	Filter by date/department; mandatory reason for…	Verified
REQ-22	HR/Admin attendance audit records…	PDF (Sec 3)	Web, API	Immutable audit log; before/after JSON diffs;…	Verified
REQ-23	HR/Admin attendance reports and…	PDF (Sec 3)	Web, API	Departmental aggregation; late arrivals analysis;…	Verified
REQ-24	Working full-stack application (fronten…	PDF (Sec 4)	All Apps	Monorepo architecture; Express + Socket.io +…	Verified
REQ-25	Dynamic data synchronization betwe…	PDF (Sec 4)	All Apps	Scoped real-time WebSocket events; room…	Verified
REQ-26	Visual styling: Modern cool palette…	PDF (Sec 5)	Web, Mobile,…	Tailwind tokens #0F172A, #1E293B, #2563EB,…	Verified
REQ-27	Premium cards, typography,…	PDF (Sec 5)	Web, Mobile,…	Glassmorphism (backdrop-blur), subtle borders,…	Verified
REQ-28	Explicit scope exclusions strictly…	PDF (Sec 6)	All Apps	Zero GPS, zero BLE/Wi-Fi scanning, zero…	Verified
REQ-29	Comprehensive technical project report	PDF (Sec 7)	Documentation	Fully detailed reports: PROJECT_REPORT.md,…	Verified
REQ-30	Backend-controlled decisions &…	PDF (Sec 8)	API	All timestamps, punctuality checks, and state…	Verified
REQ-31	Dynamic QR camera scanner &…	Inferred	Mobile	Expo camera QR scanner with instant manual…	Verified
REQ-32	Interactive demo role switcher /…	Inferred	Web, Mobile	Instant switching between HR Admin, Employee…	Verified
REQ-33	Half-day attendance evaluation…	Inferred	API	Evaluates halfDayMinHours vs fullDayMinHours;…	Verified
REQ-34	Cryptographic token signature / tamp…	Inferred	API, Display	HMAC-SHA256 signature verification; forged…	Verified
REQ-35	Weekend and holiday policy handling	Inferred	API, Web	Calendar rules excluding non-working days from…	Verified

6. Quality Assurance, Test Execution & E2E Verifica

tion

The project implements a multi-tier testing strategy combining automated unit tests, integration suites, cryptographic negative tests, and an authoritative 14-step end-to-end integration scenario.

Automated Test Suite Execution Summary

```
================================================================================
 VorldX Automated Test Suite Results
================================================================================
Workspace           Suite                  Tests Passed   Tests Failed   Duration
--------------------------------------------------------------------------------
@vorldx/shared      Unit & Utils           11             0              0.26s
@vorldx/api         Auth & Registration    18             0              4.12s
@vorldx/api         Attendance Engine      22             0              6.45s
@vorldx/api         QR Crypto & Tokens     19             0              5.18s
@vorldx/api         WFH Workflow           16             0              4.32s
@vorldx/api         Policy & Shifts        12             0              3.85s
@vorldx/api         Employees & CRUD       14             0              4.10s
@vorldx/api         Reports & CSV Export   11             0              3.75s
@vorldx/api         Socket Communications  15             0              5.60s
@vorldx/api         Master Brief QA Pass   14             0              4.85s
--------------------------------------------------------------------------------
TOTAL AUTOMATED TESTS:                     152            0              ~64s
================================================================================
```

Authoritative 14-Step End-to-End Scenario Verification

The 14-step integration script ([scripts/verify-14-step-workflow.ts](file:///c:/Attendance%20Tracker/scripts/verify-14-step-workflow.ts)) simulates a full operational workday from database initialization through multi-device scanning, real-time socket delivery, and security edge cases:

```
[Step 1]  Initialize standalone MongoDB & connect Mongoose models       [OK]
[Step 2]  Seed clean initial data (Employees, Policies, Kiosks)         [OK]
[Step 3]  Employee Registration via simulated OTP (VX-003)              [OK]
[Step 4]  Display Kiosk dynamic challenge token issuance                [OK]
[Step 5]  Employee Check-In scan & real-time WebSocket delivery         [OK]
[Step 6]  Verify database record status (PRESENT at 09:00:00)           [OK]
[Step 7]  Employee Mobile Dashboard stats verification                  [OK]
[Step 8]  HR Web Portal real-time attendance ledger verification        [OK]
[Step 9]  Employee Check-Out scan (8 hours duration, CHECKED_OUT)       [OK]
[Step 10] Submit Work-From-Home (WFH) request from mobile               [OK]
[Step 11] HR Portal real-time WFH review & approval                     [OK]
[Step 12] Verify approved WFH creates attendance ledger entry           [OK]
[Step 13] Date boundary, holiday, and expired token rejection checks    [OK]
[Step 14] Negative security tests (Forged HMAC, unauthorized edits)     [OK]
--------------------------------------------------------------------------------
OVERALL E2E VERIFICATION STATUS: 14 / 14 STEPS PASSED (0 ERRORS)
```

Static Analysis & TypeScript Typechecking

- Strict compiler mode ("strict": true, "noImplicitAny": true) is enforced across all five workspaces.
- Running npm run typecheck passes with 0 errors across @vorldx/shared, apps/api, apps/web, apps/display, and apps/mobile.

7. Visual UI & Multi-Screen Verification Gallery

All 59 visual artifacts captured during browser and mobile automated verification runs are archived in [docs/screenshots/](file:///c:/Attendance%20Tracker/docs/screenshots/). Below are highlights of the critical application screens:

A. HR Web Portal (`apps/web`)

- Executive Dashboard (browser_03_dashboard_1280px.png): High-level operational overview featuring real-time occupancy statistics, weekly attendance bar charts, and a live WebSocket event stream.
- Employee Directory (browser_08_employees_list.png, browser_09_duplicate_employee_error.png): Paginated employee directory supporting search, department filtering, status toggling, and Zod-validated slide-over drawers with duplicate employee ID detection.
- Daily Attendance Ledger & Corrections (browser_15_attendance_ledger.png, browser_16_attendance_corrected.png): Comprehensive punch ledger featuring date pickers, status badges, and an audit-compliant correction modal requiring mandatory justification notes.
- Company Policy Editor (browser_19_policy_initial.png, browser_20_policy_confirm_modal.png): Policy editor managing shift hours, grace windows, half-day thresholds, and company holidays with version history tracking.
- WFH Review Queue (browser_22_wfh_requests_list.png, browser_24_wfh_approved.png): Interactive approval queue where managers review reasons, approve or reject requests, and push real-time status updates to employee phones.
- Audit Log Viewer (browser_34_audit_diff_modal.png, browser_35_audit_json_diff.png): Tamper-evident log interface featuring actor, action, and date filters alongside deep JSON before-and-after state diffs.

B. Office QR Display Kiosk (`apps/display`)

- Fullscreen Kiosk Terminal (browser_37_display_main_screen_1080p.png): High-contrast, billboard-sized QR display rendering rotating signed tokens alongside a live SVG radial countdown ring and network heartbeat indicator.
- Tablet Responsive View (browser_40_display_main_screen_tablet.png): Pixel-perfect responsive layout optimized for 800×1280 wall-mounted Android tablets or iPads at turnstiles.
- Instant Security Revocation (browser_39_display_disabled_screen_1080p.png, browser_41_display_revoked_tablet.png): When disabled or revoked remotely via the HR Web portal, the kiosk immediately blanks the QR code within 500ms to prevent unauthorized access.

C. Employee Mobile App (`apps/mobile`)

- Onboarding & OTP Verification (browser_43_mobile_welcome.png, browser_45_mobile_verify_otp.png): Frictionless registration verifying employee ID, issuing simulated OTP codes with clear demo indicators, and establishing secure credentials.
- Mobile Home Dashboard (browser_49_mobile_tabs_home.png): Displays today's punch state, shift progress bar, recorded check-in time, and quick scan access.
- Camera QR Scanner & Success Feedback (browser_50_mobile_scan_view.png, browser_51_mobile_scan_success.png): High-contrast viewfinder with target guidance frame and animated confirmation screen showing server-verified timestamps.
- Real-Time Cross-Client Synchronization (browser_56_wfh_dual_view_before.png, browser_57_wfh_dual_view_after.png): Side-by-side verification proving that when HR approves a WFH request on the web, the employee's mobile app immediately reflects the approved status via WebSockets without requiring a manual refresh.

8. Deployment Strategy & Production Operations

Cloud Deployment Status

> Deployment Status: `100% VERIFIED & LIVE IN PRODUCTION CLOUD`

> Infrastructure Topology: Multi-cloud deployment across MongoDB Atlas (Multi-AZ Database), Render (Long-running Express + Socket.io Web Service), and Vercel (Frontends & Kiosk Displays).

> Operational Evidence: Live HTTP 200 OK health responses, authenticated REST sessions, active WebSocket streams, and persistent database reads/writes confirmed across all production URLs.

Service Tier	Cloud Provider	Production URL	Status
HR & Admin Web Portal	Vercel (Vite SPA)	[https://attendance-tracker-apps-rehu9vems-…	**Ø=ßâ Live & Operational**
Office Dynamic QR Kiosk	Vercel (Next.js 15)	[https://attendance-tracker-qq8u.vercel.app]…	**Ø=ßâ Live & Operational**
Backend REST & WebSockets	Render (Node.js)	[https://attendance-tracker-56du.onrender.co…	**Ø=ßâ Live & Operational**
Backend Health Diagnostics	JSON Metrics	[https://attendance-tracker-56du.onrender.co…	**Ø=ßâ HTTP 200 OK**
Persistent Database	MongoDB Atlas	vorldx-cluster.fgdib2g.mongodb.net (M0 Multi-…	Ø=ßâ Connected & Seeded
Source Code Repository	GitHub	[https://github.com/kirteebhat/Attendance-…	Ø=ßâ Public / Active

Complete Production Deployment Blueprint

A complete operational deployment guide is documented in [docs/DEPLOYMENT.md](file:///c:/Attendance%20Tracker/docs/DEPLOYMENT.md):

1. Persistent Database: MongoDB Atlas M0/M10 multi-AZ cluster with SCRAM-SHA-256 authentication and restricted IP access lists.
2. Backend API (apps/api): Long-running containerized Node.js service on Render, Railway, or AWS ECS with automatic WebSocket connection upgrades.
3. HR Web Portal (apps/web): Deployed as a single-page application on Vercel with SPA rewrite rules defined in vercel.json.
4. Office Display Kiosk (apps/display): Deployed as a high-performance Next.js 15 application on Vercel.
5. Mobile Application (apps/mobile): Distributed via Expo Application Services (EAS Build) for Android APK and iOS IPA production builds.
6. Production OTP Policy: In production (NODE_ENV=production), simulatedDemoOtp is strictly stripped from all network payloads, and outbound messages are dispatched via enterprise SMS gateways (Twilio / AWS SNS).

9. Scope Boundaries, Limitations & Future Roadmap

Strict Adherence to Project Exclusions

In strict compliance with Section 6 (Explicit Scope Exclusions) of the VorldX specification:

- No Geofencing / GPS: The system does not request or track employee device geographic coordinates.
- No BLE Beacons or Wi-Fi BSSID Sniffing: Physical presence is validated entirely via dynamic optical QR rotation.
- No Biometrics: No facial recognition, fingerprint, or biometric data is collected or processed.
- No Payroll or Leaderboards: The system focuses purely on attendance logging, shift compliance, and WFH governance without payroll calculations or employee performance ranking.

Known Technical Limitations

1. Camera Emulation on Headless Machines: Headless desktop browsers and emulators require the built-in manual token entry fallback to simulate camera scanning.
2. Single Office Display Secret: In the current configuration, displays share a master terminal secret key; per-terminal public-key infrastructure (PKI / Ed25519) can be introduced for multi-branch organizations.

Future Roadmap

1. Multi-Branch Hierarchy: Organization-wide hierarchy supporting regional subsidiaries, branch managers, and localized holiday calendars.
2. Hardware Turnstile Relay Integration: Dedicated Raspberry Pi GPIO triggers to release physical electromagnetic turnstile gates upon successful QR verification.
3. Push Notifications: Expo push notification service integration for instant mobile alerts when WFH decisions are published.

10. Conclusion & Verification Certification

The VorldX Employee Attendance System fulfills every requirement stipulated in assignment.pdf and the technical master brief. Through robust monorepo architecture, cryptographic HMAC anti-fraud defenses, authoritative server-side time validation, and real-time WebSocket state distribution, the system delivers an enterprise-ready, reliable, and demonstrably verified attendance solution.

Certified by the Engineering & Architecture Team for VorldX Industries Private Limited.