

EVENTFORCE MANAGEMENT SYSTEM

Salesforce CRM Implementation – Project Documentation

Project Title: EventForce Management System

Platform: Salesforce Developer Edition Org

Team ID : SWTID-2026-4373

Submitted By:

Kirthika K

Kanishka P

Priyadharshini K

A Rizwana Begam

Shanmugapriya S

College: Vivekanandha College of Technology For Women

Date: 02-10-2026

Table of Contents

1. Project Overview	5
2. Objectives	5
3. Phase 1: Requirement Analysis & Planning	5
3.1 Functional Scope	5
3.2 Stakeholder Mapping.....	6
3.3 Execution Roadmap.....	6
4. Phase 2: Backend Development & Configurations.....	7
4.1 Milestone 1: Salesforce Account.....	7
Activity 1: Creating a Developer Account	7
Activity 2: Account Activation	7
4.2 Data Architecture	8
4.3 Milestone 2: Objects.....	10
Activity 1: Create Event Object	10
Activity 2: Create Client Object.....	11
Activity 3: Create Vendor Object.....	11
Activity 4: Create Venue Object	11
Activity 5: Create Feedback Object	12
4.4 Milestone 3: Tabs	12
Activity 1: Creating a Custom Tab (Event)	12
Activity 2: Creating a Custom Tab (Client).....	13
Activity 3: Creating a Custom Tab (Vendor)	13
Activity 4: Creating a Custom Tab (Venue)	14
Activity 5: Creating a Custom Tab (Feedback)	14
4.5 Milestone 4: Fields and Relationships.....	15
Activity 1: Creation of Fields for the Event Object	15
Activity 2: Creation of Fields for the Client Object.....	15
Activity 3: Creation of Fields for the Vendor Object.....	15
Activity 4: Creation of Fields for the Venue Object	15
Activity 5: Creation of Fields for the Feedback Object	15
Relationship Activity 1: Lookup Relationships for the Event Object	16
Relationship Activity 2: Lookup Relationships for the Feedback Object	16
Activity 3: Lookup Filters	16
4.6 Milestone 5: Validation Rules.....	18
Activity 1: Validation Rule on Client__c	18
4.7 Milestone 6: Approval Process	18

Activity 1: Event Cancellation Approval Process.....	18
4.8 Milestone 7: Flows	21
Activity 1: 3-Day Reminder Email Flow.....	21
4.9 Milestone 8: Apex Classes.....	22
Activity 1: VenueStatusHelper Class	22
4.10 Milestone 9: Apex Trigger	23
Activity 1: PreventDoubleBooking Trigger	23
4.11 Milestone 10: Batchable and Schedulable Asynchronous Apex.....	23
5. Phase 3: UI/UX Development & Customization	26
5.1 Milestone 11: The Lightning App	26
Activity 1: Create a Lightning App	26
Demonstration: Record Creation & Navigation.....	27
5.2 Milestone 12: Reports.....	27
Activity 1: Create a Report Folder	27
Activity 2: Share the Report Folder	27
Activity 3: Create Reports	27
5.3 Milestone 13: Dashboards	28
Activity 1: Create the EventForce Operations Dashboard	28
6. Phase 4: Data Migration, Testing & Security	29
6.1 Data Migration	29
6.2 Testing	29
6.3 Milestone 14: Profiles.....	30
Activity 1: Create the Event Admin Profile.....	30
Activity 2: Create the Event Coordinator Profile.....	30
Activity 3: Create the Vendor Manager Profile	Error! Bookmark not defined.
Activity 4: Create the Client Profile Profile	Error! Bookmark not defined.
6.4 Milestone 15: Roles.....	30
Activity 1: Event Admin Role	30
Activities 2–4: Roles under Event Admin	30
6.5 Milestone 16: Users.....	32
Activity 1: Create a User	32
Activity 2: Create Other Users.....	32
6.6 Milestone 17: Permission Sets	32
Activity 1: Feedback Manager Permission Set	33
6.7 Milestone 18: Sharing Settings	34
Organization-Wide Defaults (OWD)	34
Sharing Rules	34

7. Phase 5: Deployment, Documentation & Maintenance	35
7.1 Deployment Strategy	35
7.2 Maintenance, Monitoring & Troubleshooting	35
7.3 Project Documentation	35
7.4 Debugging & Fixes.....	36
8. Conclusion	36
Project Learnings	36

1. Project Overview

The EventForce Management System is a Salesforce-based Customer Relationship Management (CRM) solution built for Event Planner Solutions. It brings client bookings, venue reservations, vendor coordination, and feedback collection into a single cloud platform, replacing scattered spreadsheets and manual follow-ups with a centralized, automated system.

The solution is composed of custom objects (Event, Client, Vendor, Venue, Feedback, and the Event Vendor junction object), supported by validation rules, record-triggered flows, an approval process, Apex classes and triggers, role-based security, and reports and dashboards. Together these components give event coordinators real-time visibility into operations and ensure accurate, consistent data.

All work was configured and tested in a Salesforce Developer Edition Org for academic purposes, following practices used in real-world CRM implementations.

2. Objectives

The primary objective is to build a comprehensive CRM platform that digitizes and automates event management operations. The key goals and the business value they deliver are listed below.

- Streamline client bookings, venue reservations, vendor coordination, and feedback collection.
- Provide real-time visibility into event operations through reports and dashboards.
- Reduce manual processes by 60% through automated workflows and reminders.
- Improve booking efficiency by 40% by preventing double bookings and tracking venue availability.
- Enhance client satisfaction through timely, automated communication.
- Enable data-driven decisions with integrated reporting and analytics.
- Protect data through role-based access, permission sets, and sharing rules.

3. Phase 1: Requirement Analysis & Planning

This phase defined what the system must do, who will use it, and the order in which it would be built. The requirement analysis ensured that every business need—such as event scheduling, cancellation approvals, and client reminders—was mapped to a Salesforce feature before development began.

3.1 Functional Scope

- Custom objects: Event, Client, Vendor, Venue, Feedback, and Event Vendor (junction object).

- Relationship modeling: Lookup, Master-Detail, and Many-to-Many (Event ↔ Vendor).
- Automation using Flows for reminders, feedback notifications, and approval updates.
- Validation rules and formula fields for accurate data entry and budget calculation.
- Approval process for event cancellation requests with email alerts.
- Profiles, Roles, and Permission Sets for user-level access and security.
- Reports and Dashboards for event summaries, vendor performance, and upcoming events.


3.2 Stakeholder Mapping

Identifying stakeholders early ensured the system was designed around the real needs of each user group.

- Clients: request event services, provide feedback, and view event updates.
- Event Coordinators: manage scheduling, client communication, and approval workflows.
- Vendors: handle assigned services such as catering, decor, and logistics.
- Venue Managers: manage venue availability and reservations.
- Event Administrators: oversee system operations, security, and data monitoring.

3.3 Execution Roadmap

1. Object & Field Setup – create the six objects and their fields.
2. Automation Flows – record-triggered flows for reminders and approvals.
3. Validation Rules & Formula Fields – enforce accuracy and budget calculations.
4. Profiles, Roles, and Permission Sets – configure access and visibility.
5. Approval Process – event cancellation workflow with notifications.
6. Apex Classes & Triggers – update venue availability and prevent double bookings.
7. Reports & Dashboards – analytics for upcoming events and performance.



4. Phase 2: Backend Development & Configurations

The backend phase built the functional engine of EventForce. Declarative tools (flows, validation rules, formula fields, approval processes) automated confirmations, reminders, and cancellations, while Apex classes and triggers handled advanced logic such as venue availability and double-booking prevention. This transformed the application from a static data structure into a dynamic, automated CRM.

4.1 Milestone 1: Salesforce Account

Salesforce is a cloud customer success platform used to sell, service, market, analyze, and connect with customers. A free Developer Edition org was used as the project workspace.

Activity 1: Creating a Developer Account

The account was created from the Salesforce developer sign-up page by entering name, email, role (Developer), company (college name), country, postal code, and a unique username in the format username@organization.com.

60+ MCs tools and 30+ coding skills, ready out of the box

Debug-and-plot when you want it, Apex when you need it

Build in the browser with the Agentforce Vibe IDE - no setup

MCs

Connect Claude Code, Cursor, or Codex to your org with no setup

360

Build AI agents with Agentforce, grouped in your data with Data

Go the heavy lifting with Salesforce Headers 360

CLI commands, build apps, ship agents, and let coding agents

The entire Salesforce platform - exposed as APIs, MCs tools, and

Edition

Sign up for your Developer

Build for the Agent Enterprise

Sign up

We invite you to join the Salesforce Developer Edition.

Developer Edition is a free Salesforce platform environment with Agentforce and Data

Username: alexander@alexcollage.com

Email: alexander@alexcollage.com

Role: Developer

Company: Alexandria College of Technology

Country: USA

Postal Code: 19101

I agree to the Salesforce Developer Edition Terms of Service

Sign Up

Figure: Developer Account Sign-Up Form

Activity 2: Account Activation

The verification email was opened, the account verified, a password and security question set, and the user was redirected to the Salesforce Setup home page.




Figure: Salesforce Setup Home Page

4.2 Data Architecture

The data model consists of six custom objects. Relationships connect events to clients and venues, feedback to events and clients, and events to vendors through a junction object.

- Event__c – Event Name, Event Date, Event Type, Event Status, Event Budget.
- Client__c – Client Name, Email, Phone, Address, Country, City.
- Vendor__c – Vendor Name, Email, Phone, Service Type, Status.
- Venue__c – Venue Name, Address, Location (URL), Capacity, Availability Status.
- Feedback__c – Feedback ID (Auto Number), Rating, Comments.
- EventVendor__c – junction object enabling the Many-to-Many link between Event and Vendor.

Relationships: Event → Client (Lookup), Event → Venue (Lookup), Feedback → Event (Lookup), Feedback → Client (Lookup), EventVendor → Event (Master-Detail), EventVendor → Vendor (Master-Detail)

playful-otter-928itp-dev-ed.trailblaze.my.salesforce-setup.com/lightning/setup/ObjectManager/home

Developer Edition

Search Setup

Setup Home Object Manager

Object Manager

12 Items, Sorted by Label

ven Schema Builder Create

Event	Event	Standard Object			
Event Vendor	EventVendor__c	Custom Object	01/10/2026	✓	▼
Event Vendor	Event_Vendor__c	Custom Object	30/09/2026	✓	▼
Guest User Anomaly Event Store	GuestUserAnomalyEventStore	Standard Object			
Report Anomaly Event Store	ReportAnomalyEventStore	Standard Object			
Session Hijacking Event Store	SessionHijackingEventStore	Standard Object			
Vendor	Vendor_Master__c	Custom Object	01/10/2026	✓	▼
Venue	Venue__c	Custom Object	01/10/2026	✓	▼

playful-otter-928itp-dev-ed.trailblaze.my.salesforce-setup.com/lightning/setup/ObjectManager/01INS00000G5PPZ/FieldsAndRelationships/view

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Event Vendor

Details

Fields & Relationships

4 Items, Sorted by Field Label

Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED	
Created By	CreatedById	Lookup(User)			
Event	Event__c	Master-Detail(Event)		✓	▼
Event Vendor ID	Name	Auto Number		✓	▼
Last Modified By	LastModifiedById	Lookup(User)			

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters




Figure: Schema Builder / ER Diagram

4.3 Milestone 2: Objects

Objects are Salesforce database tables that store organization-specific data; each consists of fields (columns) and records (rows). Each custom object was created from Setup → Object Manager → Create → Custom Object, with Reports, Activities, Track Field History, Deployed status, Search, and Notes & Attachments enabled.

Activity 1: Create Event Object

Stores event details such as name, date, type, status, and budget. It is the central object linking clients, venues, and vendors.




Figure: Event Object Creation Page

Activity 2: Create Client Object

Stores customer contact details and acts as the parent of events and feedback.




Figure: Client Object Creation Page

Activity 3: Create Vendor Object

Stores service providers (catering, decor, logistics) and their contact and status information.




Figure: Vendor Object Creation Page

Activity 4: Create Venue Object

Stores venue address, capacity, location link, and availability status used for booking control.




Figure: Venue Object Creation Page

Activity 5: Create Feedback Object

Captures client ratings and comments after events, with an auto-number ID.




Figure: Feedback Object Creation Page

4.4 Milestone 3: Tabs

Custom tabs give users direct navigation to each object's records from within the application. A tab was created for each of the five objects through Setup → Tabs → Custom Object Tabs.

Activity 1: Creating a Custom Tab (Event)

The Event tab was created and given a tab style so users can open and manage Event records quickly.




Figure: Event Custom Tab

Activity 2: Creating a Custom Tab (Client)

The Client tab was created and given a tab style so users can open and manage Client records quickly.




Figure: Client Custom Tab

Activity 3: Creating a Custom Tab (Vendor)

The Vendor tab was created and given a tab style so users can open and manage Vendor records quickly.




Figure: Vendor Custom Tab

Activity 4: Creating a Custom Tab (Venue)

The Venue tab was created and given a tab style so users can open and manage Venue records quickly.




Figure: Venue Custom Tab

Activity 5: Creating a Custom Tab (Feedback)

The Feedback tab was created and given a tab style so users can open and manage Feedback records quickly.




Figure: Feedback Custom Tab

4.5 Milestone 4: Fields and Relationships

Fields are the columns of an object and store the data values for a record. Standard fields (Created By, Last Modified By, Owner, and the name field) exist by default, while custom fields are added by the administrator to meet business needs.

Activity 1: Creation of Fields for the Event Object

Custom fields were added to the Event object through Object Manager → Fields & Relationships → New, choosing suitable data types and field-level settings.

Activity 2: Creation of Fields for the Client Object

Custom fields were added to the Client object through Object Manager → Fields & Relationships → New, choosing suitable data types and field-level settings.

Activity 3: Creation of Fields for the Vendor Object

Custom fields were added to the Vendor object through Object Manager → Fields & Relationships → New, choosing suitable data types and field-level settings.

Activity 4: Creation of Fields for the Venue Object

Custom fields were added to the Venue object through Object Manager → Fields & Relationships → New, choosing suitable data types and field-level settings.

Activity 5: Creation of Fields for the Feedback Object

Custom fields were added to the Feedback object through Object Manager → Fields & Relationships → New, choosing suitable data types and field-level settings.

Relationship Activity 1: Lookup Relationships for the Event Object

Lookup fields on Event connect each event to a Client and a Venue.

Relationship Activity 2: Lookup Relationships for the Feedback Object

Feedback records are linked to both an Event and a Client.

Activity 3: Lookup Filters

A lookup filter on the Feedback object restricts the Client choice so it must match the Client on the selected Event, ensuring consistent data.

The image displays two screenshots of the Salesforce Setup interface, specifically the 'Object Manager' section for the 'Event' object.

Top Screenshot: Details

- Navigation:** Setup > OBJECT MANAGER > Event
- Left Sidebar:** Details (selected), Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules.
- Details Panel:**
 - Description:** [Empty text area]
 - API Name:** Event__c
 - Custom:** [Checkmark]
 - Singular Label:** Event
 - Plural Label:** Events
 - Enable Reports:** [Checkmark]
 - Track Activities:** [Checkmark]
 - Track Field History:** [Checkmark]
 - Deployment Status:** Deployed
 - Help Settings:** Standard salesforce.com Help Window
- Buttons:** Edit, Delete

Bottom Screenshot: Field Information

- Navigation:** Setup > OBJECT MANAGER > Event
- Left Sidebar:** Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules.
- Field Information Panel:**
 - Field Label:** Event Type
 - Field Name:** Event_Type
 - Description:** [Empty text area]
 - Help Text:** [Empty text area]
 - Data Owner:** User
 - Field Usage:** --None--
 - Data Sensitivity Level:** --None--
 - Compliance Categorization:** Available (PII, HIPAA, GDPR, PCI) / Chosen
 - General Options:**
 - Required:** [Checkmark]
 - Default Value:** [Empty text area]
 - Always require a value in this field in order to save a record:** [Checkmark]
 - Show Formula Editor:** [Link]

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER
Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules

Field Information
Field Label Client
Field Name Client
Description
Help Text
Data Owner User
Field Usage --None--
Data Sensitivity Level --None--
Compliance Categorization
Available
PII
HIPAA
GDPR
PCI
Chosen
Lookup Options
Related To Client
Related List Label Events
Child Relationship Name Events1

Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER
Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules

Geolocation
Number
Percent
Phone
Picklist
Picklist (Multi-Select)
Text
Text Area
Text Area (Long)
Text Area (Rich)
Text (Encrypted)
Time
URL

an Email. Note that custom email addresses cannot be used for mass emails.
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Allows users to enter any number. Leading zeros are removed.
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Allows users to enter any phone number. Automatically formats it as a phone number.
Allows users to select a value from a list you define.
Allows users to select multiple values from a list you define.
Allows users to enter any combination of letters and numbers.
Allows users to enter up to 255 characters on separate lines.
Allows users to enter up to 131,072 characters on separate lines.
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Allows users to enter a local time. For example, "2:40 PM", "14:40", and "14:40:00" are all valid times for this field.
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Next Cancel


Developer Edition

Setup Home Object Manager

SETUP > OBJECT MANAGER
Event

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules

Field Information
Field Label Venue
Field Name Venue
Description
Help Text
Data Owner User
Field Usage --None--
Data Sensitivity Level --None--
Compliance Categorization
Available
PII
HIPAA
GDPR
PCI
Chosen
Lookup Options
Related To Venue
Related List Label Events
Child Relationship Name Events1



4.6 Milestone 5: Validation Rules

Validation rules run when a user saves a record and block the save if the data fails specified criteria, showing a custom error message. They protect data quality at the point of entry.

Activity 1: Validation Rule on Client__c

- Rule Name: Email_Valid_Address.
- Condition: a regular-expression check on Email__c to ensure a valid email format.
- Error Message: “Please Enter Valid Email Address”, displayed on the Email field.

4.7 Milestone 6: Approval Process

An approval process automates how a record is reviewed and approved. In EventForce it controls event cancellation requests, routing them to the right approver and notifying the coordinator and client. Profiles, roles, and users must be created first.

Activity 1: Event Cancellation Approval Process

8. Create a Classic Email Template for approval notifications.
9. Create the approval process on the Event object with entry criteria.
10. Select the approver and define approval and rejection actions (field updates and email alerts).
11. Review the approval process detail page and click Activate.




Figure: Classic Email Template




Figure: Approval Process Configuration




Figure: Approval Steps & Actions




Figure: Approval Process Activated




Figure: Submit for Approval Test (Event Record)

4.8 Milestone 7: Flows

A flow automates business processes, collects and updates data, and guides users through screens. EventForce uses a record-triggered flow for the highlight automation of the project.

Activity 1: 3-Day Reminder Email Flow

Scenario: when an Event is created or updated with Status = Confirmed and has a valid Client email, a reminder is automatically emailed to the client three days before the event date.

- Flow type: Record-Triggered Flow on Event (created or updated), condition Event Status = Confirmed.
- Scheduled path “3_Days_Before” using Event Date with an offset of 3 days before.
- Text template resources for the email Subject and Body.
- Send Email action addressed to the client’s email; flow saved and activated.




Figure: Flow

4.9 Milestone 8: Apex Classes

Apex is Salesforce’s server-side programming language. The VenueStatusHelper class keeps venue availability in sync with events.

Activity 1: VenueStatusHelper Class

Scenario: when an Event is created with a Venue, the Venue Availability becomes “Reserved”; when the event is cancelled, it returns to “Available”. The class was created in the Developer Console.




Figure: Apex Class

4.10 Milestone 9: Apex Trigger

Triggers run custom logic before or after record changes. The PreventDoubleBooking trigger on Event__c protects against scheduling conflicts.


Activity 1: PreventDoubleBooking Trigger

Scenario: two events cannot be booked at the same Venue on the same date. If a conflict is found, the save is blocked with an error message.

4.11 Milestone 10: Batchable and Schedulable Asynchronous Apex

Batch Apex processes large record volumes asynchronously, and Schedulable Apex runs it at set times. Together they mark past events as Completed every night.

- BatchCompleteEvents – batch class that finds events with past dates and updates their status to Completed.
- ScheduleCompleteEvents – schedulable class that launches the batch.
- Scheduled job “Daily Event Completion” set to run every day at 8:00 PM.



5. Phase 3: UI/UX Development & Customization

This phase created a simple, user-friendly interface. A custom Lightning App organizes all modules, and reports and dashboards visualize event schedules, vendor performance, and client feedback, giving users a responsive, data-driven experience.

5.1 Milestone 11: The Lightning App

An app is a group of tabs that work together as a unit, with a name, logo, and set of tabs.

Activity 1: Create a Lightning App

12. Open Setup → App Manager → New Lightning App.
13. Enter “Event Planner” as the app name and upload a logo.
14. Keep default App Options and Utility Items.
15. Add Event, Client, Vendor, Venue, Feedback, Reports, and Dashboards to Selected Items.
16. Assign the System Administrator profile and Save & Finish.




Figure: Lightning App

Demonstration: Record Creation & Navigation

Sample records were created through the app to verify forms, validation rules, related lists, and tab navigation.

5.2 Milestone 12: Reports

Reports turn stored records into meaningful insights. Before creating reports, at least ten records were added to every object.

Activity 1: Create a Report Folder

A folder named “EventForce Report” was created to organize all project reports.

Activity 2: Share the Report Folder

The folder was shared with the Event Coordinator and Vendor Manager roles with View access.

Activity 3: Create Reports

Report 1 – Upcoming Events Summary by Month: lists events with Event Name, Date, Type, Client, Venue, and Budget, grouped by month to show upcoming workload.




Figure: Report

5.3 Milestone 13: Dashboards

Dashboards present report data as visual components for quick monitoring.

Activity 1: Create the EventForce Operations Dashboard

- Create a new dashboard named “EventForce Operations Dashboard”.
- Add a widget using the Upcoming Events by Month report.
- Chart type: Donut; Max Values Displayed: 6; Subtitle: Upcoming Events Overview; Theme: Light.




Figure: Dashboard Widget Configuration

6. Phase 4: Data Migration, Testing & Security

This phase prepared and secured the system before deployment. Validated data was loaded into Salesforce, users were created, and role-based access control was implemented.

6.1 Data Migration

Records for Events, Clients, Vendors, Venues, and Feedback were imported using the Data Import Wizard after pre-validation checks to avoid duplicates and keep data consistent.

6.2 Testing

Testing validated data accuracy, automation behaviour, and user permissions.

- Validation rules tested with invalid and valid data.
- Flow and email reminder tested with confirmed events.
- Approval process tested through submission, approval, and rejection.
- Apex trigger tested by creating conflicting bookings.
- Access tested by logging in as each user role.

6.3 Milestone 14: Profiles

A profile is a collection of settings and permissions defining what a user can do: object, field, and user permissions, tab and app settings, Apex access, page layouts, login hours, and IP ranges. A user has one profile at a time.

Activity 1: Create the Event Admin Profile

The Event Admin profile was cloned from the System Administrator profile and edited to match the role's access needs.




Figure:

Event Admin Profile Page

Activity 2: Create the Event Coordinator Profile

The Event Coordinator profile was cloned from the Standard Platform User profile and edited to match the role's access needs.

6.4 Milestone 15: Roles

Roles form a hierarchy that controls record visibility, so managers can see the data of those below them.

Activity 1: Event Admin Role

Event Admin is the top role in the hierarchy.

Activities 2–4: Roles under Event Admin

Event Coordinator, Vendor Manager, and Client roles were created below Event

Developer Edition

Search Setup

Setup

Home

Object Manager

role

Users

Roles

Feature Settings

Sales

Service

Case Teams

Contact Roles on Contracts

Contact Roles on Opportunities

Case Team Roles

Contact Roles on Cases

Didn't find what you're looking for? Try using Global Search.

SETUP Roles

Understanding Roles

Set up your Role Hierarchy to control how your organization reports on and accesses data.

Sample Role Hierarchy

View other sample Role Hierarchies: Territory-based Sample

Executive Staff

CEO - President

CFO - VP, Sales

Western Sales Director

Eastern Sales Director

International Sales Director

Western Sales Rep

Eastern Sales Rep

International Sales Rep

* View & edit data, roll up forecasts, & generate reports for all users below

* Can't access data of other Executive Staff

* View & edit data, roll up forecasts, & generate reports for all users directly below

* Can't access data of users above or at same level

* View & edit data, roll up forecasts, & generate reports only for own data

* Can't access data of users above or at same level

Set Up Roles

Developer Edition

Search Setup

Setup

Home

Object Manager

role

Users

Roles

Feature Settings

Sales

Service

Case Teams

Contact Roles on Contracts

Contact Roles on Opportunities

Case Team Roles

Contact Roles on Cases

Didn't find what you're looking for? Try using Global Search.

SETUP Roles

Creating the Role Hierarchy

You can build on the existing role hierarchy shown on this page. To insert a new role, click Add Role.

Your Organization's Role Hierarchy

Show in tree view

Expand All

PWC

Add Role

CEO

Edit

Del

Assign

Add Role

Event Coordinator

Edit

Del

Assign

Add Role

Vendor Manager

Edit

Del

Assign

Developer Edition

Search Setup

Setup

Home

Object Manager

role

Users

Roles

Feature Settings

Sales

Service

Case Teams

Contact Roles on Contracts

Contact Roles on Opportunities

Case Team Roles

Contact Roles on Cases

Didn't find what you're looking for? Try using Global Search.

SETUP Roles

Role Edit

New Role

Role Edit

Label

Event Admin

Role Name

Event Admin

This role reports to

CEO

Role Name as displayed on reports

Save

Save & New

Cancel

EventForce Management System – Page 31

6.5 Milestone 16: Users

A user is anyone who logs in to Salesforce. Because a Developer Org has limited licenses, an unused user may need to be deactivated to free one.

Activity 1: Create a User

An Event Admin user was created with the Event Admin role, Salesforce license, and Event Admin profile.

Activity 2: Create Other Users

Users were created for Event Coordinator, Vendor Manager, and Client with the Salesforce Platform license and matching profile and role.

The screenshot shows the Salesforce Setup page for the 'Users' section. The 'All Users' table lists the following users:

Action	Full Name	Alias	Username	Role	Active	Profile
☐ Edit	A. Rizwana	RA	rizwanarb43@clayful-otter-9s8to.com		✓	System Administrator
☐ Edit	Chatter_Evead	Chatter	chatter_00dms00000yv0f2ac.0ysloqwe4fi@chatter.salesforce.com		✓	Chatter Free User
☐ Edit	Owner_Event	evowner	eventowner.eventforce@gmail.com	Event Coordinator	✓	Standard User
☐ Edit	User_Integration	integ	integration@00dms00000yv0f2ac.com		✓	Analytics Cloud Integration User
☐ Edit	User_Security	sec	insightsecurity@00dms00000yv0f2ac.com		✓	Analytics Cloud Security User

The screenshot shows the 'New User' form in the Salesforce Setup page. The form includes the following fields:

- General Information:** First Name (Sizzler), Last Name (Jaligam), Alias (sizzler), Email (rizwanarb43@gmail.com), Username (sizzler.jaligam@yourname.i), Nickname (User179085026429690690), Title, Company, Department, Division.
- User Information:** Role (None Specified), User License (Salesforce Platform), Profile (None), Active (checked), Marketing User, Offline User, Knowledge User, Flow User, Service Cloud User, sfdc.com Contributor User, sfdc.com Publisher User, WDC User, Data.com User Type (None), Data.com Monthly Addition Limit (Default Limit (300)), Accessibility Mode (Classic Only) (checked).

6.6 Milestone 17: Permission Sets

A permission set grants extra access without changing a user's profile.

Activity 1: Feedback Manager Permission Set

- Create a permission set labelled “Feedback Manager”.
- Open Object Settings → Feedback and enable Read, Create, Edit, and Delete.
- Assign the permission set to the Event Coordinator user.




Figure: Permission Set Creation





Figure: Permission Set Assignment

6.7 Milestone 18: Sharing Settings

Sharing settings control how records are accessed across the organization.

Organization-Wide Defaults (OWD)

OWD sets the baseline access level: Private, Public Read Only, Public Read/Write, or Controlled by Parent. The Event object was set to Private for both internal and external access.



The screenshot shows the Salesforce Setup interface for configuring sharing settings. The left sidebar includes a search bar with 'Sharing Settings' and a 'Security' section with 'Sharing Settings' highlighted. The main content area is titled 'Sharing Settings' and contains five steps:

- Step 1: Rule Name**
 - Label: Event_Sharing_For_Vendor
 - Rule Name: Event_Sharing_For_Vendor
 - Description: (empty field)
- Step 2: Select your rule type**
 - Rule Type: ☒ Based on record owner ☐ Based on criteria
- Step 3: Select which records to be shared**
 - Event: owned by members of Roles | Event Coordinator
- Step 4: Select the users to share with**
 - Share with: Roles | Event Coordinator
- Step 5: Select the level of access for the users**
 - Access Level: Read Only

At the bottom of the form are 'Save' and 'Cancel' buttons.

Figure: Organization-Wide Defaults Settings

Sharing Rules

Sharing rules extend access beyond OWD. The rule “Event_Sharing_For_Vendors” shares Event records owned by the Event Coordinator role with the Vendor Manager role with Read Only access.




Figure: Sharing Rule Configuration

7. Phase 5: Deployment, Documentation & Maintenance

7.1 Deployment Strategy

All configurations, customizations, and automations were built and tested within a Salesforce Developer Edition Org. The goal of this phase is to understand how a real-world solution is prepared for deployment after configuration, testing, and security setup.

Actual production deployment is not performed because Developer Edition orgs are standalone and not connected to production, and real deployments need sandboxes, change sets, or DevOps tools such as GitHub CI/CD pipelines or Salesforce DX. This phase therefore simulates deployment, ensuring that objects, fields, flows, Apex, and dashboards are properly structured, version-controlled, and ready for migration.

7.2 Maintenance, Monitoring & Troubleshooting

Maintenance keeps event, client, vendor, and feedback data accurate. Flows, Apex jobs, and approval processes are monitored regularly to catch failures early.

- Resolving user-access errors and permission conflicts.
- Debugging Apex triggers and flow logic.
- Adjusting validation rules or sharing settings as needs evolve.

7.3 Project Documentation

Documentation is a complete record of the system and a blueprint for future developers and administrators. It covers:

- Business overview and objectives.

- Phase-wise implementation (Requirement → Development → UI → Testing → Security).
- Data model and ER diagram.
- Automation components: flows, approval process, validation rules, and Apex logic.
- Security model: profiles, roles, permission sets, and sharing rules.
- Testing results and sample screenshots.

7.4 Debugging & Fixes

Issues were identified through error messages, the Developer Console debug logs, and flow debug runs, and then resolved by correcting the underlying configuration.

- Issue: [describe issue, e.g., approval process not visible] — Fix: [describe resolution].
- Issue: [describe issue, e.g., flow email not sent] — Fix: [describe resolution].
- Issue: [describe issue, e.g., user license unavailable] — Fix: [describe resolution].

8. Conclusion

The EventForce Management System shows how Salesforce can streamline and automate event-planning operations through customized objects, automation, and analytics. Although built in a Developer Org for academic purposes, it reflects real-world CRM practice by combining a strong data model, automation logic, and good user experience design.

Project Learnings

- Designing data models with lookup, master-detail, and junction relationships.
- Automating processes with flows, approval processes, and Apex.
- Securing data using profiles, roles, permission sets, and sharing rules.
- Turning data into insight with reports and dashboards.
- Preparing a solution for deployment, maintenance, and documentation.

This phase marks the culmination of the project lifecycle, ensuring the system is tested, documented, and ready for enterprise-level deployment and maintenance.

Thank You!