**1.DRIVING LICENCE ELIGIBILITY:**

```
import java.util.Scanner;
public class licence{
   public static void main(String[]args){
      Scanner sc=new Scanner(System.in);
      int age=sc.nextInt();
      String greater=(age>=18)?"eligible":"not eligible";
      System.out.println("greater");
      sc.close();
   }
}
```

**2.EVEN NUMBER AND RANGE CHECKER**:

```
public class number{
   public static void main(String[]args){
      int a=20;
      if(a%2==0 && a>10){
      System.out.println(true);}
      else{
      System.out.println(false);
      }
   }
}
```

**3.STUDENT PASS CHECKER:**

```
import java.util.Scanner;
public class student{
public static void main(String[]args){
```

```
      int mark=45;
      int att=78;
      Scanner sc=new Scanner(System.in);
      String result=(mark>40 && att>75)?"pass":"fail";
      {
         System.out.println("pass");
         sc.close();
      }
     }
}
```

**4.SHOPPING DISCOUNT ELIGIBILITY:**

```
import java.util.Scanner;
public class shopping{
   public static void main(String[]args){
       Scanner sc=new Scanner(System.in);
       int n=sc.nextInt();
       String str=sc.nextLine();
      if(n>=2000 || str.equals("premium member"));
      {
      System.out.println("dicount available");
      }
   }
}
```

**5.PASSWORD LENGTH VALIDATOR:**

```
import java.util.Scanner;
public class length{
```

```
  public static void main(String[]args){
     Scanner sc=new Scanner(System.in);
     String password=sc.nextLine();
     Boolean isActive=true;
     String result=(password.length()<=8 && isActive)?"active":"not active";
     System.out.println(result);
     sc.close();
  }
}
```

**6.ATM WITHDRAWAL VALIDATION:**

```
import java.util.Scanner;
 public class atm{
   public static void main(String[]args){
     Scanner sc=new Scanner(System.in);
     int balance=sc.nextInt();
     int amount=sc.nextInt();
     if(amount>0 && amount % 100==0 && amount<=balance){
        balance=balance-amount;
        System.out.println("Enter balance:");
        System.out.println("Enter amount:");
        System.out.println("Transaction successfully");
        System.out.println("balance="+ balance);
     }else{
       System.out.println("transaction invalid");
     }
   }}
```

**8.SMART BATTERY CHARGING:**

```
import java.util.Scanner;
public class battery{
   public static void main(String[]args){
      Scanner sc=new Scanner(System.in);
      int per=sc.nextInt();
      int temp=sc.nextInt();{
         System.out.println("enter battery percentage");
         System.out.println("enter temperature");
         Boolean charging=(per<90)&&(temp>=10 && temp<=45);
         per=charging? per+5: per;
         System.out.println(charging?"charging allowed":"charging not allowed");
         if(charging){
            System.out.println("Battery level:"+ per +"%");
         }
         sc.close();
      }
   }
}
```

**9.ONLINE ORDER FREE DELIVERY:**

```
import java.util.Scanner;
public class order{
   public static void main(String[]args){
      Scanner sc=new Scanner(System.in);
      int amount=sc.nextInt();
      Boolean premiumMember=sc.nextBoolean();
```

```
    Boolean result=(amount>=1000 || premiumMember);
    if(result){
    System.out.println("free delivery is available");
    } else{
    amount +=50;
    System.out.println("free deliver is not available");
    }
    System.out.println("final amount:Rs."+ amount);
    sc.close();
  }
}
```

**10.INVENTORY REORDER CHECKER:**

```
import java.util.Scanner;
public class reorder{
  public static void main(String[]args){
    Scanner sc=new Scanner(System.in);
    int stock=sc.nextInt();
    int minimum=sc.nextInt();
    int incoming=sc.nextInt();{
      System.out.println("enter current stock");
      System.out.println("enter minimum stock");
      System.out.println("enter incoming stock");
      stock += incoming;
      String result=(stock<minimum)?"reorder required":"reorder sufficient";
      System.out.println("updated stock:"+ stock);
      System.out.println(result);
```

```
        sc.close();
    }
  }
}
```

**11.SCHOLARSHIP ELIGIBILITY:**

```
public class scholar{
  public static void main(String[]args){
    int marks=96;
    int income=150000;
    int points=5;
    int scholarship=(marks >= 95 && income<200000)?100:( marks >=85 && income < 400000 || marks >= 90 && points >= 8)?50:(marks >= 75)?10:0;
    System.out.println("scholarship:"+ scholarship +"%");
  }
}
```

**12.RIDE FARE CALCULATOR:**

```
public class ridefare{
  public static void main(String[]args){
    double distance=10;
    int waitingTime=8;
    boolean premium=true;
    if(distance <= 0 || waitingTime < 0){
      System.out.println("invalid input");
    }else{
      double fare=50+(distance * 12)+(waitingTime > 5?(waitingTime - 5)*2:0);
      fare=(premium && fare >300)?fare*0.90:fare;
```

```
        System.out.println("final ratefare:Rs."+ fare);
      }
   }
}
```

**13.EMPLOYEE BONUS CALCULATOR:**

```
public class employee{
   public static void main(String[]args){
      double salary=30000;
      int score=95;
      int projects=4;
      int bonus=(score >=90 && projects >=3)?15:(score >=75 || projects >=5)?10:(score
>=60)?3:0;
      double bonusAmount=salary*bonus/100.0;
      double finalSalary=salary+ bonusAmount;
      System.out.println("bonus percentage:"+bonus + "%");
      System.out.println("bonusAmount:Rs."+bonusAmount);
      System.out.println("finalSalary:Rs."+finalSalary);
   }
}
```

**14.SECURE TRANSACTION VALIDATOR:**

```
import java.util.Scanner;
public class transaction{
   public static void main(String[]args){
      Scanner sc=new Scanner(System.in);
      double balance=sc.nextDouble();
      double amount=sc.nextDouble();
```

```
        double limit=sc.nextDouble();
        System.out.println("enter account balance");
        System.out.println("enter transfer amount");
        System.out.println("enter daily limit");
        System.out.println("Is account active?(true/false):");
        boolean active=sc.nextBoolean();
        boolean valid=(amount > 0 && amount <= balance && amount <= limit && active);
        if(valid){
           balance -= amount;
           System.out.println("transaction successfully");
        }else{
         System.out.println("transaction failed");
         System.out.println("remaining balance:"+ balance);
         sc.close();
        }
    }
}
```

**15.SMART EXAM REGISTRATION SYSTEM:**

```
import java.util.Scanner;
public class exam{
   public static void main(String[]args){
        Scanner sc=new Scanner(System.in);
        int att=sc.nextInt();
        boolean medical=sc.nextBoolean();
        boolean fee=sc.nextBoolean();
        boolean ass=sc.nextBoolean();
```

```
    System.out.println("enter att percentage");
    System.out.println("medical certificate available?(true/false):");
    System.out.println("exam fee paid?(true/false):");
    System.out.println("all ass submitted?(true/false):");
    boolean eligible=(att >= 75 || (att >= 65 && medical))&& fee && ass;
    String result=eligible?"registration successful":"registration rejected";
    System.out.println(result);
    sc.close();
  }
}
```

**7.LOGIN ATTEMPT CONTROLLER:**

```
import java.util.Scanner;
public class login{
  public static void main(String[]args){
    Scanner sc=new Scanner(System.in);
    int max=sc.nextInt();
    int failed=sc.nextInt();
    System.out.println("enter maximum attempts");
    System.out.println("enter failed attempts");
    boolean allowed=failed<max;
    System.out.println(allowed ? "next attempt is allowed":"account is locked");
    if(allowed){
      failed++;
      System.out.println("failed attempts:"+ failed);
    }
    sc.close();
```

```
    }
}
```