1.PERSONAL INFORMATION:

```
public class personal{
   public static void main(String[]args){
      String name="Kalai";
      int age=20;
      String city="Chennai";
      System.out.println(name);
      System.out.println(age);
      System.out.println(city);
   }
}
```

2.TW0-NUMBER CALCULATOR:

```
public class number{
   public static void main(String[]args){
      int a=10;
      int b=5;
      System.out.println(a+b);
      System.out.println(a-b);
      System.out.println(a*b);
      System.out.println(a/b);
   }
}
```

3.RECTANGLE CALCULATOR:

```
public class rectangle{
   public static void main(String[]args){
      int length=25;
```

```
      int breadth=30;
      int area=length*breadth;
      int perimeter=2*(length+breadth);
      System.out.println(area);
      System.out.println(perimeter);
   }
}
```

4.STUDENT MARKS:

```
public class student{
   public static void main(String[]args){
     String name="kirthi";
     int tamil=85;
     int english=80;
     int maths=75;
     int social=90;
     int science=95;
     int total=tamil+english+maths+social+science;
     int average=total/5;
     System.out.println(name);
     System.out.println(total);
     System.out.println(average);
   }
}
```

5.EMPLOYEE SALARY:

```
public class employee{
   public static void main(String[]args){
```

```
    String name="kirthi";
    double salary=15000;
    double bonus=2000;
    double total=salary+bonus;
    System.out.println(name);
    System.out.printf("total salary:%.2f%n",total);
  }
}
```

6.SWAP TWO NUMBERS:

```
public class swap{
  public static void main(String[]args){
    int a=25;
    int b=40;
    System.out.println("before swapping");
    System.out.println("a ="+ a);
    System.out.println("b ="+ b);
    int temp=a;
    a=b;
    b=temp;
    System.out.println("after swapping");
    System.out.println("a ="+ a);
    System.out.println("b ="+ b);
  }
}
```