VEHICLE FUEL DELIVERY MANAGEMENT SYSTEM

A project submitted to the Bharathidasan University in partial fulfillment of the requirements for the award of the Degree of

BACHELOR OF SCIENCE IN COMPUTER SCIENCE

Submitted by

S.S.A. KIRTHIK VYSHNAV 205114403

Under the guidance of

Dr. B. GAYATHRI MCA., M.Phil., Ph.D.,
Associate Professor,
PG DEPARTMENT OF COMPUTER SCIENCE (SF-II)
BISHOP HEBER COLLEGE (AUTONOMOUS),
TIRUCHIRAPPALLI - 620017.



PG DEPARTMENT OF COMPUTER SCIENCE (SF-II) BISHOP HEBER COLLEGE (AUTONOMOUS)

(Nationally Reaccredited at the 'A' Grade by NAAC with the CGPA of 3.58 out of 4) (Recognized by UGC as "College of Excellence") (Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI-620 017

APRIL – 2023

DECLARATION

I hereby declare that the project work presented is originally done by me under the guidance of **Dr. B. GAYATHRI MCA.**, **M.Phil.**, **Ph.D.**, **Associate Professor**, **PG Department of Computer Science (SF-II)**, **Bishop Heber College (Autonomous)**, **Tiruchirappalli-620 017** and has not been included in any other project submitted for any other degree.

Name of the Candidate : S.S.A. KIRTHIK VYSHNAV

Register Number : 205114403

Batch : 2020-2023

Signature of the Candidate

Dr. B. GAYATHRI MCA., M.Phil., Ph.D.,

Associate Professor,

PG Department of Computer Science (SF-II), Bishop Heber College (Autonomous), Tiruchirappalli – 620017

Date:

CERTIFICATE

This is to certify that the project work entitled "VEHICLE FUEL DELIVERY MANAGEMENT SYSTEM" is a bonafide record work done by SSA. KIRTHIK VYSHNAV 205114403 in partial fulfillment of the requirements for the award of the degree of BACHELOR OF SCIENCE IN COMPUTER SCIENCE during the period 2020- 2023.

Place: Signature of the Guide



PG DEPARTMENT OF COMPUTER SCIENCE (SF-II) BISHOP HEBER COLLEGE (AUTONOMOUS),

(Nationally Reaccredited at the 'A' Grade by NAAC with the CGPA of 3.58 out of 4) (Recognized by UGC as "College of Excellence") (Affiliated to Bharathidasan University)

TIRUCHIRAPPALLI - 620017

	Date:		
Course Title: PROJECT	Course Code: U18CS6PJ		
CERTIFICATE			
The Viva-Voce examination for the candidate S.S.A. KIRTHIK VYSHNAV			
205114403 was held on			
Signature of the HOD	Signature of the Guide		
Examiners:			
1.			
2.			

ACKNOWLEDGEMENT

First, I am very thankful to the almighty for showering the Blessings throughout my life. I would like to express my heartfelt thanks to my beloved parents who have sacrificed a lot for my future. This support was the foundation stone for my efforts.

I acknowledge my sincere thanks to **Dr. D. PAUL DHAYABARAN**, **M.Sc., M.Phil. PGDCA.**, **Ph.D.**, Principal, Bishop Heber College (Autonomous), Tiruchirappalli, for giving me the opportunity to do my Undergraduate Degree course in the renowned institution and providing facilities to carry out the project work.

I submit my heartfelt thanks to **Dr. J.G.R. SATHIASEELAN, M.Sc., Ph.D.,** Vice Principal (SF-II), Associate Professor, Co-ordinate of Computer Science, IT & CA, Bishop Heber College, Tiruchirappalli, for his guidance and support in successful completion of the project work.

I am very proud and thankful to **Dr. G. SOBERS SMILES DAVID M.C.A., M.Phil. NET., Ph.D.,** Associate Professor and Head, PG Department of Computer Science, Bishop Heber College, Tiruchirappalli, for giving me the opportunity to do the course in the college.

I am grateful to **Dr. B. GAYATHRI MCA., M.Phil., Ph.D.,** Associate Professor, PG Department of Computer Science (SF-II), Bishop Heber College (Autonomous), Tiruchirappalli, the internal guide for timely suggestions and constant encouragement and support that led to the accomplishment of the project.

I extended my thanks to all faculty members of PG Department of Computer Science (SF-II) for their support and motivation towards my entire journey of my course.

I wish to express my heartfelt thanks to my friends for their continuous encouragement and assistance right from the beginning to the end of the journey of my project.

S.S.A. KIRTHIK VYSHNAV

SYNOPSIS

The aim of 'Vehicle Fuel Delivery Management System' is to automate its existing manual system by the help of computerized equipment and full-fledge computer software, fulfilling their requirements so that their valuable date can be stored for a longer period with easy accessing and manipulation of the same. Basically, the project describes how to handle good performance and provide better services to clients. This project can lead to error free, secure, reliable and fast management system. This system will help the organization in better utilization of resources. The Fuel Conveyance The board Framework Venture in PHP has been intended to abrogate the issue of the current manual framework. This web application is upheld to wipe out and, at times, diminish the difficulty looked by the manual frameworks. The application is decreased however much as could be expected to stay away from mistakes while entering the information. It likewise gave a message while entering invalid information. No proper information is expected for the client to work this framework. Generally speaking, we said that Fuel Conveyance The executives Undertaking in PHP is easy to use.

TABLE OF CONTENTS

CHAPTERS	TITLE	PAGE NO.
CHAPTER 1	Project Description	1
	1.1 Introduction	1
	1.2 Existing System	1
	1.3 Proposed system	1
CHAPTER 2	Logical Development	3
	2.1 Data Flow Diagram	3 8
	2.2 Architecture Design	o o
CHAPTER 3	Program Design	10
	4.1 Modules	10
	4.2 Modules Description	11
CHAPTER 4	Testing	12
	5.1 Test Units	12
	5.2 Test case and Test reports	13
CHAPTER 5	Conclusion	16
CHAPTERS	Future Enhancement	18
	References	17
CHAPTER 6		
CHAPTER 7	Appendix	18
CHAITER /	8.1 Source Code	18
	8.2 Output Screenshots	88

1. PROJECT DESCRIPTION

1.1 INTRODUCTION

The Vehicle Fuel Delivery Management System has been designed to override the problem of existing manual system. This web application is supported to eliminate and, in some case, reduce the hardship faced by manual system. The application is reduced as much as possible to avoid errors while entering the data. It's also provide message while entering invalid data. No formal knowledge is required for the user to operate this system. Overall, we said that Fuel Delivery Management System is user friendly.

In Vehicle Fuel Delivery Management System, we use PHP and MySQL Database. This project fulfills the online demand of fuels which is order by users. Vehicle Fuel Delivery Management System has three modules i.e., admin, fuel station owner and user.

1.2 EXISTING SYSTEM

The present scenario offers manual data entry. A lot of time is wasted in creating the reports as well as maintaining them. In case, if any query arises to get the information about the fuel order, queries and registered users, the whole report is re-typed or xeroxed. This seriously affects the authentication of the system. This Vehicle Fuel Delivery Management System is totally outdated and involves high risk of ambiguity and redundancy.

1.3 PROPOSED SYSTEM

The proposed Vehicle Fuel Delivery Management System is to have everything completely automated and computerized. The software is very easy to use and manage even for a non-technical person. The redundancy and ambiguity will be removed by assigning every order a unique number (i.e Order Number).

1.3.1 HARDWARE SPECIFICATION

• Processor : Dual core processor 2.6.0 GHz

• RAM : 1GB

• Hard disk : 160 GB

• Compact Disk : 650 MB

Keyboard : Standard keyboard

• Monitor : 15-inch color monitor

1.3.2 SOFTWARE SPECIFICATION

• Front End : PHP

• MySQL : MySQL

• Platform : Windows 10 Pro

2. LOGICAL DEVELOPMENT

2.1 DATA FLOW DIAGRAM

A two-dimensional diagram explains how data is processed and transferred in a system. The graphical depiction identifies each source of data and how it interacts with other data sources to reach a common output. Individuals seeking to draft a data flow diagram must identify external inputs and outputs, determine how the inputs and outputs relate to each other, and explain with graphics how these connections relate and what they result in. This type of diagram helps business development and design teams visualize how data is processed and identify or improve certain aspects.

LEVEL 0

DFD Level 0 is also called a Context Diagram. It's a basic overview of the whole system or process being analyzed or modeled. It's designed to be an at-a-glance view, showing the system as a single high-level process, with its relationship to external entities. It should be easily understood by a wide audience, including stakeholders, business analysts, data analysts and developers.




Fig 2.1 level 0 DFD

LEVEL 1

DFD Level 1 provides a more detailed breakout of pieces of the Context Level Diagram. You will highlight the main functions carried out by the system, as you break down the highlevel process of the Context Diagram into its sub – processes. A level 1 data flow diagram (DFD) is more detailed than a level 0 DFD but not as detailed as a level 2 DFD. It breaks down the main processes into sub processes that can then be analyzed and improved on a more intimate level.




Fig 2.2 level 1 DFD




Fig 2.3 level 2 DFD




Fig 2.3 level 2 DFD

2.2 ARCHITECTURE DESIGN

A system architecture or systems architecture is the conceptual model that defines the structure, behavior, and more views of a system. An architecture description is a formal description and representation of a system, organized in a way that supports reasoning about the structures and behaviors of the system. System architecture can comprise system components, the externally visible properties of those components, the relationships (e.g., the behavior) between them. It can provide a plan from which products can be procured, and systems developed, that will work together to implement the overall system. There have been efforts to formalize languages to describe system architecture; collectively these are called architecture description languages (ADLs).

Various organizations define systems architecture in different ways, including:

- An allocated arrangement of physical elements which provides the design solution for a consumer product or life-cycle process intended to satisfy the requirements of the functional architecture and the requirements baseline.
- Architecture comprises the most important, pervasive, top-level, strategic inventions, decisions, and their associated rationales about the overall structure (i.e., essential elements and their relationships) and associated characteristics and behaviour.
- If documented, it may include information such as a detailed inventory of current hardware, software and networking capabilities; a description of long-range plans and priorities for future purchases, and a plan for upgrading and/or replacing dated equipment and software.

An architecture diagram is a graphical representation of a set of concepts that are part of architecture, including their principles, elements and components. Architecture diagram can help system designers and developers visualize the high-level, overall structure of their system or application, in order to ensure the system meets their users' needs. Using architecture diagram, you can also describe patterns that are used throughout the design. It's somewhat like a blueprint that you use as a guide, so that you and your colleagues can discuss, improve and follow.




Fig 2.2.1 System Architecture

3. PROGRAM DESIGN

Software design is a creative activity in which you identify software components and their relationships, based on a customer's requirements. Implementation is the process of realizing the design as a program. Program design includes planning for the learning environment and experience, through conceptualizing change and selecting program activities to bring about desired results. Program design fits into the "Conceptualize Change" and "Design" sections of Extension's Framework for Ongoing Program Development.

3.1 MODULES

ADMIN

- > Dashboard
- > State
- > City
- > Fuel Price
- Page
- > Reports
- > Enquiry
- > Search
- ➤ Reg User
- ➤ Reg Fuel Station Owner

FUEL STATION OWNER MODULE

- Dashboard
- > Fuel Station
- > Order of Fuel
- ➤ Reports
- > Search

USER MODULE

- Dashboard
- > Order Your Fuel
- > Order Status
- > Search

3.2 MODULES DESCRIPTION

ADMIN

- **1. Dashboard**: In this section, admin can briefly view the total registered users, total registered fuel station owner, total state, total city, total read enquires and total unread enquires.
- 2. State: In this section, admin can manage state (add/update/delete).
- **3.** City: In this section, admin can manage city (add/update/delete).
- **4. Fuel Price:** In this section, admin can manage fuel price (add/delete).
- **5. Page:** In this section, admin can manage about us and contact us pages.
- **6. Reports:** In this section admin can view order details of fuel which is received by fuel station in a particular period.
- **7. Enquiry:** In this section, admin can view and maintain the enquiry.
- **8. Search:** In this section, admin can search order details with the help of his/her mobile number and order number.
- **9. Reg Users:** In this section, admin can view the detail of registered users.
- **10. Reg Fuel Station Owner:** In this section, admin can view the detail of registered fuel station owner.

Admin can also update his profile, change the password and recover the password.

FUEL OWNER MODULE

- 1. **Dashboard**: In this section, owner can briefly view the total fuel station, total new order, total confirmed order, total cancelled order, total on the way order and total delivered order.
- **2.** Fuel Station: In this section, owner can manage fuel station(add/delete/update).
- 3. Order of Fuel: In this section, owner can view the fuel orders which are received by different fuel station and also have right to change the status of order according to current status.
- **4. Reports:** In this section owner can view order details of fuel which is received by fuel station in a particular period.
- **5. Search:** In this section, owner can search order details with the help of his/her mobile number and order number.

Fuel station owner can also update his profile, change the password and recover the password.

USER MODULE

User must be register himself/herself for ordering online fuel.

- **1. Dashboard:** It is welcome page for users.
- **2.** Order Your Fuel: In this section, user can order fuel(Petrol or Diesel).
- 3. Order Status: In this section, user can view the status of his fuel order.
- **4. Search:** In this section, user can search order with the help of order number, name and mobile number.

User can also update his profile, change the password and recover the password.

4. TESTING

Testing is a series of different tests that whose primary purpose is to fully exercise the computer-based system. Although each test has a different purpose, all work should verify that all system element has been properly integrated and performed allocated function. Testing is the process of checking whether the developed system works according to the actual requirement and objectives of the system. The philosophy behind testing is to find the errors. A good test is one that has a high probability of finding an undiscovered error. A successful test is one that uncovers the undiscovered error. Test cases are devised with this purpose in mind. A test case is a set of data that the system will process as an input.

4.1 TEST UNITS

Test Case specification is major activity in the testing process. In this project, I have performed three levels of testing.

- 1. Unit Testing.
- 2. Integration Testing.

4.2 TEST CASE AND TEST REPORTS

4.2.1 UNIT TESTING

The first test in the development process is the unit test. The source code is normally divided into modules, which in turn are divided into smaller units called units. These units have specific behavior. The test done on these units of code is called unit test. Unit test depends upon the language on which the project is developed.




Fig 4.2.1 Unit Testing

4.2.2 INTEGRATION TESTING

Integration Testing follows unit testing and precedes system testing. Testing after the product is code complete. Betas are often widely distributed or even distributed to the public at large in hopes that they will buy the final product when it is release.




Fig 4.2.2 Integration Testing

4.2.3 SYSTEM TESTING

The process of evaluating software during the development process or at the end of the development process to determine whether it satisfies specified business requirements. System Testing ensures that the product actually meets the client's needs.




Fig 4.2.3 System Testing

5. CONCLUSION

This web application provides a computerized and automated version of Vehicle Fuel Delivery Management System which will benefit the fuel station companies and their users.

It makes entire process online and can generate reports. It has a facility of user's login where users can view their order details.

The Application was designed in such a way that future changes can be done easily. The following conclusions can be deduced from the development of the project.

FUTURE ENHANCEMENT

- o Automation of the entire system improves the productivity.
- It provides a friendly graphical user interface which proves to be better when compared to the existing system.
- It gives appropriate access to the authorized users depending on their permissions.
- o It effectively overcomes the delay in communications.
- o Updating of information becomes so easier.
- o System security, data security and reliability are the striking features.
- o The System has adequate scope for modification in future if it is necessary.

6. REFERENCES

BOOK REFERENCES

- 1) Barbara Hill, "Expanding into Diverse Geographical Wedding Markets," Vendor Spotlight Case Study Submission (2019).
- 2) Fu Yang, Jun Liu, Zhen Wang and Yucheng Zhang, "Feeling Energized: A Multilevel Model of Spiritual Leadership, Leader Integrity, Relational Energy and Job Performance," Journal of Business Ethics, 158 (2019): 983–997.
- 3) Geomyra Lewis, Anne Kelley, Wendy Joblon and Raina van Setter, "Wedding Planners Give Advice on Stress Management: 'Keep Calm and Carry On!'," Personal Communication (2012; 2019).
- 4) Raina van Setter, "Maintaining Wedding Client Satisfaction," Personal Communication (2019).
- 5) Zahra Moaven, Moji Shahvali and Reihaneh Shahvali, "From a Drop of Rose Water to an Ocean of Love," Culture Corner Case Study Submission (2019).

WEB REFERENCES

- https://www.w3schools.com/php/default.asp
- https://www.sitepoint.com/php/
- https://www.php.net/
- https://www.mysql.com/
- http://www.mysqltutorial.org
- https://www.apachefriends.org/download.html

7. APPENDIX

7.1 SOURCE CODE

Add_City.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 if(isset($_POST['submit']))
 {
$stateid=$_POST['stateid'];
$city=$_POST['city'];
$sql="insert into tblcity(Stateid,City)values(:stateid,:city)";
$query=$dbh->prepare($sql);
$query->bindParam(':stateid',$stateid,PDO::PARAM_STR);
$query->bindParam(':city',$city,PDO::PARAM_STR);
$query->execute();
 $LastInsertId=$dbh->lastInsertId();
 if ($LastInsertId>0) {
  echo '<script>alert("City has been added.")</script>';
```

```
echo "<script>window.location.href ='add-city.php'</script>";
 }
 else
  {
     echo '<script>alert("Something Went Wrong. Please try again")</script>';
  }
}
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Add City</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 k rel="stylesheet" href="../vendors/select2/select2.min.css">
 k rel="stylesheet" href="../vendors/select2-bootstrap-theme/select2-bootstrap.min.css">
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
```

```
</head>
<body>
 <div class="container-scroller">
  <?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
  <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-12 grid-margin stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>Add City</h3>
          <br>
          <form class="forms-sample" method="post">
           <div class="form-group">
            <label for="exampleInputName1">State</label>
             <select class="form-control" id="stateid" name="stateid" value=""</pre>
required='true'>
               <option value="">Choose the State
              <?php
```

```
$sql2 = "SELECT * from tblstate ";
query2 = dbh -> prepare(sql2);
$query2->execute();
$result2=$query2->fetchAll(PDO::FETCH_OBJ);
foreach($result2 as $row)
{
  ?>
<option value="<?php echo htmlentities($row->ID);?>"><?php echo htmlentities($row-</pre>
>State);?></option>
<?php } ?>
             </select>
           </div>
           <br>
           <div class="form-group">
             <label for="exampleInputName1">City</label>
             <input type="text" class="form-control" id="city" name="city" value=""</pre>
required='true'>
           </div>
          <br>
           <button type="submit" class="btn btn-primary mr-2"
name="submit">Update</button>
          </form>
         </div>
        </div>
       </div>
      </div>
```

```
</div>
     <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <script src="../vendors/typeahead.../js/typeahead.bundle.min.js"></script>
 <script src="../vendors/select2/select2.min.js"></script>
 <!-- End plugin is for this page -->
 <!-- Custom js for this page-->
 <script src="../js/file-upload.js"></script>
 <script src="../js/typeahead.js"></script>
 <script src="../js/select2.js"></script>
 <!-- End custom js for this page-->
</body>
```

```
</html>
<!php } ?>
```

Add_Fuel_Price.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 if(isset($_POST['submit']))
tof=\POST['tof'];
$tfp=$_POST['tfp'];
$sql="insert into tblfuelprice(Typeoffuel,TodayFuelprice)values(:tof,:tfp)";
$query=$dbh->prepare($sql);
$query->bindParam(':tof',$tof,PDO::PARAM_STR);
$query->bindParam(':tfp',$tfp,PDO::PARAM_STR);
$query->execute();
 $LastInsertId=$dbh->lastInsertId();
 if ($LastInsertId>0) {
  echo '<script>alert("fuel price has been added.")</script>';
echo "<script>window.location.href ='add-fuelprice.php'</script>";
```

```
}
 else
     echo '<script>alert("Something Went Wrong. Please try again")</script>';
  }
}
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Add Fuel Price</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 k rel="stylesheet" href="../vendors/select2/select2.min.css">
 k rel="stylesheet" href="../vendors/select2-bootstrap-theme/select2-bootstrap.min.css">
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
```

```
</head>
<body>
 <div class="container-scroller">
  <?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
  <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
       <div class="col-12 grid-margin stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>Add Fuel Price</h3>
          <br>
          <form class="forms-sample" method="post">
           <div class="form-group">
            <label for="exampleInputName1">Type of Fuel</label>
             <select class="form-control" id="tof" name="tof" value="" required='true'>
              <option value="">Select Fuel Type</option>
              <option value="Petrol">Petrol</option>
              <option value="Diesel">Diesel</option>
```

```
</select>
            </div>
            <div class="form-group">
             <label for="exampleInputName1">Today Fuel Price</label>
             <input type="text" class="form-control" id="tfp" name="tfp" value=""</pre>
required='true'>
            </div>
          <br>>
            <button type="submit" class="btn btn-primary mr-2"
name="submit">Add</button>
           </form>
         </div>
        </div>
       </div>
      </div>
     </div>
     <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
```

```
<!-- endinject -->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <script src="../vendors/typeahead.js/typeahead.bundle.min.js"></script>
 <script src="../vendors/select2/select2.min.js"></script>
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <script src="../js/file-upload.js"></script>
 <script src="../js/typeahead.js"></script>
 <script src="../js/select2.js"></script>
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
Add_City.php
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
```

```
header('location:logout.php');
 } else{
 if(isset($_POST['submit']))
 {
$state=$_POST['state'];
$sql="insert into tblstate(State)values(:state)";
$query=$dbh->prepare($sql);
$query->bindParam(':state',$state,PDO::PARAM_STR);
$query->execute();
 $LastInsertId=$dbh->lastInsertId();
 if ($LastInsertId>0) {
  echo '<script>alert("State has been added.")</script>';
echo "<script>window.location.href ='add-state.php'</script>";
 }
 else
  {
     echo '<script>alert("Something Went Wrong. Please try again")</script>';
  }
}
 ?>
<!DOCTYPE html>
```

```
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Add State</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 k rel="stylesheet" href="../vendors/select2/select2.min.css">
 k rel="stylesheet" href="../vendors/select2-bootstrap-theme/select2-bootstrap.min.css">
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller"</pre>
  <?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-12 grid-margin stretch-card">
        <div class="card">
         <div class="card-body">
```

```
<h3>Add State</h3>
          <br>
           <form class="forms-sample" method="post">
            <div class="form-group">
             <label for="exampleInputName1">State</label>
              <input type="text" class="form-control" id="state" name="state" value=""</pre>
required='true'>
            </div>
          <br>
            <button type="submit" class="btn btn-primary mr-2"</pre>
name="submit">Add</button>
           </form>
         </div>
        </div>
       </div>
      </div>
     </div>
     <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
```

```
<!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <script src="../vendors/typeahead.../js/typeahead.bundle.min.js"></script>
 <script src="../vendors/select2/select2.min.js"></script>
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <script src="../js/file-upload.js"></script>
 <script src="../js/typeahead.js"></script>
 <script src="../js/select2.js"></script>
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

Dashboard.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
  header('location:logout.php');
} else{</pre>
```

```
?><!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Dashboard</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 k rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css"/>
 k rel="stylesheet" href="../vendors/font-awesome/css/font-awesome.min.css">
 k rel="stylesheet" href="../vendors/jquery-bar-rating/fontawesome-stars-o.css">
 k rel="stylesheet" href="../vendors/jquery-bar-rating/fontawesome-stars.css">
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
```

```
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
      <div class="col-sm-12 mb-4 mb-xl-0">
        <?php
$aid=$_SESSION['hlmsaid'];
$sql="SELECT AdminName,Email from tbladmin where ID=:aid";
$query = $dbh -> prepare($sql);
$query->bindParam(':aid',$aid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
         ?>
        <h4 class="font-weight-bold text-dark">Hi, welcome back! <?php echo $row-
>AdminName;?></h4>
        <?php $cnt=$cnt+1;}} ?>
      </div>
     </div>
```

{

{

```
<div class="row mt-3">
      <div class="col-xl-3 flex-column d-flex grid-margin stretch-card">
        <div class="row flex-grow">
         <div class="col-sm-12 grid-margin stretch-card">
           <div class="card">
            <div class="card-body">
              <?php
             $sql1 ="SELECT * from tbluser";
$query1 = $dbh -> prepare($sql1);
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$totuser=$query1->rowCount();
?>
              <h4 class="card-title">Total Reg Users</h4>
              <h4><?php echo htmlentities($totuser);?></h4>
               <hr />
               <a href="reg-users.php"><h5 class="text-dark font-weight-bold mb-2">View
Detail</h5></a>
            </div>
           </div>
           
           <div class="card">
            <div class="card-body">
              <?php
             $sql2 ="SELECT * from tblfuelstationowner";
query2 = dh -> prepare(sql2);
$query2->execute();
```

```
$results2=$query2->fetchAll(PDO::FETCH_OBJ);
$totfsowner=$query2->rowCount();
?>
              <h4 class="card-title">Reg Fuel Station Owner</h4>
               <h4><?php echo htmlentities($totfsowner);?></h4>
              <hr />
               <a href="reg-fuelstationowner.php"><h5 class="text-dark font-weight-bold"><n-
mb-2">View Detail</h5></a>
            </div>
           </div>
        
           <div class="card">
            <div class="card-body">
              <?php
             $sql3 ="SELECT * from tblstate";
query3 = dbh -> prepare(sql3);
$query3->execute();
$results3=$query3->fetchAll(PDO::FETCH_OBJ);
$totstate=$query3->rowCount();
?>
              <h4 class="card-title">Total State</h4>
              <h4><?php echo htmlentities($totstate);?></h4>
              <hr />
               <a href="manage-state.php"><h5 class="text-dark font-weight-bold mb-
2">View Detail</h5></a>
```

```
</div>
           </div>
          
           <div class="card">
            <div class="card-body">
              <?php
             $sql4 ="SELECT * from tblcity";
$query4 = $dbh -> prepare($sql4);
$query4->execute();
$results4=$query4->fetchAll(PDO::FETCH_OBJ);
$totcity=$query4->rowCount();
?>
              <h4 class="card-title">Total City</h4>
              <h4><?php echo htmlentities($totcity);?></h4>
              <hr />
               <a href="manage-city.php"><h5 class="text-dark font-weight-bold mb-
2">View Detail</h5></a>
            </div>
           </div>
         </div>
```

```
<div class="card">
            <div class="card-body">
              <?php
             $sql6 ="SELECT * from tblcontact where IsRead is null";
$query6 = $dbh -> prepare($sql6);
$query6->execute();
$results6=$query6->fetchAll(PDO::FETCH_OBJ);
$unreadenq=$query6->rowCount();
?>
              <h4 class="card-title">Unread Enquiry</h4>
              <h4><?php echo htmlentities($unreadenq);?></h4>
              <hr />
               <a href="unread-enquiry.php"><h5 class="text-dark font-weight-bold mb-
2">View Detail</h5></a>
            </div>
           </div>
       
           <div class="card">
           <div class="card-body">
              <?php
             $sq17 ="SELECT * from tblcontact where IsRead='1'";
query7 = dbh -> prepare(sql7);
$query7->execute();
$results7=$query7->fetchAll(PDO::FETCH_OBJ);
$readenq=$query7->rowCount();
?>
```

```
<h4 class="card-title">Read Enquiry</h4>
               <h4><?php echo htmlentities($readenq);?></h4>
               <hr />
               <a href="ead-enquiry.php"><h5 class="text-dark font-weight-bold mb-
2">View Detail</h5></a>
            </div>
           </div>
         </div>
        </div>
         </div>
        </div>
       </div>
     </div>
    </div>
    <!-- content-wrapper ends -->
    <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
```

</div>

```
<!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin js for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <script src="../vendors/chart.js/Chart.min.js"></script>
 <script src="../vendors/jquery-bar-rating/jquery.barrating.min.js"></script>
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <script src="../js/dashboard.js"></script>
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

Forgot_password.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if(isset($_POST['submit']))
 {
  $email=$_POST['email'];
$mobile=$ POST['mobile'];
$newpassword=md5($_POST['newpassword']);
 $sql ="SELECT Email FROM tbladmin WHERE Email=:email and
MobileNumber=:mobile";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM_STR);
$query-> bindParam(':mobile', $mobile, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
if(\text{query -> rowCount}() > 0)
{
$con="update tbladmin set Password=:newpassword where Email=:email and
MobileNumber=:mobile";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM_STR);
$chngpwd1-> bindParam(':mobile', $mobile, PDO::PARAM_STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
```

```
echo "<script>alert('Your Password succesfully changed');</script>";
}
else {
echo "<script>alert('Email id or Mobile no is invalid');</script>";
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Login Page</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
 <script type="text/javascript">
function valid()
{
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
```

```
{
alert("New Password and Confirm Password Field do not match !!");
document.chngpwd.confirmpassword.focus();
return false;
}
return true;
}
</script>
</head>
<body>
 <div class="container-scroller">
  <div class="container-fluid page-body-wrapper full-page-wrapper">
   <div class="content-wrapper d-flex align-items-stretch auth auth-img-bg">
    <div class="row flex-grow">
     <div class="col-lg-6 d-flex align-items-center justify-content-center">
       <div class="auth-form-transparent text-left p-3">
        <div class="brand-logo">
         <h3 style="font-style: italic;">Forgot Password!!!</h3>
        </div>
        <h4>Reset Your Password!</h4>
        <h6 class="font-weight-light">Fill the following info!</h6>
        <form class="pt-3" method="post" name="chngpwd" onSubmit="return valid();">
         <div class="form-group">
          <label for="exampleInputEmail">Email</label>
          <div class="input-group">
           <div class="input-group-prepend bg-transparent">
```

```
<span class="input-group-text bg-transparent border-right-0">
              <i class="mdi mdi-account-outline text-primary"></i>
             </span>
            </div>
            <input type="email" class="form-control form-control-lg border-left-0"</pre>
placeholder="Email" required="true" name="email">
          </div>
         </div>
         <div class="form-group">
          <label for="exampleInputEmail">Mobile Number</label>
          <div class="input-group">
            <div class="input-group-prepend bg-transparent">
             <span class="input-group-text bg-transparent border-right-0">
              <i class="mdi mdi-account-outline text-primary"></i>
             </span>
            </div>
            <input type="text" class="form-control form-control-lg border-left-0"</pre>
placeholder="Mobile Number" required="true" name="mobile" maxlength="10" pattern="[0-
9]+">
          </div>
         </div>
         <div class="form-group">
          <label for="exampleInputPassword">New Password</label>
          <div class="input-group">
            <div class="input-group-prepend bg-transparent">
             <span class="input-group-text bg-transparent border-right-0">
              <i class="mdi mdi-lock-outline text-primary"></i>
             </span>
```

```
<input type="password" class="form-control form-control-lg border-left-0"</pre>
name="newpassword" placeholder="New Password" required="true">
          </div>
         </div>
          <div class="form-group">
          <label for="exampleInputPassword">Confirm Password</label>
          <div class="input-group">
           <div class="input-group-prepend bg-transparent">
            <span class="input-group-text bg-transparent border-right-0">
              <i class="mdi mdi-lock-outline text-primary"></i>
            </span>
           </div>
           <input type="password" class="form-control form-control-lg border-left-0"</pre>
name="confirmpassword" placeholder="Confirm Password" required="true">
          </div>
         </div>
         <div class="my-3">
          <button type="submit" class="btn btn-block btn-info btn-lg font-weight-medium
auth-form-btn" name="submit">RESET</button>
          <br>
           <a href="../index.php">Back Home!!</a>
         </div>
```

</div>

```
</form>
      </div>
     </div>
     <div class="col-lg-6 login-half-bg d-flex flex-row">
      Fuel
Delivery Management System @ 2022.
     </div>
    </div>
   </div>
   <!-- content-wrapper ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- inject:js -->
 <script src="js/off-canvas.js"></script>
 <script src="js/hoverable-collapse.js"></script>
 <script src="js/template.js"></script>
 <!-- endinject -->
</body>
</html>
```

Fuel_stations.php

```
<?php
session_start();
//error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||Manage Fuel Station</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
```

```
<div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
      <div class="col-lg-12 stretch-card">
       <div class="card">
        <div class="card-body">
         <h3><?php echo $_GET['username'];?>'s' Fuel Stations</h3>
         <div class="table-responsive pt-3">
          <thead>
            <th>>S.No</th>
                    State
                    City
                    Name of Petrol Pump
                    Location of Petrol Pump
                    Creation Date
                      </thead>
           <?php
              $uid=$_GET['fid'];
$sql="SELECT tblstate.ID as sid,tblstate.State,tblcity.ID as
cid,tblcity.Stateid,tblcity.City,tblfuelstation.ID as
fsid,tblfuelstation.OwnerID,tblfuelstation.Stateid as fssid,tblfuelstation.Cityid as
fscid,tblfuelstation.NameoffuelStation,tblfuelstation.LocationoffuelStation,tblfuelstation.Creati
                                      47
```

<?php include_once('includes/header.php');?>

<div class="container-fluid page-body-wrapper">

<?php include_once('includes/sidebar.php');?>

```
onDate from tblfuelstation join tblstate on tblstate.ID=tblfuelstation.Stateid join tblcity on
tblcity.ID=tblfuelstation.Cityid where tblfuelstation.OwnerID=:uid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':uid', $uid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
         ?>
             <?php echo htmlentities($cnt);?>
                     <?php echo htmlentities($row->State);?>
                     <?php echo htmlentities($row->City);?>
                     <?php echo htmlentities($row->NameoffuelStation);?>
                     <?php echo htmlentities($row->LocationoffuelStation);?>
                     <?php echo htmlentities($row->CreationDate);?>
             <?php $cnt=$cnt+1;}} ?>
           </div>
        </div>
       </div>
      </div>
     </div>
    </div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
```

```
<!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin is for this page-->
 <!-- End plugin is for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <!-- End plugin is for this page -->
 <!-- Custom is for this page-->
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
Login.php
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if(isset($_POST['login']))
  $username=$_POST['username'];
  $password=md5($_POST['password']);
```

```
$sql ="SELECT ID FROM tbladmin WHERE UserName=:username and
Password=:password";
  $query=$dbh->prepare($sql);
  $query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
  $query-> execute();
  $results=$query->fetchAll(PDO::FETCH_OBJ);
  if($query->rowCount() > 0)
foreach ($results as $result) {
$_SESSION['hlmsaid']=$result->ID;
}
 if(!empty($_POST["remember"])) {
//COOKIES for username
setcookie ("user login",$ POST["username"],time()+ (10 * 365 * 24 * 60 * 60));
//COOKIES for password
setcookie ("userpassword",$_POST["password"],time()+ (10 * 365 * 24 * 60 * 60));
} else {
if(isset($_COOKIE["user_login"])) {
setcookie ("user_login","");
if(isset($_COOKIE["userpassword"])) {
setcookie ("userpassword","");
    }
   }
}
$_SESSION['login']=$_POST['username'];
echo "<script type='text/javascript'> document.location ='dashboard.php'; </script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
?>
<!DOCTYPE html>
```

```
<html lang="en">
<head>
 <title>Fuel Delivery Management System || Login Page</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <div class="container-fluid page-body-wrapper full-page-wrapper">
   <div class="content-wrapper d-flex align-items-stretch auth auth-img-bg">
    <div class="row flex-grow">
      <div class="col-lg-6 d-flex align-items-center justify-content-center">
       <div class="auth-form-transparent text-left p-3">
        <div class="brand-logo">
         <h3 style="font-style: italic;">Login Panel For Admin</h3>
        </div>
        <h4>Welcome back!</h4>
        <h6 class="font-weight-light">Happy to see you again!</h6>
        <form class="pt-3" method="post">
         <div class="form-group">
          <label for="exampleInputEmail">Username</label>
          <div class="input-group">
            <div class="input-group-prepend bg-transparent">
             <span class="input-group-text bg-transparent border-right-0">
```

```
<i class="mdi mdi-account-outline text-primary"></i>
             </span>
           </div>
           <input type="text" class="form-control form-control-lg border-left-0"</pre>
placeholder="User Name" required="true" name="username" value="<?php
if(isset($ COOKIE["user login"])) { echo $ COOKIE["user login"]; } ?>" >
          </div>
         </div>
         <div class="form-group">
          <label for="exampleInputPassword">Password</label>
          <div class="input-group">
           <div class="input-group-prepend bg-transparent">
             <span class="input-group-text bg-transparent border-right-0">
              <i class="mdi mdi-lock-outline text-primary"></i>
             </span>
           </div>
           <input type="password" class="form-control form-control-lg border-left-0"</pre>
placeholder="Password" name="password" required="true" value="<?php
if(isset($_COOKIE["userpassword"])) { echo $_COOKIE["userpassword"]; } ?>">
          </div>
         </div>
         <div class="my-2 d-flex justify-content-between align-items-center">
          <div class="form-check">
            <label class="form-check-label text-muted">
<input type="checkbox" id="remember" class="form-check-input" name="remember" <?php</pre>
if(isset($_COOKIE["user_login"])) { ?> checked <?php } ?>>
             Keep me signed in
           </label>
          </div>
          <a href="forgot-password.php" class="auth-link text-black">Forgot password?</a>
         </div>
         <div class="my-3">
```

```
<button type="submit" class="btn btn-block btn-info btn-lg font-weight-medium
auth-form-btn" name="login">LOGIN</button>
         <br>
          <a href="../index.php">Back Home!!</a>
        </div>
       </form>
      </div>
     </div>
     <div class="col-lg-6 login-half-bg d-flex flex-row">
      Fuel
Delivery Management System
     </div>
    </div>
   </div>
   <!-- content-wrapper ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
</body>
</html>
```

Logout.php

```
<?php
session_start();
session_unset();
session_destroy();
header('location:login.php');
?>
```

Manage_fuel_price.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
if(isset($_GET['delid']))
{
$rid=intval($_GET['delid']);
$sql="delete from tblfuelprice where ID=:rid";
$query=$dbh->prepare($sql);
$query->bindParam(':rid',$rid,PDO::PARAM_STR);
$query->execute();
echo "<script>alert('Data deleted');</script>";
 echo "<script>window.location.href = 'manage-fuelprice.php'</script>";
}
 ?>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||Manage fuelprice</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
      <div class="col-lg-12 stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>Manage Fuel Price</h3>
          <div class="table-responsive pt-3">
           <thead>
```

```
<th>>S.No</th>
                    Type of Fuel
                   Today Fuel Price
                   Creation Date
                  Action
                      </thead>
          <?php
$sql="SELECT * from tblfuelprice";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
        ?>
            <?php echo htmlentities($cnt);?>
                   <?php echo htmlentities($row->Typeoffuel);?>
                   <?php echo htmlentities($row->TodayFuelprice);?>
                   <?php echo htmlentities($row->CreationDate);?>
                   <a class="btn btn-sm btn-primary" href="edit-
fuelprice.php?editid=<?php echo htmlentities ($row->ID);?>">Edit</a> <a class="btn btn-sm
btn-primary" href="manage-fuelprice.php?delid=<?php echo ($row->ID);?>" onclick="return
confirm('Do you really want to Delete ?');">Delete</a>
           <?php $cnt=$cnt+1;}} ?>
```

```
</div>
          </div>
        </div>
       </div>
      </div>
     </div>
     <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin js for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

Orders.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System ||Order </title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
```

```
<?php include_once('includes/header.php');?>
 <div class="container-fluid page-body-wrapper">
  <?php include_once('includes/sidebar.php');?>
  <div class="main-panel">
   <div class="content-wrapper">
    <div class="row">
     <div class="col-lg-12 stretch-card">
     <div class="card">
      <div class="card-body">
       <h3><?php echo $_GET['username'];?>'s Orders</h3>
       <div class="table-responsive pt-3">
        <thead>
          <th>>S.No</th>
                 Order Number
                 Name
                 Mobile Number
                 Email
                 Name of fuel station
                Status
                Order Date
                 Action
                   </thead>
         <?php
           $uid=$_GET['userid'];
```

\$sql="SELECT tbluser.FullName,tbluser.MobileNumber,tbluser.Email, tblorderfuel.ordernum,tblorderfuel.OrderDate,tblorderfuel.ID as

```
orderid,tblfuelstation.NameoffuelStation, tblorderfuel.UserID,tblorderfuel.Status from
tblorderfuel join tbluser on tbluser.ID= tblorderfuel.UserID
join tblfuelstation on tblfuelstation.ID=tblorderfuel.fuelStationid
where tbluser.ID=:uid";
$query = $dbh -> prepare($sql);
$query->bindParam(':uid',$uid,PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
         ?>
             <?php echo htmlentities($cnt);?>
                     <?php echo htmlentities($row->ordernum);?>
                     <?php echo htmlentities($row->FullName);?>
                     <?php echo htmlentities($row->MobileNumber);?>
                     <?php echo htmlentities($row->Email);?>
                     <?php echo htmlentities($row->NameoffuelStation);?>
                        <?php if($row->Status==""){ ?>
           <?php echo "Not Updated Yet"; ?>
<?php } else { ?>
                        <?php echo htmlentities($row->Status);?>
         <?php } ?>
         <?php echo htmlentities($row->OrderDate);?>
                     <a class="btn btn-sm btn-primary" href="view-order-
detail.php?editid=<?php echo htmlentities ($row->orderid);?>&&oid=<?php echo htmlentities
($row->ordernum);?>">View</a>
             <?php $cnt=$cnt+1;}} ?>
```

```
</div>
          </div>
        </div>
       </div>
      </div>
     </div>
     <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin js for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

Profile.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
header('location:logout.php');
 } else{
  if(isset($_POST['submit']))
  $adminid=$_SESSION['hlmsaid'];
  $AName=$_POST['adminname'];
 $mobno=$_POST['mobilenumber'];
 $email=$_POST['email'];
 $sql="update tbladmin set
AdminName=:adminname,MobileNumber=:mobilenumber,Email=:email where ID=:aid";
  $query = $dbh->prepare($sql);
  $query->bindParam(':adminname',$AName,PDO::PARAM_STR);
  $query->bindParam(':email',$email,PDO::PARAM_STR);
  $query->bindParam(':mobilenumber',$mobno,PDO::PARAM_STR);
  $query->bindParam(':aid',$adminid,PDO::PARAM_STR);
$query->execute();
    echo '<script>alert("Profile has been updated")</script>';
 }
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```
<title>Fuel Delivery Management System|| Profile</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- plugin css for this page -->
 k rel="stylesheet" href="../vendors/select2/select2.min.css">
 k rel="stylesheet" href="../vendors/select2-bootstrap-theme/select2-bootstrap.min.css">
 <!-- End plugin css for this page -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-12 grid-margin stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>Admin Profile</h3>
          <br/>br>
```

```
<form class="forms-sample" method="post">
           <?php
$sql="SELECT * from tbladmin";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
           <div class="form-group">
             <label for="exampleInputName1">Admin Name</label>
             <input type="text" class="form-control" id="exampleTextInput1"</pre>
name="adminname" value="<?php echo $row->AdminName;?>" required='true'>
           </div>
           <div class="form-group">
             <label for="exampleInputEmail3">User Name</label>
             <input type="text" class="form-control" id="email2" name="username"</pre>
value="<?php echo $row->UserName;?>" readonly="true">
           </div>
           <div class="form-group">
             <label for="exampleInputPassword4">Email</label>
            <input type="email" class="form-control" id="email2" name="email"</pre>
value="<?php echo $row->Email;?>" required='true'>
           </div>
           <div class="form-group">
             <label for="exampleSelectGender">Contact Number</label>
             <input type="text" class="form-control" id="email2" name="mobilenumber"</pre>
value="<?php echo $row->MobileNumber;?>" required='true' maxlength='10'>
             </div>
             <div class="form-group">
             <label for="exampleSelectGender">Registration Date</label>
```

```
<input type="text" class="form-control" id="email2" name="" value="<?php</pre>
echo $row->RegDate;?>" readonly="true">
</div>
         <?php $cnt=$cnt+1;}} ?>
          <br>
            <button type="submit" class="btn btn-primary mr-2"
name="submit">Update</button>
           </form>
         </div>
        </div>
       </div>
      </div>
    </div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <script src="../vendors/typeahead.js/typeahead.bundle.min.js"></script>
 <script src="../vendors/select2/select2.min.js"></script>
```

```
<!-- End plugin js for this page -->
<!-- Custom js for this page-->
<script src="../js/file-upload.js"></script>
<script src="../js/typeahead.js"></script>
<script src="../js/select2.js"></script>
<!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

Reg_fuelstationowner.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||View Registered</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
```

```
<link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
      <div class="col-lg-12 stretch-card">
       <div class="card">
        <div class="card-body">
         <h3>View Registered Fuel Station Owner</h3>
         <div class="table-responsive pt-3">
          <thead>
            <th>>S.No</th>
                    Full Name
                    Mobile Number
                    Email
                    Date of Registration
                    Action
                      </thead>
```

```
<?php
$sql="SELECT * from tblfuelstationowner";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
        ?>
             <?php echo htmlentities($cnt);?>
                    <?php echo htmlentities($row->FullName);?>
                    <?php echo htmlentities($row->MobileNumber);?>
<?php echo htmlentities($row->Email);?>
                    <?php echo htmlentities($row->RegDate);?>
                     <a href="fuel-stations.php?fid=<?php echo htmlentities($row-
>ID);?>&&username=<?php echo htmlentities($row->FullName);?>" class="btn btn-
primary">View Fuel Stations</a>
            <?php $cnt=$cnt+1;}} ?>
           </div>
        </div>
       </div>
      </div>
     </div>
    </div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
```

```
</div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin js for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin is for this page -->
 <!-- End plugin is for this page -->
 <!-- Custom js for this page-->
 <!-- End custom js for this page-->
</body>
</html>
<?php } ?>
Reg_users.php
```

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
```

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||View Registered</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-lg-12 stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>View Registered Users</h3>
```

<div class="table-responsive pt-3">

```
<thead>
          <th>>S.No</th>
                  Full Name
                  Mobile Number
                  Email
                  Date of Registration
                  Action
                   </thead>
          <?php
$sql="SELECT * from tbluser";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
foreach($results as $row)
       ?>
           <?php echo htmlentities($cnt);?>
                  <?php echo htmlentities($row->FullName);?>
                  <?php echo htmlentities($row->MobileNumber);?>
<?php echo htmlentities($row->Email);?>
                  <?php echo htmlentities($row->RegDate);?>
                  <a href="orders.php?userid=<?php echo htmlentities($row-
>ID);?>&&username=<?php echo htmlentities($row->FullName);?>" class="btn btn-
primary">Orders</a>
```

```
<?php $cnt=$cnt+1;}} ?>
             </div>
         </div>
        </div>
       </div>
      </div>
    </div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin is for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <!-- End custom is for this page-->
</body>
</html>
<?php } ?>
```

View_order_detail.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System || View Order Details</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
```

```
<?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-lg-12 stretch-card">
        <div class="card">
         <div class="card-body">
           <h3>View Order Details</h3>
           <div class="table-responsive pt-3">
            <?php
           $eid=$_GET['editid'];
$sql="SELECT tbluser.FullName,tbluser.MobileNumber,tbluser.Email,
tblorderfuel.ordernum,tblorderfuel.ID as
orderid,tblstate.ID,tblstate.State,tblcity.ID,tblcity.City,tblcity.Stateid,tblfuelstation.ID,tblfuelst
ation.OwnerID,tblfuelstation.Stateid,tblfuelstation.Cityid,tblfuelstation.NameoffuelStation,tblf
uelstation.LocationoffuelStation,tblfuelprice.ID,tblfuelprice.Typeoffuel as
type,tblfuelprice.TodayFuelprice,
tblorderfuel.ID,tblorderfuel.ordernum,tblorderfuel.UserID,tblorderfuel.Stateid,tblorderfuel.Cit
yid,tblorderfuel.fuelStationid,tblorderfuel.Typeoffuel,tblorderfuel.FuelPrice,tblorderfuel.Dateo
ffueldelivery,tblorderfuel.Timeoffueldeliver,tblorderfuel.Quantityoffuel,tblorderfuel.Delivery
Address,tblorderfuel.ModeofPayment,tblorderfuel.OrderDate,tblorderfuel.Remark,tblorderfuel
.Status from tblorderfuel join tbluser on tbluser.ID= tblorderfuel.UserID join tblstate on
tblstate.ID=tblorderfuel.Stateid join tblcity on tblcity.ID=tblorderfuel.Cityid join tblfuelstation
on tblfuelstation.ID=tblorderfuel.fuelStationid join tblfuelprice on
tblfuelprice.ID=tblorderfuel.Typeoffuel where tblorderfuel.ID=:eid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':eid', $eid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
```

{

```
foreach($results as $row)
    ?>
{
     Customer Details: (Order Number: <?php echo $orderno=($row->ordernum);?>)
Full Name
 <?php echo $row->FullName;?>
 Mobile Number
 <?php echo $row->MobileNumber;?>
 Email
 <?php echo $row->Email;?>
Fuel Station Details
Name of Fuel Station
 <?php echo $row->NameoffuelStation;?>
 State of Fuel Station
 <?php echo $row->State;?>
City of Fuel Station
 <?php echo $row->City;?>
 Address of Fuel Station
 <?php echo $row->LocationoffuelStation;?>
```

```
Order Details
Order Received State
<?php echo $row->State;?>
Order Received City
<?php echo $row->City;?>
Type of Fuel
<?php echo $row->type;?>
Fuel Price
<?php echo $row->FuelPrice;?>
Fuel Delivery Date
<?php echo $row->Dateoffueldelivery;?>
Fuel Delivery Time
<?php echo $row->Timeoffueldeliver;?>
Quantity of fuel(in ltr)
<?php echo $row->Quantityoffuel;?>
Delivery Address
<?php echo $row->DeliveryAddress;?>
Mode of Payment
```

```
<?php echo $row->ModeofPayment;?>
 Order Final Status
 <?php $status=$row->Status;
if($row->Status=="Confirmed")
 echo "Your order has been confirmed";
if($row->Status=="On The Way")
 echo "Fuel Delivery Boy is on the way";
}
if($row->Status=="Delivered")
{
echo "Fuel order has been delivered";
}
if($row->Status=="Cancelled")
echo "Fuel order has been cancelled";
}
if($row->Status=="")
 echo "Not Response Yet";
}
  ;?>
  Admin Remark
  <?php if($row->Status==""){ ?>
          <?php echo "Not Updated Yet"; ?>
<?php } else { ?>
```

```
<?php echo htmlentities($row->Status);?>
      <?php } ?>
<?php
if ($status=="Delivered"){
?>
<table id="datatable" class="table table-bordered dt-responsive nowrap" style="border-
collapse: collapse; border-spacing: 0; width: 100%;">
Invoice History
#
 Order Quantity(in ltr)
Fuel Price(per ltr)
Total Price
<?php echo $cnt;?>
<?php echo $qf=$row->Quantityoffuel;
?>
$<?php echo $fp=$row->FuelPrice;?>
 $<?php echo $gt= $fp*$qf;?>
Grand Total
$<?php echo $gt;?>
```

```
<?php }?>
<?php $cnt=$cnt+1;}} ?>
                 <?php
$oid=$_GET['oid'];
 if($status!=""){
$ret="select tbltracking.Remark,tbltracking.Status,tbltracking.UpdationDate from tbltracking
where tbltracking.OrderNumber =:oid";
$query = $dbh -> prepare($ret);
$query-> bindParam(':oid', $oid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
?>
<table id="datatable" class="table table-bordered dt-responsive nowrap" style="border-
collapse: collapse; border-spacing: 0; width: 100%;">
Tracking History
#
Remark
Status
Time
<?php
foreach($results as $row)
        ?>
{
<?php echo $cnt;?>
<?php echo $row->Remark;?>
<?php echo $row->Status;
?>
```

```
<?php echo $row->UpdationDate;?>
<?php $cnt=$cnt+1;} ?>
<?php }
?>
</div>
 </div>
</div>
</div>
</div>
</div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin is for this page-->
 <!-- End plugin js for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <!-- End plugin js for this page -->
 <!-- Custom is for this page-->
```

```
<!-- End custom js for this page-->
</body>
</html>
<?php } ?>
```

View_enquiry.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
$vid=$_GET['viewid'];
$isread=1;
$sql= "update tblcontact set IsRead=:isread where ID=:vid";
$query=$dbh->prepare($sql);
$query->bindParam(':isread',$isread,PDO::PARAM_STR);
$query->bindParam(':vid',$vid,PDO::PARAM_STR);
$query->execute();
 ?>
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||View Enquiry</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
```

```
<!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
      <div class="row">
       <div class="col-lg-12 stretch-card">
        <div class="card">
         <div class="card-body">
          <h3>View Enquiry</h3>
          <div class="table-responsive pt-3">
            <?php
$sql="SELECT * from tblcontact where ID=:vid";
$query = $dbh -> prepare($sql);
$query->bindParam(':vid',$vid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
{
foreach($results as $row)
          ?>
{
```

```
Name
<?php echo htmlentities($row->Name);?>
Email
<?php echo htmlentities($row->Email);?>
      Message
<?php echo htmlentities($row->Message);?>
<?php $cnt=$cnt+1;}} ?>
       </div>
      </div>
     </div>
    </div>
   </div>
  </div>
  <!-- content-wrapper ends -->
 <?php include_once('includes/footer.php');?>
 </div>
 <!-- main-panel ends -->
</div>
<!-- page-body-wrapper ends -->
</div>
<!-- container-scroller -->
<!-- base:js -->
<script src="../vendors/base/vendor.bundle.base.js"></script>
<!-- endinject -->
<!-- Plugin is for this page-->
<!-- End plugin js for this page-->
<!-- inject:js -->
<script src="../js/off-canvas.js"></script>
```

```
<script src="../js/hoverable-collapse.js"></script>
  <script src="../js/template.js"></script>
  <!-- endinject -->
  <!-- plugin js for this page -->
  <!-- End plugin js for this page -->
  <!-- Custom js for this page-->
  <!-- End custom js for this page-->
  </body>
</html>

<
```

Unread_enquiry.php

?>

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['hlmsaid']==0)) {
 header('location:logout.php');
 } else{
if(isset($_GET['delid']))
{
$rid=intval($_GET['delid']);
$sql="delete from tblcontact where ID=:rid";
$query=$dbh->prepare($sql);
$query->bindParam(':rid',$rid,PDO::PARAM_STR);
$query->execute();
echo "<script>alert('Data deleted');</script>";
echo "<script>window.location.href = 'unread-enquiry.php'</script>";
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Fuel Delivery Management System||View Unread Enquiry</title>
 <!-- base:css -->
 k rel="stylesheet" href="../vendors/mdi/css/materialdesignicons.min.css">
 k rel="stylesheet" href="../vendors/feather.css">
 k rel="stylesheet" href="../vendors/base/vendor.bundle.base.css">
 <!-- endinject -->
 <!-- inject:css -->
 <link rel="stylesheet" href="../css/style.css">
 <!-- endinject -->
</head>
<body>
 <div class="container-scroller">
  <!-- partial:partials/_navbar.html -->
<?php include_once('includes/header.php');?>
  <div class="container-fluid page-body-wrapper">
   <?php include_once('includes/sidebar.php');?>
   <div class="main-panel">
    <div class="content-wrapper">
     <div class="row">
      <div class="col-lg-12 stretch-card">
       <div class="card">
         <div class="card-body">
          <h3>View Unread Enquiry</h3>
          <div class="table-responsive pt-3">
           <thead>
```

```
<th>>S.No</th>
                   Name
                   Email
                   Date of Enquiry
                   Action
                     </thead>
          <?php
$sql="SELECT * from tblcontact where IsRead is null";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if(\text{query-}>rowCount()>0)
{
foreach($results as $row)
        ?>
 <?php echo htmlentities($cnt);?>
                   <?php echo htmlentities($row->Name);?>
                   <?php echo htmlentities($row->Email);?>
                   <?php echo htmlentities($row->EnquiryDate);?>
                   <a href="view-enquiry.php?viewid=<?php echo
htmlentities($row->ID);?>"><button class="btn btn-primary">View</button></i></a>
                    <a class="btn btn-danger" href="unread-enquiry.php?delid=<?php
echo ($row->ID);?>" onclick="return confirm('Do you really want to Delete ?');">Delete</a>
                   <?php $cnt=$cnt+1;}} else{ ?>
            No Records available.
```

```
<?php } ?>
             </div>
         </div>
        </div>
       </div>
      </div>
    </div>
    <!-- content-wrapper ends -->
   <?php include_once('includes/footer.php');?>
   </div>
   <!-- main-panel ends -->
  </div>
  <!-- page-body-wrapper ends -->
 </div>
 <!-- container-scroller -->
 <!-- base:js -->
 <script src="../vendors/base/vendor.bundle.base.js"></script>
 <!-- endinject -->
 <!-- Plugin js for this page-->
 <!-- End plugin is for this page-->
 <!-- inject:js -->
 <script src="../js/off-canvas.js"></script>
 <script src="../js/hoverable-collapse.js"></script>
 <script src="../js/template.js"></script>
 <!-- endinject -->
 <!-- plugin js for this page -->
 <!-- End plugin js for this page -->
 <!-- Custom js for this page-->
 <!-- End custom is for this page-->
</body>
</html>
<?php } ?>
```

7.2 OUTPUT SCREEN

Admin Panel

Login Page




Fig 7.2.1 Login Page

Forgot Password




Fig 7.2.2 Forgot Password

Dashboard




Fig 7.2.3 Dashboard

Profile




Fig 7.2.4 Profile

Change Password




Fig 7.2.5 Change Password

Add State




Fig 7.2.6 Add State

Add City




Fig 7.2.7 Add City

Add fuel price




Fig 7.2.8 Add Fuel Price

Reports of Orders




Fig 7.2.9 Reports of Orders

View details reports




Fig 7.2.10 View Details Report

Read Enquiry




Fig 7.2.11 Read Enquiry

View User Registered




Fig 7.2.12 View User Registered

Fuel Station Owner Panel

Sign up




Fig 7.2.13 Sign Up

Add Fuel Station




Fig 7.2.14 Add Fuel Station

Manage Fuel Station




Fig 7.2.15 Manage Fuel Station

New Order




Fig 7.2.16 New Ordser

View New Order




Fig 7.2.17 View New Order

View Confirmed Order




Fig 7.2.18 View Confirmed Order

View Delivered Fuel Order




Fig 7.2.19 View Delivered Fuel Order

View Details of Order Reports




Fig 7.2.20 View Details of Order Reports

User Panel

Sign up




Fig 7.2.21 Sign Up

Dashboard



Fig 7.2.22 Dasboard

Order Fuel




Fig 7.2.23 Order Fuel

View Order Status




Fig 7.2.24 View Order Status

View Details of Order Status




Fig 7.2.25 View Details of Order Status

Search Order




Fig 7.2.26 Search Order