Cucumber Report

| Start : May 28, 5:15:30.847 PM	End : May 28, 5:15:50.681 PM	Duration : 19.834 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 3 FAILED - 2 SKIPPED - 0

Features: 1

Scenarios: 3

Steps: 5

Features Pass %: 0 %

Scenarios Pass %: 33 %

Steps Pass %: 60 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Settings Dynamic Form	19.834 s	3	1	2	0	5	3	2	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Settings Dynamic Form	3	1	2	0	19.834 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Settings Dynamic Form	Automating dynamic Health Progress Form(Edit) in settings	1	1	0	0	7.198 s
2	Settings Dynamic Form	Go to Client details	1	0	1	0	6.360 s
3	Settings Dynamic Form	Automating Health Progress Form for existing client	3	2	1	0	6.171 s

Settings Dynamic Form

FAILED	DURATION - 19.834 s	Scenarios		Steps	
/ 5:15:30.847 PM // 5:15:50.681 PM /		Total - 3 Pass - 1 Fail - 2 Skip - 0	3	Total - 5 Pass - 3 Fail - 2 Skip - 0	5

Automating dynamic Health Progress Form(Edit) in settings

PASSED	DURATION - 7.198 s		Steps	
/ 5:15:30.852 PM // 5:15:38.050 PM /			Total - 1 Pass - 1 Fail - 0 Skip - 0	1
Settings Dynamic Form				

#	Step / Hook Details	Status	Duration
1	Given User Logged into application	PASSED	7.193 s

Go to Client details

| FAILED	DURATION - 6.360 s		Steps	
/ 5:15:38.092 PM // 5:15:44.452 PM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1
Settings Dynamic Form				

#	Step / Hook Details	Status	Duration
1	When user clicks on client tab(Angular) java.lang.RuntimeException: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ul[@class='navigation navigation-main']//li[4]/a[@class='d-flex align-items-center collapsible_menu ng-star-	FAILED	6.359 s

#	Step / Hook Details	Status	Duration

	inserted']"} (Session info: chrome=136.0.7103.114) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acf3456c88df7ccd1bef064696bc4482, findElement {value=//ul[@class='navigation navigation-main']//li[4]/a[@class='d-flex align-items-center collapsible_menu ng-star-inserted'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 136.0.7103.113 (76fa3c17824..., userDataDir: C:\Users\abc\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60175/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: acf3456c88df7ccd1bef064696bc4482
	  at com.niwi.pageobjects.SettingsFormsPO.userClicksOnClientTabAngular(SettingsFormsPO.java:141)
	  at com.niwi.stepdefinition.SettingsForms_SD.userClicksOnClientTabAngular(SettingsForms_SD.java:35)
	  at ?.user clicks on client tab(Angular)(file:///C:/Users/abc/IdeaProjects/qa-automation/src/test/resources/features/settings_form.feature:10)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ul[@class='navigation navigation-main']//li[4]/a[@class='d-flex align-items-center collapsible_menu ng-star-inserted']"} (Session info: chrome=136.0.7103.114) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acf3456c88df7ccd1bef064696bc4482, findElement {value=//ul[@class='navigation navigation-main']//li[4]/a[@class='d-flex align-items-center collapsible_menu ng-star-inserted'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 136.0.7103.113 (76fa3c17824..., userDataDir: C:\Users\abc\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60175/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: acf3456c88df7ccd1bef064696bc4482
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	  at com.niwi.utils.LocatorUtils.getElement(LocatorUtils.java:55)
	  at com.niwi.pageobjects.SettingsFormsPO.userClicksOnClientTabAngular(SettingsFormsPO.java:130)		

#	Step / Hook Details	Status	Duration
	at com.niwi.stepdefinition.SettingsForms_SD.userClicksOnClientTabAngular(SettingsForms_SD.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1597)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		

Automating Health Progress Form for existing client

FAILED	DURATION - 6.171 s
/ 5:15:44.510 PM // 5:15:50.681 PM /	
Settings Dynamic Form	
@smoke	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	When user clicks on client tab	PASSED	2.876 s
2	When user selects a clientsee	PASSED	0.308 s
3	Then User fills health progress form	FAILED	2.970 s

	org.openqa.selenium.JavascriptException: javascript error: arguments[0].click is not a function (Session info: chrome=136.0.7103.114) Build info: version: '4.25.0', revision: '8a8aea2337' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [acf3456c88df7ccd1bef064696bc4482, executeScript {args=[[]], script=arguments[0].click();}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 136.0.7103.113 (76fa3c17824..., userDataDir: C:\Users\abc\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60175/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: acf3456c88df7ccd1bef064696bc4482
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:476) at com.niwi.pageobjects.SettingsFormsPO.fillinghealthprogressform(SettingsFormsPO.java:205) at com.niwi.stepdefinition.SettingsForms_SD.userFillsHealthProgressForm(SettingsForms_SD.java:46) at ?.User fills health progress form(file:///C:/Users/abc/IdeaProjects/qa-automation/src/test/resources/features/settings_form.feature:16) * Not displayable characters are replaced by '?'.		