

Cucumber Report

06-Apr-2025, 1:53:59 AM

Start : Apr 06, 1:53:34.705 AM

End : Apr 06, 1:53:58.178 AM

Duration : 23.473 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 5
SKIPPED - 0


PASSED - 27
FAILED - 5
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test all login related feature</u>	23.473 s	6	1	5	0	36	27	5	4

#	Feature Name	Scenario Name
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 5</u>
2		<u>Login to application using valid username and Password 2</u>
3		<u>Login to application using invalid username and Password 4</u>
4		<u>Login to application using invalid username and Password 5</u>
5		<u>Login to application using valid username and Password 1</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@master	6	1	5	0	1	0	1	0
@login	6	1	5	0	1	0	1	0
@regression	6	1	5	0	1	0	1	0
@smoke	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	6	1	5	0	23.473 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 3</u>	6	6	0	0	22.674 s
2		<u>Login to application using invalid username and Password 5</u>	6	5	1	0	23.129 s
3		<u>Login to application using valid username and Password 2</u>	6	3	1	2	11.185 s
4		<u>Login to application using invalid username and Password 4</u>	6	5	1	0	23.457 s
5		<u>Login to application using invalid username and Password 5</u>	6	5	1	0	23.089 s
6		<u>Login to application using valid username and Password 1</u>	6	3	1	2	10.957 s

Test all login related feature



<div>FAILED</div> <div>DURATION - 23.473 s</div>		<div>Scenarios</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 5</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 36</div> <div>Pass - 27</div> <div>Fail - 5</div> <div>Skip - 4</div>		<div></div>	
/ 1:53:34.705 AM // 1:53:58.178 AM /									


Login to application using invalid username and Password 3

<div>PASSED</div>	<div>DURATION - 22.674 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:34.705 AM // 1:53:57.379 AM /</div>				
<div>Test all login related feature</div>				
<div>@master @login @regression</div>				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.231 s
2	And I need to click on login link	PASSED	2.069 s
3	When I enter a invalid username	PASSED	0.612 s
4	And I enter a invalid password	PASSED	0.326 s
5	And I need to click on login button	PASSED	2.812 s
6	Then I should not login successfully	PASSED	10.056 s

Login to application using invalid username and Password 5

<div>FAILED</div>	<div>DURATION - 23.129 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:34.705 AM // 1:53:57.834 AM /</div>				
<div>Test all login related feature</div>				
<div>@master @login @regression</div>				



#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	3.286 s
2	And I need to click on login link	PASSED	1.969 s
3	When I enter a invalid username	PASSED	0.194 s
4	And I enter a invalid password	PASSED	0.104 s
5	And I need to click on login button	PASSED	2.521 s
6	Then I should login successfully	FAILED	10.050 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61) at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:57) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.641 s
	Login to application using invalid username and Password 5		
			


Login to application using valid username and Password 2

<div>FAILED</div> <div>DURATION - 11.185 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>4.222</td></tr><tr><td>2</td><td>1.829</td></tr><tr><td>3</td><td>0.157</td></tr><tr><td>4</td><td>0.023</td></tr><tr><td>5</td><td>0.000</td></tr><tr><td>6</td><td>0.005</td></tr></tbody></table></div>	Step	Duration (s)	1	4.222	2	1.829	3	0.157	4	0.023	5	0.000	6	0.005	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	4.222																	
2	1.829																	
3	0.157																	
4	0.023																	
5	0.000																	
6	0.005																	
/ 1:53:34.721 AM // 1:53:45.906 AM /																		
Test all login related feature																		
@master @smoke @login @regression																		



#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	4.222 s
2	And I need to click on login link	PASSED	1.829 s
3	When I enter a valid username	PASSED	0.157 s
4	And I enter a valid password java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.023 s
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.005 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.571 s
	Login to application using valid username and Password 2		


Login to application using invalid username and Password 4

<div>FAILED</div>	<div>DURATION - 23.457 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:53:34.721 AM // 1:53:58.178 AM /</div>				
<div>Test all login related feature</div>				
<div>@master @login @regression</div>				



#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	3.662 s
2	And I need to click on login link	PASSED	2.116 s
3	When I enter a invalid username	PASSED	0.155 s
4	And I enter a invalid password	PASSED	0.122 s
5	And I need to click on login button	PASSED	2.333 s
6	Then I should login successfully	FAILED	10.066 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61) at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:39) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.627 s
	Login to application using invalid username and Password 4		
			

Login to application using invalid username and Password 5

<div>FAILED</div> <div>DURATION - 23.089 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:53:34.721 AM // 1:53:57.810 AM /				
Test all login related feature				
@master @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.799 s
2	And I need to click on login link	PASSED	1.496 s
3	When I enter a invalid username	PASSED	0.569 s
4	And I enter a invalid password	PASSED	0.288 s
5	And I need to click on login button	PASSED	2.922 s
6	Then I should login successfully	FAILED	10.080 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61) at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:48) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.587 s
	Login to application using invalid username and Password 5		
			

Login to application using valid username and Password 1

<div>FAILED</div> <div>DURATION - 10.957 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:53:34.721 AM // 1:53:45.678 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	4.510 s
2	And I need to click on login link	PASSED	1.221 s
3	When I enter a valid username	PASSED	0.195 s
4	And I enter a valid password java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.038 s
5	And I need to click on login button	SKIPPED	0.001 s
6	Then I should login successfully	SKIPPED	0.000 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.646 s
	Login to application using valid username and Password 1		
	