

# Cucumber Report

06-Apr-2025, 1:36:51 AM

Start : Apr 06, 1:36:35.866 AM

End : Apr 06, 1:36:49.779 AM

Duration : 13.913 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 5  
SKIPPED - 0


PASSED - 16  
FAILED - 4  
SKIPPED - 16




| Feature                               |          | Scenario |   |   |   | Step |    |   |    |
|---------------------------------------|----------|----------|---|---|---|------|----|---|----|
| Name                                  | Duration | T        | P | F | S | T    | P  | F | S  |
| <u>Test all login related feature</u> | 13.913 s | 6        | 1 | 5 | 0 | 36   | 16 | 4 | 16 |

| # | Feature Name                          | Scenario Name   |
|---|---------------------------------------|---|
| 1 | <u>Test all login related feature</u> | <u>Login to application using valid username and Password 1</u>   |
| 2 |                                       | <u>Login to application using valid username and Password 2</u>   |
| 3 |                                       | <u>Login to application using invalid username and Password 4</u> |
| 4 |                                       | <u>Login to application using invalid username and Password 5</u> |
| 5 |                                       | <u>Login to application using invalid username and Password 5</u> |

| <b>TAG</b>  | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b> | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @master     | 6               | 1        | 5        | 0        | 1              | 0        | 1        | 0        |
| @smoke      | 2               | 0        | 2        | 0        | 1              | 0        | 1        | 0        |
| @login      | 6               | 1        | 5        | 0        | 1              | 0        | 1        | 0        |
| @regression | 6               | 1        | 5        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name                          | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|----------|
| 1 | <u>Test all login related feature</u> | 6 | 1 | 5 | 0 | 13.913 s |





| # | Feature Name                          | Scenario Name   | T | P | F | S | Duration |
|---|---------------------------------------|---|---|---|---|---|----------|
| 1 | <u>Test all login related feature</u> | <u>Login to application using valid username and Password 1</u>   | 6 | 0 | 1 | 5 | 8.059 s  |
| 2 |                                       | <u>Login to application using valid username and Password 2</u>   | 6 | 0 | 0 | 6 | 4.715 s  |
| 3 |                                       | <u>Login to application using invalid username and Password 4</u> | 6 | 5 | 1 | 0 | 10.826 s |
| 4 |                                       | <u>Login to application using invalid username and Password 5</u> | 6 | 0 | 1 | 5 | 8.057 s  |
| 5 |                                       | <u>Login to application using invalid username and Password 5</u> | 6 | 5 | 1 | 0 | 13.894 s |
| 6 |                                       | <u>Login to application using invalid username and Password 3</u> | 6 | 6 | 0 | 0 | 12.272 s |

## Test all login related feature

|                                      |                            |           |   |            |   |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| <b>FAILED</b>                        | <b>DURATION - 13.913 s</b> | Scenarios |  | Steps      |  |
| / 1:36:35.866 AM // 1:36:49.779 AM / |                            | Total - 6 |   | Total - 36 |   |
|                                      |                            | Pass - 1  |   | Pass - 16  |   |
|                                      |                            | Fail - 5  |   | Fail - 4   |   |
|                                      |                            | Skip - 0  |   | Skip - 16  |   |



## Login to application using valid username and Password 1

|   |  |  |   |   |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 8.059 s</div> |  |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 1:36:35.871 AM // 1:36:43.930 AM /            |  |  |   |   |
| Test all login related feature                  |  |  |   |   |
| @master @smoke @login @regression               |  |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given As a user I want to launch the application</p> <p>org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.24' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0170974994ee38173f3bff5b7ce30df7, get {url=https://tutorialsninja.com/demo/index.php?route=common/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50474}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50474/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0170974994ee38173f3bff5b7ce30df7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br/> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br/> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br/> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br/> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> | FAILED | 3.030 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinition.loginStepDef.as_a_user_i_want_to_launch_to_the_application(loginStepDef.java:31) at ?.As a user I want to launch the application(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:7) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 2 | And I need to click on login link   | SKIPPED | 0.000 s  |
| 3 | When I enter a valid username   | SKIPPED | 0.000 s  |
| 4 | And I enter a valid password  | SKIPPED | 0.000 s  |
| 5 | And I need to click on login button   | SKIPPED | 0.000 s  |
| 6 | Then I should login successfully  | SKIPPED | 0.010 s  |

## Login to application using valid username and Password 2

|                                      |                           |   |   |   |
|--------------------------------------|---------------------------|---|---|---|
| <b>FAILED</b>                        | <b>DURATION - 4.715 s</b> |  | <b>Steps</b><br>Total - 6<br>Pass - 0<br>Fail - 0<br>Skip - 6 |  |
| / 1:36:35.881 AM // 1:36:40.596 AM / |                           |   |   |   |
| Test all login related feature       |                           |   |   |   |
| @master @smoke @login @regression    |                           |   |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <p>BEFORE - stepdefinition.hooks.setup()</p> <pre> org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: not connected to DevTools (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.24' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8351fb909ecf74ce86b3ecbf0d656485, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50473}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8351fb909ecf74ce86b3ecbf0d656485 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre> | FAILED | 4.328 s  |



| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622)<br>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1061)<br>at stepdefinition.hooks.setup(hooks.java:33) |         |          |
| 1 | Given As a user I want to launch the application   | SKIPPED | 0.000 s  |
| 2 | And I need to click on login link  | SKIPPED | 0.000 s  |
| 3 | When I enter a valid username  | SKIPPED | 0.000 s  |
| 4 | And I enter a valid password   | SKIPPED | 0.005 s  |
| 5 | And I need to click on login button  | SKIPPED | 0.000 s  |
| 6 | Then I should login successfully   | SKIPPED | 0.000 s  |



### Login to application using invalid username and Password 4

|  |  |  |  |
|--|--|--|--|
| <b>FAILED</b><br>DURATION - 10.826 s<br>/ 1:36:35.885 AM // 1:36:46.711 AM /<br>Test all login related feature<br>@master @login @regression |  | Steps<br>Total - 6<br>Pass - 5<br>Fail - 1<br>Skip - 0 |  |
|--|--|--|--|

| # | Step / Hook Details                              | Status | Duration |
|---|--|--------|----------|
| 1 | Given As a user I want to launch the application | PASSED | 2.640 s  |
| 2 | And I need to click on login link                | PASSED | 0.993 s  |
| 3 | When I enter a invalid username                  | PASSED | 0.277 s  |
| 4 | And I enter a invalid password                   | PASSED | 0.139 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 5 | And I need to click on login button  | PASSED | 0.695 s  |
| 6 | Then I should login successfully   | FAILED | 1.596 s  |
|   | <pre>java.lang.AssertionError     at org.junit.Assert.fail(Assert.java:87)     at org.junit.Assert.assertTrue(Assert.java:42)     at org.junit.Assert.assertTrue(Assert.java:53)     at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61)     at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:39)     * Not displayable characters are replaced by '?'. </pre> |        |          |

### Login to application using invalid username and Password 5

|                                      |                    |  |  |   |
|--------------------------------------|--------------------|--|--|---|
| FAILED                               | DURATION - 8.057 s |  | Steps<br>Total - 6<br>Pass - 0<br>Fail - 1<br>Skip - 5 |  |
| / 1:36:35.885 AM // 1:36:43.942 AM / |                    |  |  |   |
| Test all login related feature       |                    |  |  |   |
| @master @login @regression           |                    |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given As a user I want to launch the application   | FAILED | 2.739 s  |
|   | <pre>org.openqa.selenium.WebDriverException: target frame detached (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.24' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b35d269fed69fd4535e788f818f92dfa, get {url=https://tutorialsninja.com/demo/index.php?route=common/home}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\admin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50476}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50476/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b35d269fed69fd4535e788f818f92dfa     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) </pre> |        |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313) at stepdefinition.loginStepDef.as_a_user_i_want_to_launch_to_the_application(loginStepDef.java:31) at ?.As a user I want to launch the application(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:52) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 2 | And I need to click on login link   | SKIPPED | 0.000 s  |
| 3 | When I enter a invalid username   | SKIPPED | 0.000 s  |
| 4 | And I enter a invalid password  | SKIPPED | 0.000 s  |
| 5 | And I need to click on login button   | SKIPPED | 0.014 s  |
| 6 | Then I should login successfully  | SKIPPED | 0.000 s  |



### Login to application using invalid username and Password 5

|   |  |  |  |
|---|--|--|--|
| <b>FAILED</b> DURATION - 13.894 s<br>/ 1:36:35.885 AM // 1:36:49.779 AM /<br>Test all login related feature<br>@master @login @regression |  | Steps<br>Total - 6<br>Pass - 5<br>Fail - 1<br>Skip - 0 |  |
|---|--|--|--|

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given As a user I want to launch the application                               | PASSED | 2.896 s  |
| 2 | And I need to click on login link  | PASSED | 1.200 s  |
| 3 | When I enter a invalid username  | PASSED | 0.186 s  |
| 4 | And I enter a invalid password   | PASSED | 0.122 s  |
| 5 | And I need to click on login button  | PASSED | 0.353 s  |
| 6 | Then I should login successfully   | FAILED | 4.668 s  |
|   | <pre> java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) </pre> |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61) at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:48) * Not displayable characters are replaced by '?'. </pre> |        |          |

### Login to application using invalid username and Password 3

|  |   |   |  |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 12.272 s</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 1:36:35.885 AM // 1:36:48.157 AM /</div>  |   |   |  |
| <div>Test all login related feature</div>        |   |   |  |
| <div>@master @login @regression</div>            |   |   |  |

| # | Step / Hook Details                              | Status | Duration |
|---|--|--------|----------|
| 1 | Given As a user I want to launch the application | PASSED | 3.182 s  |
| 2 | And I need to click on login link                | PASSED | 0.973 s  |
| 3 | When I enter a invalid username                  | PASSED | 0.213 s  |
| 4 | And I enter a invalid password                   | PASSED | 0.119 s  |
| 5 | And I need to click on login button              | PASSED | 0.117 s  |
| 6 | Then I should not login successfully             | PASSED | 3.190 s  |