

Cucumber Report

06-Apr-2025, 1:10:23 AM

Start : Apr 06, 1:10:07.664 AM

End : Apr 06, 1:10:22.031 AM

Duration : 14.367 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0


PASSED - 26
FAILED - 6
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test all login related feature</u>	14.367 s	6	0	6	0	36	26	6	4

#	Feature Name	Scenario Name
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 5</u>
2		<u>Login to application using invalid username and Password 5</u>
3		<u>Login to application using valid username and Password 2</u>
4		<u>Login to application using invalid username and Password 3</u>
5		<u>Login to application using invalid username and Password 4</u>
6		<u>Login to application using valid username and Password 1</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@master	6	0	6	0	1	0	1	0
@login	6	0	6	0	1	0	1	0
@regression	6	0	6	0	1	0	1	0
@smoke	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	6	0	6	0	14.367 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 5</u>	6	5	1	0	14.290 s
2		<u>Login to application using invalid username and Password 5</u>	6	5	1	0	14.352 s
3		<u>Login to application using valid username and Password 2</u>	6	3	1	2	11.652 s
4		<u>Login to application using invalid username and Password 3</u>	6	5	1	0	14.227 s
5		<u>Login to application using invalid username and Password 4</u>	6	5	1	0	13.758 s
6		<u>Login to application using valid username and Password 1</u>	6	3	1	2	11.639 s


Test all login related feature

FAILED	DURATION - 14.367 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 36 Pass - 26 Fail - 6 Skip - 4	
/ 1:10:07.664 AM // 1:10:22.031 AM /					



Login to application using invalid username and Password 5

<div>FAILED</div> <div>DURATION - 14.290 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:10:07.679 AM // 1:10:21.969 AM /				
Test all login related feature				
@master @login @regression				


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	3.378 s
2	And I need to click on login link	PASSED	1.575 s
3	When I enter a invalid username	PASSED	0.786 s
4	And I enter a invalid password	PASSED	0.288 s
5	And I need to click on login button	PASSED	2.552 s
6	Then I should not login successfully java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.iShouldNotLoginSuccessfully(loginStepDef.java:99) at ?.I should not login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:57) * Not displayable characters are replaced by '?'. AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	FAILED	0.069 s
	Login to application using invalid username and Password 5	PASSED	0.607 s

#	Step / Hook Details	Status	Duration
			



Login to application using invalid username and Password 5

FAILED	DURATION - 14.352 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:10:07.679 AM // 1:10:22.031 AM /				
Test all login related feature				
@master @login @regression				


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	3.130 s
2	And I need to click on login link	PASSED	1.697 s
3	When I enter a invalid username	PASSED	0.734 s
4	And I enter a invalid password	PASSED	0.500 s
5	And I need to click on login button	PASSED	2.423 s
6	Then I should not login successfully	FAILED	0.061 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.iShouldNotLoginSuccessfully(loginStepDef.java:99) at ?.I should not login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:48) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.645 s
	Login to application using invalid username and Password 5		

#	Step / Hook Details	Status	Duration
			



Login to application using valid username and Password 2

<div>FAILED</div> <div>DURATION - 11.652 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:10:07.679 AM // 1:10:19.331 AM /				
Test all login related feature				
@master @smoke @login @regression				


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.897 s
2	And I need to click on login link	PASSED	1.180 s
3	When I enter a valid username	PASSED	0.778 s
4	And I enter a valid password	FAILED	0.128 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.		
5	And I need to click on login button	SKIPPED	0.001 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.209 s

#	Step / Hook Details	Status	Duration
	Login to application using valid username and Password 2 		



Login to application using invalid username and Password 3

<div>FAILED</div> <div>DURATION - 14.227 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:10:07.679 AM // 1:10:21.906 AM /				
Test all login related feature				
@master @login @regression				


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.988 s
2	And I need to click on login link	PASSED	1.573 s
3	When I enter a invalid username	PASSED	0.806 s
4	And I enter a invalid password	PASSED	0.381 s
5	And I need to click on login button	PASSED	2.546 s
6	Then I should not login successfully	FAILED	0.130 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.iShouldNotLoginSuccessfully(loginStepDef.java:99) at ?.I should not login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:30) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.596 s
	Login to application using invalid username and Password 3		

#	Step / Hook Details	Status	Duration
			



Login to application using invalid username and Password 4

<div>FAILED</div> <div>DURATION - 13.758 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:10:07.679 AM // 1:10:21.437 AM /</div>			
<div>Test all login related feature</div>			
<div>@master @login @regression</div>			

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.940 s
2	And I need to click on login link	PASSED	1.716 s
3	When I enter a invalid username	PASSED	0.507 s
4	And I enter a invalid password	PASSED	0.569 s
5	And I need to click on login button	PASSED	2.165 s
6	Then I should not login successfully	FAILED	0.060 s
	<pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.iShouldNotLoginSuccessfully(loginStepDef.java:99) at ?.I should not login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:39) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.640 s
	Login to application using invalid username and Password 4		

#	Step / Hook Details	Status	Duration
			

Login to application using valid username and Password 1

<div>FAILED</div> <div>DURATION - 11.639 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:10:07.679 AM // 1:10:19.318 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	0.809 s
2	And I need to click on login link	PASSED	2.078 s
3	When I enter a valid username	PASSED	0.755 s
4	And I enter a valid password	FAILED	0.136 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'.		
5	And I need to click on login button	SKIPPED	0.002 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	2.396 s

#	Step / Hook Details	Status	Duration
	Login to application using valid username and Password 1		
			