Cucumber Report

| Start : Apr 05, 10:31:59.039 PM	End : Apr 05, 10:32:03.420 PM	Duration : 4.381 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 6 FAILED - 2 SKIPPED - 4

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Test all login related feature	*4.381 s*	*2*	*0*	*2*	*0*	*12*	*6*	*2*	*4*

#	Feature Name	Scenario Name
1	Test all login related feature	Login to application using valid username and Password 1
2		Login to application using valid username and Password 2

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@master	2	0	2	0	1	0	1	0
@smoke	2	0	2	0	1	0	1	0
@login	2	0	2	0	1	0	1	0
@regression	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Test all login related feature	2	0	2	0	4.381 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test all login related feature	Login to application using valid username and Password 1	6	3	1	2	4.143 s
2		Login to application using valid username and Password 2	6	3	1	2	4.371 s

Test all login related feature

| FAILED	DURATION - 4.381 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 12 Pass - 6 Fail - 2 Skip - 4	
/ 10:31:59.039 PM // 10:32:03.420 PM /			2		12

Login to application using valid username and Password 1

FAILED	DURATION - 4.143 s		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 10:31:59.043 PM // 10:32:03.186 PM /				6
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	0.982 s
2	And I need to click on login link	PASSED	0.481 s
3	When I enter a valid username	PASSED	0.132 s
4	And I enter a valid password	FAILED	0.033 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:566)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at com.sun.proxy.$Proxy38.sendKeys(Unknown Source)
	    at pageobject.loginPage.setPassword(loginPage.java:28)
	    at stepdefinitition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51)
	    at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10)
	* Not displayable characters are replaced by '?'.		

5	And I need to click on login button	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinitition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.636 s
	Login to application using valid username and Password 1		

Login to application using valid username and Password 2

FAILED	DURATION - 4.371 s	Steps
/ 10:31:59.049 PM // 10:32:03.420 PM /		Total - 6
Test all login related feature		Pass - 3
@master @smoke @login @regression		Fail - 1
		Skip - 2

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.182 s
2	And I need to click on login link	PASSED	0.513 s
3	When I enter a valid username	PASSED	0.152 s
4	And I enter a valid password	FAILED	0.027 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.$Proxy38.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinitition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
5	And I need to click on login button	SKIPPED	0.001 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinitition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.635 s
	Login to application using valid username and Password 2		