

# Cucumber Report

07-Apr-2025, 11:53:07 AM

Start : Apr 07, 11:52:30.592 AM

End : Apr 07, 11:53:06.089 AM

Duration : 35.497 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 6  
SKIPPED - 0


PASSED - 40  
FAILED - 6  
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test all login related feature</u>	35.497 s	9	3	6	0	54	40	6	8

#	Feature Name	Scenario Name
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 6</u>
2		<u>Login to application using valid username and Password 2</u>
3		<u>Login to application using valid username and Password 1</u>
4		<u>Login to application using valid username and Password 1</u>
5		<u>Login to application using valid username and Password 2</u>
6		<u>Login to application using invalid username and Password 6</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@master	9	3	6	0	1	0	1	0
@login	9	3	6	0	1	0	1	0
@regression	9	3	6	0	1	0	1	0
@smoke	4	0	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	9	3	6	0	35.497 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 4</u>	6	6	0	0	20.637 s
2		<u>Login to application using invalid username and Password 3</u>	6	6	0	0	20.575 s
3		<u>Login to application using invalid username and Password 6</u>	6	5	1	0	21.104 s
4		<u>Login to application using valid username and Password 2</u>	6	3	1	2	10.519 s
5		<u>Login to application using valid username and Password 1</u>	6	3	1	2	10.089 s
6		<u>Login to application using invalid username and Password 5</u>	6	6	0	0	20.559 s
7		<u>Login to application using valid username and Password 1</u>	6	3	1	2	9.132 s
8		<u>Login to application using valid username and Password 2</u>	6	3	1	2	8.812 s
9		<u>Login to application using invalid username and Password 6</u>	6	5	1	0	14.377 s

## Test all login related feature

<b>FAILED</b>	DURATION - 35.497 s	Scenarios		Steps	
/ 11:52:30.592 AM // 11:53:06.089 AM /		Total - 9		Total - 54	
		Pass - 3		Pass - 40	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 8	

## Login to application using invalid username and Password 4

<div>PASSED</div>	<div>DURATION - 20.637 s</div>		Steps	
/ 11:52:30.592 AM // 11:52:51.229 AM /			Total - 6	
Test all login related feature			Pass - 6	
@master @login @regression			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.592 s
2	And I need to click on login link	PASSED	1.274 s
3	When I enter a invalid username	PASSED	0.507 s
4	And I enter a invalid password	PASSED	0.526 s
5	And I need to click on login button	PASSED	0.277 s
6	Then I should not login successfully	PASSED	10.467 s

## Login to application using invalid username and Password 3

<div>PASSED</div>	<div>DURATION - 20.575 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.3</td></tr><tr><td>2</td><td>2.4</td></tr><tr><td>3</td><td>0.6</td></tr><tr><td>4</td><td>0.5</td></tr><tr><td>5</td><td>0.8</td></tr><tr><td>6</td><td>10.1</td></tr></tbody></table></div>	Step	Duration (s)	1	1.3	2	2.4	3	0.6	4	0.5	5	0.8	6	10.1	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	1.3																	
2	2.4																	
3	0.6																	
4	0.5																	
5	0.8																	
6	10.1																	
<div>/ 11:52:30.592 AM // 11:52:51.167 AM /</div>																		
<div>Test all login related feature</div>																		
<div>@master @login @regression</div>																		


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.285 s
2	And I need to click on login link	PASSED	2.403 s
3	When I enter a invalid username	PASSED	0.562 s
4	And I enter a invalid password	PASSED	0.469 s
5	And I need to click on login button	PASSED	0.812 s
6	Then I should not login successfully	PASSED	10.079 s

### Login to application using invalid username and Password 6



FAILED	DURATION - 21.104 s	<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.4</td></tr><tr><td>2</td><td>2.3</td></tr><tr><td>3</td><td>0.4</td></tr><tr><td>4</td><td>0.3</td></tr><tr><td>5</td><td>0.5</td></tr><tr><td>6</td><td>10.0</td></tr></tbody></table>	Step	Duration (s)	1	2.4	2	2.3	3	0.4	4	0.3	5	0.5	6	10.0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<table border="1"><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>5</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>0</td></tr></tbody></table>	Category	Count	Pass	5	Fail	1	Skip	0
Step	Duration (s)																									
1	2.4																									
2	2.3																									
3	0.4																									
4	0.3																									
5	0.5																									
6	10.0																									
Category	Count																									
Pass	5																									
Fail	1																									
Skip	0																									
/ 11:52:30.592 AM // 11:52:51.696 AM /																										
Test all login related feature																										
@master @login @regression																										

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.358 s
2	And I need to click on login link	PASSED	2.278 s
3	When I enter a invalid username	PASSED	0.445 s
4	And I enter a invalid password	PASSED	0.285 s
5	And I need to click on login button	PASSED	0.519 s
6	Then I should login successfully	FAILED	10.042 s
	java.lang.AssertionError		




#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61) at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:57) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.529 s
	Login to application using invalid username and Password 6		
			



## Login to application using valid username and Password 2

FAILED		DURATION - 10.519 s			<b>Steps</b> Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 11:52:30.592 AM // 11:52:41.111 AM /						
Test all login related feature						
@master @smoke @login @regression						


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.575 s
2	And I need to click on login link	PASSED	1.454 s
3	When I enter a valid username	PASSED	0.579 s
4	And I enter a valid password	FAILED	0.070 s
	<pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) </pre>		

#	Step / Hook Details	Status	Duration
	at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.		
5	And I need to click on login button	SKIPPED	0.001 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.185 s
	Login to application using valid username and Password 2		
			



### Login to application using valid username and Password 1

<div>FAILED</div> <div>DURATION - 10.089 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:52:30.608 AM // 11:52:40.697 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	0.790 s
2	And I need to click on login link	PASSED	2.998 s
3	When I enter a valid username	PASSED	0.409 s
4	And I enter a valid password	FAILED	0.061 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566)		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'. </pre>		
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.002 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	1.187 s
	Login to application using valid username and Password 1		
			


### Login to application using invalid username and Password 5

PASSED	DURATION - 20.559 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 11:52:30.608 AM // 11:52:51.167 AM /				
Test all login related feature				
@master @login @regression				



#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.489 s
2	And I need to click on login link	PASSED	1.342 s
3	When I enter a invalid username	PASSED	0.560 s
4	And I enter a invalid password	PASSED	0.423 s
5	And I need to click on login button	PASSED	0.801 s
6	Then I should not login successfully	PASSED	10.046 s


### Login to application using valid username and Password 1

<div>FAILED</div> <div>DURATION - 9.132 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:52:40.722 AM // 11:52:49.854 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.348 s
2	And I need to click on login link	PASSED	1.481 s
3	When I enter a valid username	PASSED	0.652 s
4	And I enter a valid password  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.055 s
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.000 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	2.753 s
	Login to application using valid username and Password 1		
			

**Login to application using valid username and Password 2**

<div>FAILED</div> <div>DURATION - 8.812 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:52:41.120 AM // 11:52:49.932 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.357 s
2	And I need to click on login link	PASSED	1.477 s
3	When I enter a valid username	PASSED	0.400 s
4	And I enter a valid password  java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.044 s
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.000 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	4.002 s
	Login to application using valid username and Password 2		
			

**Login to application using invalid username and Password 6**

<div>FAILED</div> <div>DURATION - 14.377 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>1.7</td></tr><tr><td>2</td><td>0.3</td></tr><tr><td>3</td><td>0.1</td></tr><tr><td>4</td><td>0.1</td></tr><tr><td>5</td><td>0.2</td></tr><tr><td>6</td><td>10.1</td></tr></tbody></table>	Step	Duration (s)	1	1.7	2	0.3	3	0.1	4	0.1	5	0.2	6	10.1	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)																
1	1.7																
2	0.3																
3	0.1																
4	0.1																
5	0.2																
6	10.1																
/ 11:52:51.712 AM // 11:53:06.089 AM /																	
Test all login related feature																	
@master @login @regression																	

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.686 s
2	And I need to click on login link	PASSED	0.342 s
3	When I enter a invalid username	PASSED	0.135 s
4	And I enter a invalid password	PASSED	0.101 s
5	And I need to click on login button	PASSED	0.202 s
6	Then I should login successfully	FAILED	10.070 s
	<pre>java.lang.AssertionError   at org.junit.Assert.fail(Assert.java:87)   at org.junit.Assert.assertTrue(Assert.java:42)   at org.junit.Assert.assertTrue(Assert.java:53)   at stepdefinition.loginStepDef.i_should_login_successfully(loginStepDef.java:61)   at ?.I should login successfully(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:57)   * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.505 s
	Login to application using invalid username and Password 6		