

# Cucumber Report

06-Apr-2025, 2:04:18 AM

Start : Apr 06, 2:04:02.965 AM

End : Apr 06, 2:04:16.635 AM

Duration : 13.670 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 2  
SKIPPED - 0


PASSED - 24  
FAILED - 2  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test all login related feature</u>	13.670 s	5	3	2	0	30	24	2	4

#	Feature Name	Scenario Name
1	<u>Test all login related feature</u>	<u>Login to application using valid username and Password 2</u>
2		<u>Login to application using valid username and Password 1</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@master	5	3	2	0	1	0	1	0
@login	5	3	2	0	1	0	1	0
@regression	5	3	2	0	1	0	1	0
@smoke	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	5	3	2	0	13.670 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	<u>Login to application using invalid username and Password 4</u>	6	6	0	0	12.594 s
2		<u>Login to application using invalid username and Password 5</u>	6	6	0	0	11.053 s
3		<u>Login to application using valid username and Password 2</u>	6	3	1	2	8.775 s
4		<u>Login to application using valid username and Password 1</u>	6	3	1	2	8.652 s
5		<u>Login to application using invalid username and Password 3</u>	6	6	0	0	13.650 s

## Test all login related feature

FAILED	DURATION - 13.670 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 30 Pass - 24 Fail - 2 Skip - 4	
/ 2:04:02.965 AM // 2:04:16.635 AM /					

## Login to application using invalid username and Password 4

<div>PASSED</div> <div>DURATION - 12.594 s</div>		Steps	
/ 2:04:02.965 AM // 2:04:15.559 AM /		Total - 6	
Test all login related feature		Pass - 6	
@master @login @regression		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.318 s
2	And I need to click on login link	PASSED	1.580 s
3	When I enter a invalid username	PASSED	0.351 s
4	And I enter a invalid password	PASSED	0.182 s
5	And I need to click on login button	PASSED	0.703 s
6	Then I should not login successfully	PASSED	3.715 s

## Login to application using invalid username and Password 5

<b>PASSED</b>	<b>DURATION - 11.053 s</b>		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:04:02.980 AM // 2:04:14.033 AM /				
Test all login related feature				
@master @login @regression				


#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.303 s
2	And I need to click on login link	PASSED	1.567 s
3	When I enter a invalid username	PASSED	0.410 s
4	And I enter a invalid password	PASSED	0.143 s
5	And I need to click on login button	PASSED	0.773 s
6	Then I should not login successfully	PASSED	2.135 s

### Login to application using valid username and Password 2



<b>FAILED</b>	<b>DURATION - 8.775 s</b>		<b>Steps</b> Total - 6 Pass - 3 Fail - 1 Skip - 2	
/ 2:04:02.985 AM // 2:04:11.760 AM /				
Test all login related feature				
@master @smoke @login @regression				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	2.685 s
2	And I need to click on login link	PASSED	1.228 s
3	When I enter a valid username	PASSED	0.409 s
4	And I enter a valid password	FAILED	0.037 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		




#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'. </pre>		
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.868 s
	Login to application using valid username and Password 2		
			



### Login to application using valid username and Password 1

<b>FAILED</b> DURATION - 8.652 s / 2:04:02.985 AM // 2:04:11.637 AM / Test all login related feature @master @smoke @login @regression		Steps Total - 6 Pass - 3 Fail - 1 Skip - 2	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.691 s
2	And I need to click on login link	PASSED	2.040 s
3	When I enter a valid username	PASSED	0.368 s
4	And I enter a valid password	FAILED	0.136 s
	<pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy40.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'. </pre>		
5	And I need to click on login button	SKIPPED	0.001 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.861 s
	Login to application using valid username and Password 1		
			

### Login to application using invalid username and Password 3

PASSED		DURATION - 13.650 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:04:02.985 AM // 2:04:16.635 AM /						
Test all login related feature						
@master @login @regression						

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	3.147 s
2	And I need to click on login link	PASSED	1.122 s
3	When I enter a invalid username	PASSED	0.343 s
4	And I enter a invalid password	PASSED	0.130 s
5	And I need to click on login button	PASSED	0.455 s
6	Then I should not login successfully	PASSED	4.787 s