

Cucumber Report

05-Apr-2025, 10:38:38 PM

Start : Apr 05, 10:38:31.696 PM

End : Apr 05, 10:38:36.764 PM

Duration : 5.068 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 2
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test all login related feature</u>	5.068 s	2	0	2	0	12	6	2	4

#	Feature Name	Scenario Name
1	<u>Test all login related feature</u>	<u>Login to application using valid username and Password 2</u>
2		<u>Login to application using valid username and Password 1</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@master	2	0	2	0	1	0	1	0
@smoke	2	0	2	0	1	0	1	0
@login	2	0	2	0	1	0	1	0
@regression	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	2	0	2	0	5.068 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test all login related feature</u>	<u>Login to application using valid username and Password 2</u>	6	3	1	2	5.065 s
2		<u>Login to application using valid username and Password 1</u>	6	3	1	2	4.920 s


Test all login related feature

FAILED	DURATION - 5.068 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 12 Pass - 6 Fail - 2 Skip - 4	
/ 10:38:31.696 PM // 10:38:36.764 PM /					



Login to application using valid username and Password 2

<div>FAILED</div> <div>DURATION - 5.065 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:38:31.699 PM // 10:38:36.764 PM /</div>				
<div>Test all login related feature</div>				
<div>@master @smoke @login @regression</div>				

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.847 s
2	And I need to click on login link	PASSED	0.403 s
3	When I enter a valid username	PASSED	0.161 s
4	And I enter a valid password java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy38.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.025 s
5	And I need to click on login button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.693 s
	Login to application using valid username and Password 2		
			

Login to application using valid username and Password 1

FAILED		DURATION - 4.920 s			Steps Total - 6 Pass - 3 Fail - 1 Skip - 2			
/ 10:38:31.707 PM // 10:38:36.627 PM /								
Test all login related feature								
@master @smoke @login @regression								

#	Step / Hook Details	Status	Duration
1	Given As a user I want to launch the application	PASSED	1.747 s
2	And I need to click on login link	PASSED	0.395 s
3	When I enter a valid username	PASSED	0.139 s
4	And I enter a valid password	FAILED	0.038 s
	<pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy38.sendKeys(Unknown Source) at pageobject.loginPage.setPassword(loginPage.java:28) at stepdefinition.loginStepDef.i_enter_a_valid_password(loginStepDef.java:51) at ?.I enter a valid password(file:///C:/Users/admin/IdeaProjects/CucumberFramework/src/test/resources/feature/login.feature:10) * Not displayable characters are replaced by '?'. </pre>		

#	Step / Hook Details	Status	Duration
5	And I need to click on login button	SKIPPED	0.000 s
6	Then I should login successfully	SKIPPED	0.001 s
	AFTER - stepdefinition.hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.680 s
	Login to application using valid username and Password 1		
	