RUSSIAN
MARITIME REGISTER
OF SHIPPING

REQUIREMENTS OF IMO AND IACS WHICH ENTER INTO FORCE AFTER 1 OCTOBER 2026

RS-CLASS.ORG



This document contains information on the requirements of International Maritime Organization (IMO), the International Association of Classification Societies (IACS), which enter into force after 1 October 2026.

The document consists of the following sections (click to select):

IMO DOCUMENTS | IACS DOCUMENTS | ADDITIONAL INFORMATION

For each document, a summary and description are provided, the applicability, the effective date are indicated, as well as the main document (IMO instrument, IACS resolution) to which the document entering into force relates.

THE MOST IMPORTANT DOCUMENTS COMING INTO FORCE

This section provides a chronological list of the most important documents that will enter into force in the near future. You can click on the document you are interested in to go to its more detailed description, including a summary, applicability, etc.

2027

- **IMSBC Code:** Amendments 08-25
- **Cape Town Agreement:** Safety of fishing vessels
- **Amendments to MARPOL Annex VI:** Clarification of entries in data reporting required by Regulations 27 and 28
- **Amendments to MARPOL Annex VI:** Use of multiple engine operational profiles

2028

- **SOLAS Ch. II-1:** Emergency towing arrangements for new ships, other than tankers
- **IGF Code:** Applicability and application Dates
- **SOLAS Ch. II-2 and V:** Use of materials to ensure structural integrity / Pilot transfer arrangements
- **HSC Codes 1994 and 2000:** Provision of lifejackets
- **SOLAS Ch. IV and V:** Mobile satellite services / Navigational warnings
- **ESP Code:** RIT - remote inspection techniques
- **HSC Codes 1994 and 2000:** Navigational system and equipment and voyage data recorders
- **IMDG Code:** Amendments 43-26
- **IP Code:** Assumed mass of each industrial personnel
- **LSA Code:** Lifeboats / lifejackets

DOCUMENTS OF THE INTERNATIONAL MARITIME ORGANIZATION (IMO), WHICH ENTER INTO FORCE AFTER 1 OCTOBER 2026

IMO Resolution	Summary of the document / amendments to the document
MSC.474(102) **Date in force:** 01.01.2027 (date related to the context of the applicability of requirements regarding the vessel's construction date; please explore Resolution)	**Instrument:** SOLAS **Related documents:** MSC.1/Circ.1619, MSC.1/Circ.1175/Rev.1 Amendments to SOLAS chapter II-1 entered into force on 01 January 2024, with revised requirements to mooring and towing equipment which shall ensure occupational safety and safe mooring of the ship, based on IMO recommendations (MSC.1/Circ.1619 и MSC.1/Circ.1175/Rev.1). The requirements apply to ships of 3.000GT and above contracted for construction on or after 01 January 2024, or with keel laying date on or after 01 July 2024, or delivered on or after 1 January 2027.
MSC.575(110) **Date in force:** 01.01.2027	**Instrument:** SOLAS Amendments to the International Maritime Solid Bulk Cargoes Code (08-25). Updates include revisions to segregation requirements between bulk materials and dangerous goods, corrections to references of related circulars, and clarification in terminology such as changing "Radioactive materials" to "Radioactive material." Appendix 1 - Amendments to Individual Cargo Schedules: - Several existing cargo schedules were amended, e.g., deletion of certain precaution sentences for aluminium powders, modifications to direct reduced iron descriptions and loading requirements, and changes to self-contained breathing apparatus requirements for ferrosilicon and ferrous metal borings. New Individual Cargo Schedules Inserted to: - New cargoes listed include aluminium sulphate granular, apatite concentrate, asphalt granulates, crushed granodiorite coarse, ferric sulphate granular, stabilized fish meal (fish scrap), iron ore briquettes, pea protein concentrate pellets, phosphate rock fines (uncalcined), tuff coarse, and zinc slag coarse. Each schedule details descriptions, characteristics, hazard classifications, stowage, weather precautions, loading, ventilation, carriage, discharge, clean-up, and emergency procedures as applicable. Key highlights include: - Aluminium sulphate granular and ferric sulphate granular are hygroscopic, acidic when wet, and require segregation from metals that may form hydrogen gas; - Apatite concentrate and phosphate rock fines may liquefy if moisture exceeds transportable moisture limit (TML) and require moisture control and monitoring during loading and carriage; - Asphalt granulates, crushed granodiorite, tuff coarse, and zinc slag are non-combustible with no special precautions but require consideration for dust protection and tank top stress; - Stabilized fish meal requires antioxidant treatment to prevent spontaneous combustion and oxygen depletion risks; certificates verifying cargo parameters are required prior to loading; - Iron ore briquettes and pea protein concentrate pellets require attention for weight distribution on tank tops; pea protein concentrate has dust explosion risk when loaded dry. Appendix 3 - Properties of Solid Bulk Cargoes: - The list of non-cohesive cargoes was updated to include the new entries such as aluminium sulphate granular, asphalt granulates, crushed granodiorite coarse, ferric

IMO Resolution	Summary of the document / amendments to the document
	sulphate granular, pea protein concentrate pellets, and phosphate rock fines (uncalcined). Appendix 4 - Index Updates: - Removed the entries for castor flake, meal, and pomace; updated BCSNs for fish meal and fish scrap stabilized; inserted new entries for the newly added cargoes in alphabetical order with corresponding group classifications. Appendix 5 - Bulk Cargo Shipping Names in English, Spanish, and French: - Deleted castor flake, meal, and pomace entries; updated fish meal and fish scrap stabilized BCSNs; and inserted bilingual shipping names for the new cargoes such as aluminium sulphate granular, apatite concentrate, asphalt granulates, crushed granodiorite coarse, ferric sulphate granular, fish meal stabilized, iron ore briquettes, pea protein concentrate pellets, phosphate rock fines, tuff coarse, and zinc slag coarse.
MSC.596(111) **Date in force:** 01.01.2027	**Instrument:** SOLAS Amendments to the Code for the Construction and Equipment of Mobile Offshore Drilling Units, 2009 (MODU Code) - Chapter 6: Machinery and Electrical Installations in Hazardous Areas: - Added sub-paragraphs 6.5.6 to 6.5.8 specify equipment requirements for MODUs constructed from 1 January 2027, focusing on equipment operation post-selective shutdown and suitability for zone 2 locations in hazardous areas. - Required operable facilities after emergency shutdown include emergency lighting, blow-out preventer control, general alarm, public address system, and battery-supplied radiocommunications. - Equipment in enclosed spaces continuing operation post-ESD must have appropriate mitigating measures to handle gas release incidents, even if not suitable for zone 2 installation.
SFV-P/CONF.1 Cape Town Agreement of 2012 on the Implementation of the Provisions of the 1993 Protocol relating to the Torremolinos International Convention for the Safety of Fishing Vessels, 1977 **Date in force:** 24.02.2027	**Instrument:** Cape Town Agreement The Cape Town Agreement is an internationally-binding instrument that sets minimum requirements on the design, construction, equipment, and inspection of fishing vessels of 24 meters in length and over or equivalent in gross tons. The Agreement includes mandatory international requirements for stability and associated seaworthiness, machinery and electrical installations, life-saving appliances, communications equipment and fire protection, as well as fishing vessel construction. The Agreement has requirements covering the following areas: - Construction, watertight integrity and equipment; - Stability and associated seaworthiness; - Machinery and electrical installations and periodically unattended machinery spaces; - Fire protection, detection, extinction and firefighting; - Protection of crew; - Life-saving appliances and arrangements; - Emergency procedures, musters and drills; - Radiocommunications; - Shipborne navigational equipment and arrangements. Some of the requirements are applicable to existing fishing vessels as well as to new construction.

IMO Resolution	Summary of the document / amendments to the document
MEPC.397(83) **Date in force:** 01.03.2027	**Instrument:** MARPOL Amendments to MARPOL Annex VI and the NOx Technical Code on the use of multiple engine operational profiles for a marine diesel engine. The amendments introduce the definition and control of a rational emissions control strategy which aims to ensure that the emissions values at the individual mode points used during engine certification testing are representative of the emissions values during normal operation. Further the amendments require such a rational control strategy to be applied to each engine across the whole of its operating load and speed range therefore ensuring an engine has not been designed to circumvent the intent of the NTC. The amendments to the Code apply to engines with power output of more than 130kW. MEPC confirmed that the amendments will enter into force on 1 March 2027, however, their implementation will be as follows: For new individual or parent engines not previously certified, the new requirements apply from 1 January 2028 based on the date of the EIAPP Certificate.
MEPC.407(84) **Date in force:** 01.09.2027	**Instrument:** MARPOL Amendments to MARPOL Annex VI (Clarification of entries in data reporting required by Regulations 27 and 28, designation of the North-east Atlantic as an emission control area for Nitrogen oxides, Sulphur oxides and particulate matter, accessibility to the IMO ship fuel oil consumption database, and review clause of the short-term GHG reduction measure). Amendments to MARPOL Annex VI: Emission Control Areas and Regulations: - Regulation 13 (NOx Tier III) includes a new provision for ships constructed on or after 1 January 2027 operating in the North-East Atlantic Emission Control Area (NEA ECA), with specific construction date definitions; - The NEA ECA is formally designated as an emission control area in paragraph 6.7, supplementing existing areas under MARPOL Annex VI; - Regulation 14 (SOx and particulate matter) also adds the NEA ECA to the list of designated emission control areas. Updates on GHG Reduction Goals and Monitoring: - Regulation 20's goal is revised to emphasize reducing the carbon intensity of international shipping in line with the 2023 IMO Strategy for GHG emissions reduction; - Regulation 25's Required EEXI (Energy Efficiency Existing Ship Index) is to be kept under review with respect to the 2023 IMO Strategy implementation; - Regulation 28 on operational carbon intensity is updated to be reviewed regularly considering the 2023 IMO Strategy. Amendments to Ship Fuel Oil Consumption Data Reporting and Database Access: - Regulation 27 revises data reporting: Secretary-General must grant flag State administrations or authorized organizations access to all reported data in the IMO Ship Fuel Oil Consumption Database for their ships; - Parties can access a non-anonymized database for analysis but may require prior approval for data inclusion of their flagged ships; - An anonymized public-access database maintained by the Secretary-General will allow data use without ship identification; data sharing with research entities allowed under confidentiality; - The Secretary-General may also grant public access to non-anonymized fuel consumption reports upon company request. Geographical Description of the North-East Atlantic Emission Control Area (NEA ECA): - The NEA ECA encompasses exclusive economic zones and territorial seas (up to 200 nautical miles) of Greenland, Iceland, the Faroes, Ireland, the UK mainland, France, Spain, and Portugal, excluding the North Sea area per Annex V definitions;

IMO Resolution	Summary of the document / amendments to the document
	- The boundaries follow detailed latitude and longitude coordinates connecting multiple specific points from the high Arctic to southern limits at latitude 48°30'N, longitude 5°00'W, covering extensive maritime zones of multiple countries; - The area extends along specific sea boundaries, including parts of the Atlantic and interface with the Canadian Arctic ECA at Hans Island, with coordinates provided for precise delineation referencing WGS 1984 datum. Other Technical Amendments: - Appendix IX updates include revisions to ship identity data submission, specifying start and end dates for data periods under regulations 27 (fuel consumption reporting) and 28 (carbon intensity); - The term "Oil-fired Boiler(s)" in fuel oil consumption data is updated to "Fired Boiler(s)" for clarity and consistency.
MEPC.408(84) **Date in force:** 01.09.2027	**Instrument:** MARPOL **Related documents:** MEPC.397(83) Amendments to MARPOL Annex VI (Use of multiple engine operational profiles for a marine diesel engine, including clarifying engine test cycles). Annex – Amendments to MARPOL Annex VI: - Defines "irrational emission control strategy" as any strategy reducing emission control effectiveness below expected levels under normal engine use; - Expands the International Air Pollution Prevention (IAPP) Certificate to include rows for Tier I, II, and III engines using multiple engine operational profiles (NTC 8). Appendix II – Test Cycles and Weighting Factors: - Specifies test cycles (E3, E2, D2, C1) and weighting factors for verifying marine diesel engines' NOx emissions compliance with MARPOL Annex VI; - E3 applies to fixed pitch propeller propulsion engines; - E2 applies to propulsion engines without fixed pitch propellers or diesel-electric installations; - D2 applies to constant-speed non-propulsion engines; - C1 applies to variable-speed non-propulsion engines; - Emission limits at each mode point must not exceed NOx limits by more than 50%, with exceptions at certain low-power and idle mode points in D2 and C1 test cycles.
MSC.458(101) **Date in force:** 01.01.2028 (date related to the context of the applicability of requirements regarding the vessel's construction date; please explore Resolution)	**Instrument:** SOLAS Amendments to the International Code of Safety for Ships Using Gases or Other Low-Flashpoint Fuels (IGF Code) including loading limit, exhaust systems of internal combustion engines, fire protection. The resolution applies to new ships for which the building contract is placed on or after 1 January 2024; or in the absence of a building contract, the keels of which are laid or which are at a similar stage of construction on or after 1 July 2024; or the delivery of which is on or after 1 January 2028.
MSC.549(108) **Date in force:** 01.01.2028	**Instrument:** SOLAS Amendments to SOLAS chapter II-1 with requirements related to emergency towing arrangements for ships constructed 01.01.2028 or later, other than tankers, of 20,000GT and over.

IMO Resolution	Summary of the document / amendments to the document
MSC.567(109) **Date in force:** 01.01.2028	**Instrument:** SOLAS Amendments to the IGF Code – 2028. The amendments apply to cargo ships of 500GT and above and to all passenger ships using low-flashpoint fuels, which are not gas carriers, constructed on or after 1 January 2028. "Constructed on or after 1 January 2028" in this context means: - For which the building contract is placed on or after 1 January 2028; or - In the absence of a building contract, the keel of which is laid or which is at a similar stage of construction on or after 1 July 2028; or - The delivery of which is on or after 1 January 2032.
MSC.572(110) **Date in force:** 01.01.2028 **Application:** New ships	**Instrument:** SOLAS Amendments to SOLAS chapters II-2 and V. 1. Clarification of applicable materials for superstructures, bulkheads, decks, and deckhouses of passenger and cargo ships with regard to structural fire integrity. 2. New structural and operational requirements for pilot transfer arrangements: pilot ladders, combination transfer arrangements, securing means, handrails, stanchions, and related equipment. The amendments will apply to new pilot transfer arrangements installed on ships constructed on or after 01 January 2028; existing ships shall comply with the new requirements not later than first survey after 01 January 2029, non-SOLAS chapter I ships – after 01 January 2030.
MSC.573(110) **Date in force:** 01.01.2028 **Application:** New and existing high-speed craft	**Instrument:** SOLAS Amendments to the International Code of Safety for High-Speed Craft, 1994. New requirements to provide infant lifejackets on passenger high-speed craft, and accessories to put on lifejackets for large-chested persons on all high-speed craft.
MSC.574(110) **Date in force:** 01.01.2028 **Application:** New and existing high-speed craft	**Instrument:** SOLAS Amendments to the International Code of Safety for High-Speed Craft, 2000. New requirements to provide infant lifejackets on passenger high-speed craft, and accessories to put on lifejackets for large-chested persons on all high-speed craft.
MSC.576(110) **Date in force:** 01.01.2028 **Application:** All ships (new and existing)	**Instrument:** SOLAS **Related documents:** MSC.572(110) Following the adoption of SOLAS chapter V amendments (resolution MSC.572(110)), performance standards were adopted with detailed requirements for pilot transfer arrangements, defining parameters for pilot and other personnel safety access to decks, safe approach of pilot boats etc.

IMO Resolution	Summary of the document / amendments to the document

MSC.583(111)

Instrument: SOLAS

Date in force:
01.01.2028

Amendments to chapters IV and V, and the Appendix of the International Convention for the Safety of Life at Sea, 1974.
Amendments to SOLAS chapters IV and V:
- chapter IV updates require Contracting Governments to use all operational recognized mobile satellite services for disseminating maritime safety and search and rescue information via Enhanced Group Call service;
- In chapter V is replaced the regulation on navigational warnings requiring prompt communication of danger intelligence to concerned parties and other interested Governments;
- Modifications include cooperation in meteorological services and the addition of performance standards for shipborne VHF data exchange system (VDES).
Further Amendments on Navigational Systems and Equipment:
- Annual testing of AIS or VDES is mandated, verifying correct programming, sensor data exchange, and radio performance, with test reports retained onboard;
- Ships constructed before 1 July 2002 must comply with specific system fitting requirements;
- AIS or VDES must be installed and operated on ships above certain tonnage thresholds providing automatic exchange of navigational and safety-related information, except where protection of navigational information is required by international agreements.
Regulation 19-1 on Long-Range Identification and Tracking:
- Ships fitted with AIS or VDES and operating exclusively within sea area A1 are exempt from compliance with certain long-range identification and tracking provisions.
Appendix - Certificates Updates:
- The forms for records of equipment for passenger and cargo ship safety are updated to replace item 4.1 with "Automatic identification system (AIS) or VHF data exchange system (VDES)" for detailing navigational systems and equipment.

MSC.584(111)

Related documents: A.1049 (27)

Date in force:
01.01.2028

Amendments to the International Code on the Enhanced Programme of Inspections During Surveys of Bulk Carriers and Oil Tankers, 2011 (ESP Code).
Amendments overview:
- Renumbering of existing annexes and insertion of new annexes (5B and 8B) defining procedures for certification of firms performing close-up surveys using Remote Inspection Techniques (RIT);
- Clarification of "Administration" definition to include recognized organizations, and introduction of term "Remote Inspection Technique (RIT)," defined as a survey method without direct physical surveyor access.
General Provisions and Definitions for Bulk Carriers (Single-Side Skin Construction):
- Addition of definition of RIT and incorporation of guidelines on its use per MSC.1/Circ.1700;
- Requirement for thickness measurements during close-up surveys; use of RIT subject to Administration's agreement after third renewal survey.
- RIT surveys must be conducted following defined requirements and guidelines, under continuous surveyor presence and control, with confirmatory traditional surveys if damage is detected.
Renewal Survey and Survey Preparation for Bulk Carriers (Single-Side Skin Construction):

IMO Resolution	Summary of the document / amendments to the document
	- Detailed conditions on when RIT can be used for close-up surveys, prohibiting usage after the third renewal survey except by Administration agreement; restrictions on RIT use in ballast tanks with poor or absent hard protective coatings and in areas with significant structural failure histories; - Survey programme must specify RIT usage, limitations, areas covered, and procedures for thickness measurements if RIT reveals suspect areas; - Mandatory cleaning of survey spaces before inspection, ensuring removal of corrosion, residues, and development of surveyor-approved data presentation and two-way communication with RIT operators. Survey Planning and Thickness Measurement Firm Certification for Bulk Carriers (Single-Side Skin Construction): - Requirement for pre-survey planning meeting involving surveyors, firm representatives (thickness measurement and RIT), and ship master or representative to ensure safe and efficient survey conduct; - Thickness measurements to be performed by firms certified per Annex 5A principles. Survey Planning Questionnaire and Procedures for Certification of RIT Firms (Bulk Carriers - Single-Side and Double-Side Skin; Oil Tankers): - Owners must provide detailed information on access provisions including permanent, temporary, and RIT means for close-up surveys and thickness measurements; - Procedures for RIT firm certification include designation of certified supervisors and operators; operators must have relevant experience and licensing, especially UAV pilots if applicable; - Firms responsible for operator training and qualification, maintaining documented plans covering structural deterioration identification and reporting requirements, knowledge of IMO guidelines, and operational procedures including inspection plans, data collection, storage, communication, and reporting; - Equipment requirements for RIT include remotely operated platforms, power supply, high-definition video and still cameras, illumination, display screens, communication, and data recording; - Certification process involves document submission to Administration, firm audits, demonstration of survey competence on board or in testing environments, issuance of certificates stating operational scope and limitations, with renewals every three years; - Provisions for immediate reporting of operational system alterations and potential certification withdrawal under misuse, deficiencies, or failure to report changes. Survey Reporting Principles: - When RIT is used, reports must include all video and images, detailed findings on areas examined and damages, identification of the RIT firm, equipment and operators, and evidence of surveyor review and approval; - Survey results must include identification of compartments free from structural damage or defects, supplemented by visual aids if appropriate. Provisions Specific to Bulk Carriers with Double-Side Skin Construction and Oil Tankers (Double-Hull and Others): - Similar amendments as for single-side skin bulk carriers: definitions, RIT use restrictions, survey programme preparation, cleaning requirements, equipment validation, planning meetings, thickness firm certification, survey questionnaires; - Specific annexes renumbered and new annexes added corresponding to each ship type's requirements for RIT firms and thickness measurement firms; - RIT use subject to Administration approval; prohibited post third renewal survey unless agreed. RIT use excluded in ballast tanks with deficient coatings or historical structural failures; - Detailed operational and certification procedures for firms conducting RIT close-up surveys aligned with those for bulk carriers, including UAV pilot certification where applicable; - Reporting principles amended accordingly for each category to include RIT specifics and documentation.

IMO Resolution	Summary of the document / amendments to the document
MSC.585(111) **Date in force:** 01.01.2028	**Instrument:** SOLAS **Related documents:** MSC.36(63) Amendments to the International Code of Safety for High-Speed Craft, 1994 (1994 HSC Code). Amendments to Chapter 13: Shipborne Navigational Systems and Equipment and Voyage Data Recorder: - Paragraph 13.15 is replaced to require craft to be equipped with either Automatic Identification System (AIS) or VHF Data Exchange System (VDES); - AIS or VDES should automatically provide, receive, monitor, and track navigational and safety-related information among vessels, shore stations, and aircraft, with data exchange capabilities with shore-based facilities; - Operating these systems should consider international protections of navigational data and guidelines provided by the IMO, including revised guidelines for AIS and VDES use. Annex 1: Form of High-Speed Craft Safety Certificate: - The table detailing navigational systems and equipment is updated to replace item 13 with "Automatic identification system (AIS) or VHF data exchange system (VDES)" for certification purposes.
MSC.586(111) **Date in force:** 01.01.2028	**Instrument:** SOLAS **Related documents:** MSC.97(73) Amendments to the International Code of Safety for High-Speed Craft, 2000 (2000 HSC Code). Amendments to Chapter 13 - Shipborne Navigational System and Equipment and Voyage Data Recorders: - Paragraph 13.15 is replaced to mandate that craft be equipped with either an Automatic Identification System (AIS) or a VHF Data Exchange System (VDES); - AIS or VDES must automatically provide and receive navigational and safety-related information, monitor and track vessels, and exchange data with shore-based facilities, with operation guided by IMO guidelines; - Exceptions exist where international rules protect navigational information privacy. Amendment to the High-Speed Craft Safety Certificate: - The certificate's navigational systems equipment section is updated to replace item 15 with "Automatic identification system (AIS) or VHF data exchange system (VDES)".
MSC.587(111) **Date in force:** 01.01.2028	**Instrument:** SOLAS **Related documents:** MSC.122(75) Amendments to the International Maritime Dangerous Goods (IMDG) Code (Amendment 43-26). Part 1: General Provisions, Definitions and Training: - Updated definitions for "Bundles of cylinders," "Cylinders," and others to specify pressure volume product limits and measurement units; removal and modification of conversion factors in units table; - Added definitions including "Usable water capacity," "Single packaging," and "Pressure volume product."; -

IMO Resolution	Summary of the document / amendments to the document
	- Clarifications in general provisions on radioactive material including "shipment after storage.". Part 2: Classification: - Formatting and typographical amendments to proper shipping names and classification procedures, including clearer guidance on self-reactive substances, samples of energetic materials, and lithium, sodium ion batteries; - Expanded classification of explosives with provisions for substances excluded from class 1 and desensitized explosives; - Revisions to class 4 (flammable solids), class 5 (organic peroxides), and updates on toxic and infectious substances with category definitions and packing group clarifications; - Inclusion of sodium ion batteries alongside lithium batteries with specific requirements for hybrid batteries in transport. Part 3: Dangerous Goods List, Special Provisions and Exceptions: - Updates to Dangerous Goods List entries, notably chlorine phenols, lithium and sodium ion batteries including their transport in cargo transport units and special provisions for hybrid batteries; - Amendments to special provisions relating to aerosol contents, refrigerating and heating machines, lithium batteries marking, vehicles powered by batteries, and specific new provisions for MRI scanners and liquid organic hydrogen carriers; - Introduction of detailed safety conditions and requirements for vehicles not prohibited from transport under special provisions (SP961, SP962). Part 4: Packing and Tank Provisions: - Clarifications and additions concerning packaging requirements, single and composite packagings, packing instructions including new special provisions (PP98, PP99, PP100); - Transitional provisions for portable tanks and multiple-element gas containers (MEGCs); updates to filling degree definitions and service equipment requirements. Part 5: Consignment Procedures - Marking and Labelling: - Revision of battery mark provisions to include sodium ion batteries, new labelling instructions, and specimen label adjustments; - Updated examples of dangerous goods descriptions with standardized text formatting. Part 6: Construction and Testing of Packagings, IBCs, Large Packagings, Portable Tanks, MEGCs and Road Tank Vehicles: - Updates to ISO standards and transitional allowances for cylinder manufacture and testing; revisions to marking requirements including new provisions for small and salvage pressure receptacles; - Amendments to IBCs and large packaging testing, marking, and manufacturing provisions; detailed updates to portable tank and MEGC design, inspection, and testing, including fibre-reinforced plastics (FRP) portable tanks and service equipment with comprehensive quality system and design criteria. Part 7: Provisions Concerning Transport Operations: - Revised stowage provisions including definitions, segregation distances for radioactive materials, and corrections in stowage code wording; - Modifications in segregation provisions for class 1 goods, and packing of cargo transport units including stacking test orientation notes and temperature control apparatus requirements; - Updated Index and generic shipping names adding new entries for chlorophenols, heating machines, MRI scanners, and sodium ion batteries installed in cargo units to reflect changes in the Dangerous Goods List.

IMO Resolution	Summary of the document / amendments to the document
MSC.588(111) **Date in force:** 01.01.2028 **Application:** New ships	**Instrument:** SOLAS **Related documents:** MSC.537(106) Amendments to the International Code of Safety for Ships Carrying Industrial Personnel (IP Code). Amendments to the IP Code – Part IV, Regulation 2 – Subdivision and Stability: - A new sub-paragraph .7 is added to require that the assumed mass of each industrial personnel be 90 kg instead of 75 kg in ship stability calculations; - This requirement applies to ships with building contracts placed on or after 1 January 2028, or whose keel is laid (or equivalent construction stage reached) after 1 July 2028, or delivered on or after 1 January 2032 + 4 years.
MSC.589(111) **Date in force:** 01.01.2028	**Instrument:** SOLAS **Related documents:** MSC.48(66) Amendments to the International Life-Saving Appliance (LSA) Code. The preamble was updated to clarify the mandatory nature of the LSA Code under SOLAS and the amendment adoption procedure. Amendments include new performance requirements for adult lifejackets provided on or after 1 January 2026, specifically that such lifejackets must turn unconscious persons face-up in water within a specified time limit. Definitions clarify the applicability of these requirements based on contractual delivery or actual delivery dates relative to 1 January 2026. For lifeboats installed on or after 1 January 2026, new safety requirements for accidental release prevention of hooks during recovery operations are introduced, including reset mechanisms and warning signage. Certain paragraphs were amended or deleted to align with these new safety measures for lifeboat fittings installed from 2026 onward. Additional requirements were specified for ventilation and ventilation system openings of totally enclosed lifeboats installed on or after 1 January 2029. Clarifications were added that the new ventilation requirements apply to totally enclosed lifeboats with delivery on or after 1 January 2029. A new paragraph introduced testing and design requirements for free-fall lifeboat release systems installed on or after 1 January 2031, emphasizing safety factors, corrosion resistance, and load testing. Launching appliances must operate by gravity or stored mechanical power independent of ship power; exceptions allow manual handling of certain light rescue boats installed on or after 1 January 2024 under defined conditions. Speed requirements for lowering survival craft or rescue boats installed on or after 1 January 2026 include minimum lowering speeds based on height and a maximum speed with allowances for administration discretion concerning occupant protection and equipment strength. Definitions clarify the applicability of these launching appliance requirements based on delivery dates relative to specified implementation dates.

IMO Resolution	Summary of the document / amendments to the document
MSC.590(111) **Date in force:** 01.01.2028	**Instrument:** SOLAS **Related documents:** MSC.402(96), MSC.404(96), MSC.589(111) Amendments to the Requirements for maintenance, thorough examination, operational testing, overhaul and repair of lifeboats and rescue boats, launching appliances and release gear. The new provisions apply specifically to free-fall lifeboats installed or delivered on or after 1 January 2031. Amendments to Specific Maintenance and Testing Procedures: - Section 6.2 on annual thorough examination and operation testing was revised to require inspection of lifeboat structure, equipment and systems including propulsion, air supply, power, bailing, and testing arrangements for release mechanisms without water launch for free-fall lifeboats; - Paragraph 6.2.7 outlines a detailed procedure for operational testing of free-fall lifeboat release: engaging test arrangement without launching, operator securing, operating release mechanism, resetting stowed configuration, repeating with backup release if applicable, removing test arrangements, and verifying readiness to launch.
MSC.591(111) **Date in force:** 01.01.2028 **Application:** New ships	**Instrument:** LL 66 Amendments to the Protocol of 1988 relating to the International Convention on Load Lines, 1966. Guard rails or bulwarks must be fitted around all exposed decks and sea access holes accessible during navigation, with a minimum height of 1 meter, except where reduced height is approved for operational reasons. Guard rails are required to have at least three courses with specified maximum openings and spacing, and chains may be used as substitute guard rails between stanchions or bulwarks if tightened and detachable, for operational needs.
MEPC.329(76) **Date in force:** 01.07.2029 (date related to the context of the applicability of requirements regarding the vessel's construction date; please explore Resolution)	**Instrument:** MARPOL **Related documents:** MEPC.1/Circ.915 Amendments to MARPOL Annex I, entered into force on 01.11.2022, related to the ban introduce new Regulation 43A banning – on or after 1 July 2024 - the use and carriage for use in Arctic waters of heavy fuel oils as from 01 July 2024. Ships compliant with MARPOL Annex I Reg. 12A or with Reg. 1.2.1 of the Polar Code shall comply with the ban on or after 1 July 2029. Temporary waivers issued taking into account the IMO Guidelines (циркуляр MEPC.1/Circ.915) by the Administration of the ship's flag State while operating in the Arctic waters under the sovereignty or jurisdiction of that State, will be applicable until 01 July 2029.

DOCUMENTS OF INTERNATIONAL ASSOCIATION OF CLASSIFICATION SOCIETIES (IACS), WHICH ENTER INTO FORCE AFTER 1 OCTOBER 2026

IACS Resolution	Summary of the document / amendments to the document
UI HSC11 (Corr.1 Aug 2026) **Date in force:** 01.01.2026 **Application:** All ships (new and existing)	**Related documents:** SOLAS "Fire-Extinguishing Media Restrictions" This UI provides interpretations for implementation of the 1994 and 2000 HSC Codes, regulation 7.9.4, prohibiting the use or storage of fire-extinguishing media containing perfluorooctane sulfonic acid (PFOS). The correction amends the wording so as to restore the mandatory effect consistent with the original purpose and intent of the UI.
UI SC309 (Corr.1 Aug 2026) **Date in force:** 01.01.2026 **Application:** All ships (new and existing)	**Related documents:** SOLAS "Fire-Extinguishing Media Restrictions" This UI provides implementation requirements for SOLAS regulation II-2/10.11, prohibiting the use or storage of fire-extinguishing media containing perfluorooctane sulfonic acid (PFOS). The correction amends the wording so as to restore the mandatory effect consistent with the original purpose and intent of the UI.
PR1A (Rev.12 Dec 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	"Procedure for Transfer of Class" This revision is to have transparency on the condition of the secondary barrier of the ship in accordance with Rev.3 of UI GC 12, in case of transfer of class of the ship.
UI SC180 (Rev.5 Nov 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** MSC.1/Circ.1572/Rev.2 "Hold, ballast and dry space water level detectors and Performance Standards for Water Level Detectors on Ships subject to SOLAS Regulations II-1/25, II-1/25-1 and XII/12 (Resolution MSC.188(79)/Rev.2)" The UI has been aligned with MSC.1/Circ.1572/Rev.2. Modifications have been made to the provisions regarding performance standards.

IACS Resolution	Summary of the document / amendments to the document
PR1B (Rev.9 Nov 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	"Procedure for Adding, Assigning, Maintaining or Withdrawing Double or Dual Class" In this revision, Section G specifying the minimum mandatory list of the drawing for the second society's approval was amended to add three popular ship types (bulk carriers, oil/chemical tankers and container ships). Also, procedures were added to address the situation where a delay is faced in obtaining survey status information from the first Society while adding class of a second Society to a vessel classed by First Society and ensure full compliance with the requirements of PR 1A (Transfer of Class) for Dual Class vessels in case the Class of the First Society is withdrawn.
PR42 (Rev.2 Nov 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	"Procedure for Assigning Class for a New Building project when the design is already approved by an Initial Society (Based on the Classification Rules and a Memorandum of Understanding (MoU) Between a Class Society, a Shipyard and, if applicable, a Ship Owner)." In Rev.2, Section B specifying the minimum mandatory list of the drawing for the society's approval was amended to add additional plans required for bulk carriers, oil/chemical tankers and container ships.
UI GC12 (Rev.3 Dec 2025) **Date in force:** 01.01.2027 **Application:** Gas carriers with membrane containment systems (new and existing)	**Related documents:** IGC Code "Secondary Barrier Testing and Effectiveness Assessment" The UI provides a description of some specific IGC Code terms and expressions in detail used for the requirements to secondary barrier as a part of membrane cargo containment systems. The context of the requirements is the effectiveness and function of the barrier but also monitoring measures for liquid-tight performance of the barrier.
UR C6 (Rev.1 Sep 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR C7 "Requirements for Lashing Software" In order to avoid any misinterpretation of the application of UR C6, and in compliance with the IACS view that all seagoing dedicated container ships are to be equipped with an onboard lashing software approved in compliance with the requirements of the UR C6, C6.1.1 is revised from "All seagoing dedicated container ships are to comply with these minimum requirements" to "All seagoing dedicated container ships are to be equipped with an onboard lashing software approved in compliance with these minimum requirements".

IACS Resolution	Summary of the document / amendments to the document
UR E7 (Rev.6 Dec 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** IEC standards "Cables" In Rev.6 of this Resolution, substantial amendment to the referenced IEC standards for type approval certification of shipboard electric cables has been reflected.
UR E15 (Rev.6 Dec 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** IEC standards "Electrical Services Required to be Operable Under Fire Conditions and Fire-Resistant Cables" In Rev.6 of this Resolution, substantial amendment to the referenced IEC standards for fire resistant type cables has been reflected.
UR E25 (Rev.3 Nov 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR M42 "Failure detection and response of all types of steering control systems" Rev.3 of this UR, the clarification regarding response of steering system upon hydraulic locking due to mechanical failure was deleted from this UR and included in UR M42".
UR F45 (Rev.1 Mar 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M74 "Installation of BWMS on-board ships" This UR details relevant safety measures for the installation of BWMS on-board ships. This UR comes as a complement to UR M74 and focuses on the fire safety and personnel protection issues. In this revision, Section 6 "Ventilation" was transferred to UR M74. Some amendments were made to Para 2.3.2 regarding the categorization of an engine room used for the storage of chemicals for the ballast water management system. Additional changes were made to paragraphs 2.1 and 2.3.1 to improve the clarity.

IACS Resolution	Summary of the document / amendments to the document
UR I2 (Rev.5 Jun 2025) **Date in force:** 01.01.2027 **Application:** Polar class ships (new)	**Related documents:** UR I2 "Structural Requirements for Polar Class Ships" This revision introduces the actual net effective shear area include portion of attached shell plating.
UR M42 (Rev.7 Nov 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR E25 "Steering Gear" In Rev.7 of this UR, the explanation regarding steering system response after hydraulic locking due to mechanical failures, previously contained in UR E 25, has been incorporated into this UR.
UR M44 (Rev.11 Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M87 "Documents for the Approval of Reciprocating Internal Combustion Engines" This UR provides requirements for the approval of drawings and specifications for engines and their sub-systems. Revision 11 of this resolution has been restructured to align with the new UR M87, 'Certification Scheme for Reciprocating Internal Combustion Engines,' and certification requirements previously contained in M44 have now been merged into M87 accordingly.
UR M51 (Rev.5 Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M87 "Factory Acceptance Test of Reciprocating Internal Combustion Engines" Revision 5 of this resolution has been restructured and is now associated with the new UR 'Certification Scheme for Reciprocating Internal Combustion Engines.' The existing UR M51 has been divided to focus specifically on the factory acceptance test on the test bed, while requirements relating to shipboard trials have been relocated to a new UR, designated M88.
UR M53 (Rev.6 Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	"Calculations for I.C. Engine Crankshafts" Amendments to clause 2.2 Calculation of alternating torsional stress to cover some type of engines operating on gases or low-flashpoint fuels.

IACS Resolution	Summary of the document / amendments to the document
UR M67 (Rev.3 Aug 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR E10 "Type Testing Procedure for Crankcase Oil Mist Detection and Alarm Equipment" For oil mist detectors intended for engines operating on alternative fuels, two additional type testing purposes have been added in Section 3, i.e. to verify and ensure the long-term compatibility of all materials and to verify the explosion-proof design of the oil mist detector. New section 13 "Verification of material compatibility in corrosive or fouling atmospheres" has been added.
UR M71 (Rev.1 Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M87 "Type Testing of Reciprocating Internal Combustion Engines" This UR provides requirements for type testing of reciprocating internal combustion engines. Revision 1 is associated with UR M87, 'Certification Scheme for Reciprocating Internal Combustion Engines,' is restructured accordingly, and provides clarification of the requirements.
UR M74 (Rev.3 Mar 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR F45 "Ballast Water Management Systems" In Rev.3 of this Resolution, a new section gathering ventilation requirements from UR F45 and UR M74 previous revision is added.
UR M77 (Rev.5 July 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M87 "Storage and use of SCR reductants" This revision 5 updates the requirements for use of aqueous ammonia or anhydrous ammonia for reductant of SCR. While the MSC 109 decision permits the use of ammonia as fuel, the current wording of items 3 and 4 of UR M77 may be interpreted as being conservative or restrictive towards the use of ammonia as a reductant, potentially limiting the flexibility for ammonia-based SCR systems. Given these developments, it has become necessary to update the requirements in UR M77.3 and M77.4 regarding the use of aqueous ammonia and anhydrous ammonia as SCR reductants.

IACS Resolution	Summary of the document / amendments to the document
UR M78 (Rev.3 Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** IGC Code, IGF Code "Reciprocating Internal Combustion Engines fueled by Gases or Low-flashpoint Fuels" The scope of application of UR M78 has been revised in accordance with agreed scope to cover additional gases or low-flashpoint fuels, and now covering methane, ethane, LPG and methyl/ethyl alcohol fuels. The UR has also been amended to clarify the content of the safety concept required to be submitted by the engine designer.
UR M87 (New Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M28, M44, M71, M72, M51, M88, M78, Z26 "Certification Scheme for Reciprocating Internal Combustion Engines" This UR provides the Engine Certification Scheme based on engine type approval, including the requirements for issuing a type approval certificate, design evaluation certificate, and product certificate for individual engines. It outlines the process for engine certification, intended for shipboard applications such as propulsion, electrical power generation, or other auxiliary purposes.
UR M88 (New Apr 2025) **Date in force:** 01.01.2027 **Application:** All ships (new and existing)	**Related documents:** UR M51, M87 "Shipboard Trials of Reciprocating Internal Combustion Engines" This UR is derived from UR M51 and provides requirements for the shipboard tests of reciprocating internal combustion engines to be conducted upon installation on board.
UR S10 (Rev.8 Sep 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR S4, S6, W7, W8, W11 "Rudders, sole pieces and rudder horns" The Rev.8 of UR S10 has been prepared to clarify: 1) meaning of deepest load waterline" in the 1st sentence of clause 1.2.3, and 2) descriptions for section areas of rudder horn in clause 9.2.1 & Annex S10.5.
UR W7 (Rev.5 Feb 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR M72, UR M68, UR W32 "Hull and machinery steel forgings" Due to feedback from manufacturers indicating that the sampling requirements for ring and disc forgings may cause confusion in understanding, the requirement regarding the sampling position for ring and disc forgings has been clarified. Furthermore, the requirements for Charpy V-notch impact tests have been reconsidered.

IACS Resolution	Summary of the document / amendments to the document
UR W8 (Rev.5 June 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR W2, UR W28, UR W32 "Hull and machinery steel forgings" The current of UR W8 has been revised with following changes: - New definitions and clarifications regarding test blocks. - Revised requirements for special consideration of Charpy V-notch acceptance criteria.
UR W9 (Rev.3 Feb 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR W2 "Grey iron castings or flake graphite iron castings" This revision seeks to align and harmonise the requirements for specifying the properties of unalloyed and low-alloyed grey cast irons with international standards consistent with industry practice.
UR W10 (Rev.3 Corr.1 Sep 2025) **Date in force:** 01.01.2027 **Application:** All ships (new)	**Related documents:** UR W2 "Spheroidal graphite iron castings or ductile iron castings" This revision seeks to align and harmonise the requirements for specifying the properties of spheroidal graphite or ductile cast irons with international standards consistent with industry practice. The correction is to correct the references to Figures 1, 2, and 3 provided in Article 6.2.
UR W11 (Rev.10 Sep 2025) **Date in force:** 01.01.2027 **Application:** Refer to resolution	**Related documents:** UR W16, UR W28 "Normal and higher strength hull structural steels" The purpose of the revision is to align and harmonise the requirements of high-heat input welding between this UR W11 and UR W16 and UR W28.

IACS Resolution	Summary of the document / amendments to the document
UR W16 (Rev.4 Corr.1 Mar 2026) **Date in force:** 01.01.2027 **Application:** Refer to resolution	**Related documents:** UR W11, UR W 28 "High Strength Steels for Welded Structures" The purpose of the fourth revision is to align and harmonise the requirements of high-heat input welding between this UR W11 and UR W16 and UR W28. Corrigenda items concern editorial clarifications in Table 1, Table 2, and other minor editorial items throughout the UR. Table 1 to explicitly indicate the maximum permissible manganese content for steels in the QT delivery condition, and to ensure alignment with the requirements of the new IACS Recommendation (No.196) concerning QT steels with thickness greater than 150 mm.
UR W23 (Rev.3 Sep 2025) **Date in force:** 01.01.2027 **Application:** Refer to resolution	**Related documents:** UR W17, UR W 28 "Approval of Welding Consumables for High Strength Steels for Welded Structures" The UR was amended to relocate current requirements for situations involving undermatched welds (concerning grades Y89 and Y96) and direct the user of this IACS Resolution to UR W28 for such cases, as this is considered the more appropriate IACS Resolution for these requirements.
UR W28 (Rev.3 Sep 2025) **Date in force:** 01.01.2027 **Application:** Refer to resolution	**Related documents:** UR W11, UR W 16 "Welding procedure qualification tests of steels for hull construction and marine structures" This latest revision of IACS UR W28 addresses issues raised by the marine industry for welding procedure qualification. It also aligns with the latest revisions of other IACS resolutions (UR W11, W16, W23 and W31) and other established national and international standards for welding procedure qualification. This revision also to aligns and harmonises the requirements of high-heat input welding between this UR and UR W11 and UR W16.
UR W35 (Rev.2 Feb 2025) **Date in force:** 01.01.2027 **Application:** Firms providing NDT Services on the new construction of ships and offshore structures	**Related documents:** UR Z23 "Requirements for NDT Service Suppliers" This revision addresses issues of Visual Testing (VT) personnel qualification/certification requirement and definition. In para 2.3, a note was added that VT personnel may be exempted from the formal qualification/certification requirements, however, such designated personnel shall undergo internal or external training and competency assessment.

IACS Resolution	Summary of the document / amendments to the document
UR Z11 (Rev.7 Feb 2025) **Date in force:** 01.01.2027 **Application:** Oil tankers, chemical tankers, bulk carriers (existing)	**Related documents:** UR Z10.1, Z10.2, Z10.3, Z10.4, Z10.5 "Mandatory Ship Type and Enhanced Survey Programme (ESP) Notations" An update was made to exclude chemical tankers constructed with independent cargo tanks only from ships to which the "ESP" notation shall be assigned.
UR Z17 (Rev.22 Aug 2025) **Date in force:** 01.01.2027 **Application:** Approval of firms providing services	**Related documents:** Rec.180 "Procedural Requirements for Service Suppliers" In Rev.22 of this UR, the requirements for firms carrying out an in-water survey on ships and mobile offshore units by diver or Remotely Operated Vehicle (ROV) (Section 3) and firms engaged in survey using Remote Inspection Techniques (RIT) as an alternative means for Close-up Survey of the structure of ships and mobile offshore units (Section 16) have been updated.
UI SC308 (Rev.1 Nov 2025) **Date in force:** 01.07.2027 **Application:** All ships (new)	**Related documents:** SOLAS "Ventilation Systems of Cargo Spaces" This UI serves to interpret the requirements of SOLAS Reg. II-2/5.2.1.1 and IMSBC Code requirements with regard to the permanent availability of mechanical surface ventilation.
UI SC311 (New Feb 2026) **Date in force:** 01.07.2027 **Application:** All ships (new and existing)	**Related documents:** LSA Code "Manual hoisting-up and turning-out of dedicated rescue boats from their stowed position on cargo ships" This document provides unified interpretations clarifying the permissible arrangements and procedures for manually hoisting-up and turning-out dedicated rescue boats from their stowed position, including the distinction between launching preparation and the launching process under the LSA Code.

IACS Resolution	Summary of the document / amendments to the document
UR H2 (New Jan 2026) **Date in force:** 01.07.2027 **Application:** Ammonia fuelled ships (new)	**Related documents:** IGC Code "Design, construction and testing of ammonia release mitigation system (ARMS) in ammonia fuelled vessels" This UR provides requirements for the design, construction and testing of ammonia release mitigation system (ARMS). It addresses ammonia fuelled vessels other than ships subject to the IGC Code.
UR M78 (Rev.4 Dec 2025) **Date in force:** 01.07.2027 **Application:** All ships (new and existing)	**Related documents:** IGC Code, IGF Code "Reciprocating Internal Combustion Engines Fuelled by Gases or Low-flashpoint Fuels" The scope of application of UR M78 has been revised in accordance with agreed scope to cover additional gases or low-flashpoint fuels, and now covering ammonia as fuel.
UR F24 (Rev.3 Aug 2026) **Date in force:** 01.01.2028 **Application:** Oil tankers and gas carriers (new)	**Related documents:** MSC.1/Circ.1321 "Temperature of Steam and Heating Media within the Cargo Area" This UR provides requirements regarding the maximum temperature of heating media used within the cargo area of oil tankers and gas carriers. Revision 3 included a reference to an IMO Guidelines to clarify the temperature limit for heating media.
UR M11 (Rev.1 Aug 2026) **Date in force:** 01.01.2028 **Application:** All ships (new)	"Protective devices for starting mains" This UR provides requirements for explosion protection in starting air mains. Revision 1 includes some new text passages and a reorganisation of the text to improve clarity.
UR M12 (Rev.1 Aug 2026) **Date in force:** 01.01.2028 **Application:** All ships (new)	"Fire extinguishing systems for scavenge manifolds" In context of the periodical review of IACS instruments some minor changes to the wording were proposed. It was agreed to change the wording "an approved fire extinguishing system" to "a fixed fire extinguishing system".

IACS Resolution	Summary of the document / amendments to the document
UR Z17 (Rev.23 July 2026) **Date in force:** 01.01.2028 **Application:** Approval of service suppliers	**Related documents:** MSC.402(96) as amended "Procedural Requirements for Service Suppliers" In this revision, requirements for approval of firms engaged in Non-Destructive Testing (NDT) and Advanced Non-Destructive Testing (ANDT) Services on the new construction of ships and offshore structures have been included. Meanwhile, Considering that MSC.402(96) has been amended by MSC.559(108), Section 13 of Annex 1 has been updated accordingly.
UR W33 (Rev.2 July 2026) **Date in force:** 01.01.2028 **Application:** All ships (new)	**Related documents:** UR W35 "Non-destructive testing of ship hull steel welds" This revision provides various updates concerning: - Alignment of NDT personnel qualification requirements and terminology with reference to UR W35 - Definitions - Reference to latest editions of various NDT standards - NDT checkpoint plan, checkpoint lengths for RT and UT, and weld crossover locations - Interpretation of radiographs in a given length.
UR W34 (Rev.2 July 2026) **Date in force:** 01.01.2028 **Application:** All ships (new)	**Related documents:** UR W35 "Advanced non-destructive testing of materials and welds" This revision provides various updates concerning: - Alignment of NDT personnel qualification requirements and terminology with reference to UR W35 - Definitions - Reference to latest editions of various NDT standards, and reference to additional IACS instruments - Expanding the scope to include Ni steels, duplex stainless steels, and high manganese austenitic steels - Expanding the scope to allow the use of PAUT on ferritic steel butt welds less than 6mm thick - Interpretation of digital radiographs in a given length.

ADDITIONAL INFORMATION

(click to follow the link)

Brief information on the results of sessions of the IMO bodies

Status of the IMO conventions and instruments (by Members)

General information about the main IMO instruments

International Affairs of the Russian Maritime Register of Shipping

You can reach and configure the subscription service for published RS news via the link.
The mailing will be received in accordance with the selected settings, the parameters of which can always be changed.

RUSSIAN
MARITIME REGISTER
OF SHIPPING

RS-CLASS.ORG
+7 812 380 20 72


RS INTERNATIONAL
ACTIVITY

RS International Affairs Department
+7 812 312 35 69

This document has been prepared by Russian Maritime Register of Shipping for reference purposes and contains information on amendments to IMO instruments and IACS resolutions that come into force in 2025-2028. Preference is given to technical requirements in order to guide clients of Russian Maritime Register of Shipping and to facilitate their readiness to comply with such requirements.
While every effort has been made to ensure the accuracy of the information provided, Russian Maritime Register of Shipping makes no representations or warranties as to the completeness or accuracy of the information provided. Furthermore, Russian Maritime Register of Shipping disclaims all liability for any errors or damages caused by any inaccuracies contained in the information provided or by any person acting or failing to act on it.

In case of questions, please contact RS International Affairs Department:

Mail to International Affairs Department



Reproduction of information contained in this document is permitted with the prior written permission of the Federal Autonomous Institution "Russian Maritime Register of Shipping"

© Russian Maritime Register of Shipping, 2026