RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1

I:\MSC\76\23-ADD.1.DOC
ANNEX 13

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)

MANDATORY SHIP REPORTING SYSTEMS

THE MARITIME SAFETY COMMITTEE,

RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,

RECALLING ALSO regulation V/11 of the Inte rnational Convention for the Safety of Life at Sea (SOLAS), 1974, as amended, concer ning the adoption by the Organization of ship reporting systems,

RECALLING FURTHER resolution A.858(20) which authorizes the Committee to perform the function of adopting ship reporting systems on behalf of the Organization,

TAKING INTO ACCOUNT the existing Guidelines and criteria for ship reporting systems adopted by resolution MSC.43(64), as amended by resolution MSC.111(73),

HAVING CONSIDERED the recommendations of the Sub-Committee on Safety of Navigation at its forty-eighth session,

1. ADOPTS, in accordance with SOLAS regulation V/11, the mandatory ship reporting systems:

HAVING CONSIDERED the recommendations of the Sub-Committee on Safety of Navigation at its forty-eighth session,

1. ADOPTS, in accordance with SOLAS regulation V/11, the mandatory ship reporting systems:

- "In the Gulf of Finland" described in Annex 1 to the present resolution; and

- "In the Adriatic Sea" described in Annex 2 to the present resolution;

2. DECIDES that the said mandatory ship repor ting system "In the Gulf of Finland" would be implemented on 1 July 2004, whilst the said manda tory ship reporting system "In the Adriatic Sea" will enter into force at 0000 hours UTC on 1 July 2003;

3. REQUESTS the Secretary-General to bring this resolution and its Annexes to the attention of Member Governments and C ontracting Governments to the 1974 SOLAS Convention.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 2

I:\MSC\76\23-ADD.1.DOC
ANNEX 1

DESCRIPTION OF THE MANDATORY SHIP REPORTING SYSTEM
IN THE GULF OF FINLAND TRAFFIC AREA

A ship reporting system is established in the Gulf of Finland in international waters.

DESCRIPTION OF THE MANDATORY SHIP REPORTING SYSTEM
IN THE GULF OF FINLAND TRAFFIC AREA

A ship reporting system is established in the Gulf of Finland in international waters.

1 CATEGORIES OF SHIPS REQUIRED TO PARTICIPATE IN THE SYSTEM

1.1 Ships required to participate in the mandatory ship reporting system:

1.2 Ships of 300 gross tonnage and upwards proceeding to or from ports or passing through the reporting area between ports in the Gulf of Finland, or ships visiting the area.

2 GEOGRAPHICAL COVERAGE OF THE SYSTEM AND THE NUMBER AND EDITION OF THE REFERENCE CHART USED FOR THE DELINEATION OF THE SYSTEM

2.1 The system covers the international waters in the Gulf of Finland between a line drawn from Bengtskär Lighthouse to 59 °33.30 N 022 °30E to 59°10N 021 °30E to Kpu Peninsula and longitude 026°30E.

2.2 The reference charts are:

.1 Finnish Maritime Administration ch arts 901 (edition 2000, scale 1:200 000), 902 (edition 2000, scale 1:200 000) and 912 (edition 1999, scale 1:200 000). Geodetic datum is the national geodetic chart-coordinate system (KKJ). WGS84 latitude

.1 Finnish Maritime Administration ch arts 901 (edition 2000, scale 1:200 000), 902 (edition 2000, scale 1:200 000) and 912 (edition 1999, scale 1:200 000). Geodetic datum is the national geodetic chart-coordinate system (KKJ). WGS84 latitude correction is -0,01 and the longitude correction is +0,19.

.2 Russian charts 22060-INT1213 (edition 2000, scale 1:250000). Geodetic datum of the year 1942 (Pulkovo). For obtaining position in WGS datum such position should be moved 0,12 westward. 22061-INT1214 (edition 1997, scale 1:250000). Geodetic datum of the year 1942 (Pulkovo). For obtaining position in WGS datum such position should be moved 0,13 westward.

.3 Estonian charts 502 (edition 2001, scale 1:100 000), 504 (edition 2001, scale 1:100 000), 507 (edition 2001, scale 1: 100 000), 509 (edition 2001, scale 1:100 000), 511 (edition 2001, scale 1:100 000). Geodetic datum is WGS84.

The area of the reporting system is covered by hydrographic surveys.

Border line point by point of the Gulf of Finland ship reporting area

Finland

EUREF89

1 59°36.477 N 22°38.074 E
2 59°38.137 N 22°51.446 E
3 59°39.413 N 23°21.123 E

Border line point by point of the Gulf of Finland ship reporting area

Finland

EUREF89

1 59°36.477 N 22°38.074 E
2 59°38.137 N 22°51.446 E
3 59°39.413 N 23°21.123 E

4 59°47.022 N 24°12.365 E
5 59°47.809 N 24°19.928 E
6 59°49.024 N 24°29.299 E
7 59°53.524 N 24°47.122 E
8 59°55.281 N 24°55.799 E
9 59°56.606 N 25°10.161 E
10 59°55.879 N 25°28.276 E
11 59°55.692 N 25°34.962 E
12 59°55.920 N 25°37.219 E
13 59°58.608 N 26°01.039 E
14 60°00.844 N 26°04.505 E
15 60°02.293 N 26°11.314 E
16 60°02.791 N 26°17.683 E
17 60°05.000 N 26 °30.000 E

Russian Federation

1 60°05.000 N 26 °30.000 E
2 59°57.000 N 26 °30.000 E

Estonia

1 59°56.273 N 26 °26.110 E
2 59°53.994 N 26°09.069 E
3 59°48.894 N 26°01.170 E
4 59°49.593 N 25°34.569 E
5 59°42.193 N 24°28.769 E
6 59°34.592 N 23°57.069 E
7 59°28.892 N 23°31.169 E
8 59°28.991 N 23°11.369 E
9 59°28.191 N 23°08.469 E
10 59°27.391 N 23°06.369 E

3 59°48.894 N 26°01.170 E
4 59°49.593 N 25°34.569 E
5 59°42.193 N 24°28.769 E
6 59°34.592 N 23°57.069 E
7 59°28.892 N 23°31.169 E
8 59°28.991 N 23°11.369 E
9 59°28.191 N 23°08.469 E
10 59°27.391 N 23°06.369 E
11 59°17.491 N 22°43.870 E
12 59°17.691 N 22°36.070 E
13 59°16.190 N 22°23.770 E
14 59°14.690 N 22°18.370 E
15 59°03.390 N 21°50.870 E
16 59°02.100 N 21°49.000 E
17 59°10.000 N 21°30.000 E

Finland

1 59°36.477 N 22°38.074 E

3 FORMAT, CONTENT OF REPO RTS, TIMES AND GEOGRAPHICAL POSITIONS FOR SUBMITTING RE PORTS, AUTHORITY TO WHOM REPORTS SHOULD BE SENT AND AVAILABLE SERVICES

Reports should be made using VHF voice tran smissions. However, ships equipped with AIS (automatic identification system) can fulf ill certain reporting requirements of the system through the use of the universal AIS approved by the Organization.

A ship must give a short position report by voice or by AIS when entering the mandatory

A ship must give a short position report by voice or by AIS when entering the mandatory ship reporting area. The full report may be give n by voice or by non-verbal means. A ship may elect, for reasons of commercial confidentiality, to communicate that section of the report which provides information on cargo by non-verbal means prior to entering the ship reporting area. When leaving port, the ship can give the full report to the ship reporting system by voice or by non-verbal means.

3.1 Format

3.1.1 The information given below is derived from the format-type given in paragraph 2 of the appendix to resolution A.851(20).

3.2 Content

3.2.1 A short report by voice or by AIS from a sh ip to the shore-based authorities should contain the following information:

A Name of the ship, call sign or IMO identification number (or MMSI for transponder reports)
B Date and Time (UTC)
C or D Position (expressed in latitude and longitude or bearing to and distance from a landmark)
E and F Course and speed of the ship

transponder reports)
B Date and Time (UTC)
C or D Position (expressed in latitude and longitude or bearing to and distance from a landmark)
E and F Course and speed of the ship

3.2.2 A full report from a ship to the shore-ba sed authorities by voice or by non-verbal means should contain the following information:

I Destination and ETA
L Route information
O Vessels draught
P Hazardous cargo, class and quantity, if applicable
Q or R Breakdown, damage and/or deficien cies affecting the structure, cargo or equipment of the ship or any other circumstances affecting normal navigation in accordance with the provisions of the SOLAS and MARPOL Conventions
T Contact information of ships agent or owner
U Ships deadweight tonnage
W Total number of persons on board
X Miscellaneous remarks, e.g. ice class, amount and nature of bunkers if over 5000 tons, navigational status

Note:

On receipt of a position message, the system operators will establish the relationship between the ships position and the information supplied by the position-fixing equipment available to them. Information on course and speed will help operators to identify one

between the ships position and the information supplied by the position-fixing equipment available to them. Information on course and speed will help operators to identify one ship among a group of ships. This will be achieved automatically if AIS transponder is used.

All VHF-, telephone-, radar-, AIS- and other relevant information will be recorded and the records stored for 30 days.
RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 5

I:\MSC\76\23-ADD.1.DOC

3.3 Geographical position for submitting reports

3.3.1 Eastbound traffic should make a report to TALLINN TRAFFIC when crossing the line drawn from Bengtskär Lighthouse to 59 °33.30N 022°30E to 59°10N 021 °30E to Kpu Peninsula or when entering the ship reporting area from south.

3.3.2 Westbound traffic should make a short report to HELSINKI TRAFFIC when crossing longitude 026°30E or when entering the ship reporting area from north.

3.3.3 A full report to the nearest shore station should be made on departure from port.

3.3.4 Further reports should be made to the relevant shore station whenever there is a change of

3.3.3 A full report to the nearest shore station should be made on departure from port.

3.3.4 Further reports should be made to the relevant shore station whenever there is a change of navigational status or circumstance, particul arly in relation to items Q and R of the reporting format.

3.4 Crossing traffic

3.4.1 Reports to the nearest shore station should be made on departure from a port within the coverage area. Recognizing that ferries cr ossing between Helsinki and Tallinn generally operate according to published schedules, speci al reporting arrangements can be made on a ship-by-ship basis, subject to the approval of both HELSINKI TRAFFIC and TALLINN TRAFFIC.

3.4.2 Further reports should be made to the relevant shore station whenever there is a change of navigational status or circumstance, particul arly in relation to items Q and R of the reporting format.

3.4.3 On the area between Helsinki and Tallinn Light houses there is a heavy crossing traffic in summer consisting mostly of high speed craft and recreational craft. In the area between Porkkala Lighthouse and Naissaar there are recreational sailing activities in summer.

3.5 Authority

summer consisting mostly of high speed craft and recreational craft. In the area between Porkkala Lighthouse and Naissaar there are recreational sailing activities in summer.

3.5 Authority

3.5.1 The shore-based Authorities are:

Estonia: Estonian Maritime Administration
Finland: Finnish Maritime Administration
Russian Federation: Russian Maritime Administration

3.5.2 The Estonian, Finnish and Russian Authorities monitor shipping within the mandatory ship reporting area of the Gulf of Finland by ra dar. This does not relieve ship masters of their responsibility for the navigation of their ship.

4 INFORMATION TO BE PROVIDED TO PARTICIPATING SHIPS AND PROCEDURES TO BE FOLLOWED

4.1 Information provided

4.1.1 Each Authority provides information to sh ipping about specific and urgent situations which could cause conflicting traffic movements and other information concerning safety

of navigation, for instance information about weather, ice, water level, navigational

of navigation, for instance information about weather, ice, water level, navigational problems or other hazards. Information is broadcast on the following frequencies when necessary or on request.

Station	Frequency	Times	Additional broadcasts in wintertimes
Tallinn	VHF channel 61	working channel 81	on request or when needed
			on request or when needed
Helsinki	VHF channel 60	working channel 80	on request or when needed
			on request or when needed
St. Petersburg	VHF channel 74	working channel 10	on request or when needed
			on request or when needed

4.1.2 Information broadcasts will be preceded by an announcement on VHF channel 16 on which channel it will be made. All ships na vigating in the area should listen to the announced broadcast.

4.1.3 If necessary, individual information can be pr ovided to a ship, particularly in relation to positioning and navigational assistance or local conditions. If a ship needs to anchor due

announced broadcast.

4.1.3 If necessary, individual information can be pr ovided to a ship, particularly in relation to positioning and navigational assistance or local conditions. If a ship needs to anchor due to breakdown or emergency the operator can recommend suitable anchorage in the area.

4.2 Ice routeing in winter

4.2.1 During severe ice conditions the traffic se paration schemes may be declared not valid. Such a decision is agreed jointly by the National Icebreaking Authorities and communicated to shipping with the daily ice reports. The decision may include all or a named traffic separation scheme.

4.2.2 During the period when the Gulf of Finla nd is covered by ice, ships reporting to the centre, will receive information on the r ecommended route through the ice and/or are requested to contact the national co-ordinati ng icebreaker for further instructions. The icebreaker gives the route according to the ice situation to the ships which fulfill the national ice class regulations and which are fit for winter navigation.

4.3 Deviations

4.3.1 If a ship participating in the mandatory ship reporting system fails to appear on the radar

national ice class regulations and which are fit for winter navigation.

4.3 Deviations

4.3.1 If a ship participating in the mandatory ship reporting system fails to appear on the radar screen or fails to communicate with the Au thority or an emergency is reported, MRCCs or MRSCs in the area are responsible for initia ting a search for the ship in accordance with the rules laid down for the search and rescue service, including the involvement of other participating ships known to be in that particular area.

5 RADIO COMMUNICATION REQUIRED FOR THE SYSTEM, FREQUENCIES ON WHICH REPORTS SHOULD BE TRANSMITTED AND INFORMATION TO BE REPORTED

5.1 The radio communications equipment required for the system is that defined in the GMDSS for sea area A1.

5.2 Ships are required to maintain a continuous listening watch in the area and to report and take any action required by the maritime Authorities to reduce risks:

5.3 Common call and information channels:

on channel 16 call and distress

take any action required by the maritime Authorities to reduce risks:

5.3 Common call and information channels:

on channel 16 call and distress

5.4 The full report can be made by voice on VHF radio using the following channels:

	main	reserve
HELSINKI TRAFFIC	60	80
TALLINN TRAFFIC	61	81
ST. PETERSBURG TRAFFIC	74	10

5.5 Ship reports can, alternatively, be made by AIS, provided that the report can be transmitted fully.

5.6 Confidential information may be transmitted by other means.

5.7 The language used for communication shall be English, using the IMO Standard Marine Communication Phrases, where necessary.

6 RELEVANT RULES AND REGULATIONS IN FORCE IN THE AREA OF THE SYSTEM

6.1 Regulations for Preventing Collisions at Sea

The International Regulations for Preventi ng Collisions at Sea are applicable throughout the reporting area.

6.2 Traffic Separation Schemes

The Traffic Separation Schemes in the Gulf of Finland have been adopted by IMO and rule 10 of the International Regulations for Preventing Collisions at Sea applies.

6.3 Pilotage

the reporting area.

6.2 Traffic Separation Schemes

The Traffic Separation Schemes in the Gulf of Finland have been adopted by IMO and rule 10 of the International Regulations for Preventing Collisions at Sea applies.

6.3 Pilotage

Pilotage is mandatory in national waters under national laws.

6.4 Dangerous and hazardous cargoes

6.4.1 Ships carrying dangerous or hazardous cargoe s and bound to or from any port within the ship reporting area must comply with the inte rnational and national regulations. The ship reporting system does not relieve ships mast ers of their responsibility to give the nationally required reports and information to customs authorities.

6.4.2 Discharges of oil and ship-generated waste is monitored by the joint Estonian, Finnish and Russian Authorities. Ships causing pollution within the area can be prosecuted and fined.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 8

I:\MSC\76\23-ADD.1.DOC
7 SHORE-BASED FACILITIES TO SUPPORT OPERATION OF THE SYSTEM

The joint Estonian, Finnish and Russian Aut horities have radar, information processing

7 SHORE-BASED FACILITIES TO SUPPORT OPERATION OF THE SYSTEM

The joint Estonian, Finnish and Russian Aut horities have radar, information processing and retrieval system, radio VHF and Automatic Identification System (AIS) facilities. The frequencies used in AIS–NET are AIS1 and AIS2.

7.1 HELSINKI TRAFFIC

7.1.1 System capability

7.1.1.1 The control centre is situated at the Helsi nki VTS in Helsinki. The operator can control, monitor and display the status of all the VT S sensors from the consoles. The VTS centre will at all times be manned by two operators.

7.1.1.2 HELSINKI TRAFFIC maintains a continuous wa tch on traffic in the Gulf of Finland on channels 60 and 16. Operators add reported vessel information to the associated database and can display supporting information on the screen. The system is capable of providing an automatic alarm to identify any track which strays into an unauthorised area. Recording equipment automatically stores info rmation from all tracks, which can either

an automatic alarm to identify any track which strays into an unauthorised area. Recording equipment automatically stores info rmation from all tracks, which can either be replayed in the system or from the recorded resource. Records are made by an authorized method that can be used as an evidence. Operators have access to different ship registers and hazardous cargo data.

7.1.2 Radar facilities

7.1.2.1 The surveillance sensors can observe target s of at least 300 gross tons and a minimum height of 10 metres in the given traffic area.

7.1.3 Radiocommunication facilities

7.1.3.1 Radiocommunication terminals are sited in the consoles of HELSINKI TRAFFIC operation room. VHF radio transceivers ar e located at Hanko, Porkkala, Harmaja, Emäsalo and Orrengrund.

The VHF channels used are:

Channel 60 working channel
Channel 80 reserve channel

7.1.4 AIS facilities

7.1.4.1 HELSINKI TRAFFIC can continually receive the messages broadcasted by ships fitted with transponders to gain information on thei r identity and position. This information is displayed as an icon on an electronic chart c overing the Gulf of Finland mandatory ship

with transponders to gain information on thei r identity and position. This information is displayed as an icon on an electronic chart c overing the Gulf of Finland mandatory ship reporting area.

7.1.5 Personnel qualifications and training

7.1.5.1 HELSINKI TRAFFIC is staffed with pe rsonnel trained according to national and international recommendations.

7.1.5.2 The training of the personnel comprises an overall study of the navigation safety measures, the relevant international (IMO) a nd national provisions with respect to safety of navigation. The training al so includes thorough real-time simulations in different ship bridge simulators. The trainees are traine d as well in navigating ships through the VTS area as servicing shipping from the VTS Centre.

7.2 TALLINN TRAFFIC

7.2.1 System capability

7.2.1.1 The VTS system will be located in the offi ce of the Maritime Administration at Hundipea port, Tallinn. From the consoles the operator can control, monitor and display the status

7.2 TALLINN TRAFFIC

7.2.1 System capability

7.2.1.1 The VTS system will be located in the offi ce of the Maritime Administration at Hundipea port, Tallinn. From the consoles the operator can control, monitor and display the status of all VTS sensors. The VTS centre will at all times be manned with two operators.

7.2.1.2 TALLINN TRAFFIC maintains a continuous watch over traffic on the Gulf of Finland on channels 61 and 16. Operators add the reported vessel information to the associated database and can display supporting informati on on screen. The system is capable of providing an automatic alarm to identify any tr ack that strays into the unauthorized area. Recording equipment automatically stores info rmation from all tracks, which can either be replayed on the system or from the record ed resource. Records are made according to an authorized method that can be used as evidence.

7.2.2 Radar facilities

7.2.2.1 The surveillance sensors can observe targets of at least 300 gross tonnage and a minimum height of 10 metres in the given traffic area.

7.2.3 Radio communication facilities

7.2.2 Radar facilities

7.2.2.1 The surveillance sensors can observe targets of at least 300 gross tonnage and a minimum height of 10 metres in the given traffic area.

7.2.3 Radio communication facilities

7.2.3.1 VHF radio transceivers are located at TALLINN TRAFFIC operation room.

The VHF channels used are:

Channel 61 working channel
Channel 81 reserve channel

7.2.3.2 TALLINN TRAFFIC monitors shipping in the Gulf of Finland by radar, VHF and RDF equipment and with AIS shipborne transponders. All the traffic and messages will be stored to the database and displayed on th e electronic chart. The messages from AIS transponders, not in accordance with IEC 61993-2 will be filtered out. System uses standard AIS channels.

7.2.4 Personnel qualifications and training

7.2.4.1 TALLINN TRAFFIC is staffed with pers onnel trained according to national and international recommendations.

7.3 ST. PETERSBURG TRAFFIC

7.3.1 System capability

international recommendations.

7.3 ST. PETERSBURG TRAFFIC

7.3.1 System capability

7.3.1.1 The Centre is situated at VTMIS Centre lo cated in Petrodvorets. The Centre is linked with shore-based VHF station located at island Gogland. VHF range covers the waters close to the border.

7.3.1.2 ST. PETERSBURG TRAFFIC maintains a con tinuous watch on traffic on the Gulf of Finland on channels 74 and 16. Operators add reported vessel information to the associated database and can display supporti ng information on screen. The system is capable of providing an automatic alarm to identify any track, which strays into an unauthorized area. Recording equipment automatically stores information from all tracks, which can either be replayed on the system or from the recorded resource.

7.3.2 Radar facilities

7.3.2.1 The nearest radar sensor to ship reporting system is placed on island Gogland with antenna height 80 metres above sea level can observe targets at least 300 gross tons at the distances up to 026030E.

7.3.2 Radar facilities

7.3.2.1 The nearest radar sensor to ship reporting system is placed on island Gogland with antenna height 80 metres above sea level can observe targets at least 300 gross tons at the distances up to 026030E.

7.3.3 Radio communication facilities

7.3.3.1 Radio communication terminals are sited in consoles of ST. PETERSBURG TRAFFIC operation rooms. VHF radio transceivers are located at Gogland.

The VHF channels used are:

Channel 74 working channel
Channel 10 reserve channel

7.3.4 AIS facilities St. Petersburg

7.3.4.1 The ST. PETERSBURG TRAFFIC can monitor sh ips sailing in the eastern part of the Gulf of Finland to the east of 026 030E and equipped with universal AIS shipborne stations.

7.3.5 Personnel qualifications and training

7.3.5.1 The ST. PETERSBURG TRAFFIC is staffed with personnel trained according to national and international recommendations.

7.3.5.2 The training of the personnel comprises an overall study of the navigation safety measures, the relevant international (IMO) a nd national provisions with respect to safety of navigation. The training also includes thorough real-time simulations.

measures, the relevant international (IMO) a nd national provisions with respect to safety of navigation. The training also includes thorough real-time simulations.

8 ALTERNATIVE COMMUNICATION IF THE COMMUNICATION FACILITIES OF THE SHORE-BASED AUTHORITIES FAIL

8.1 The system is designed with sufficient syst em redundancy to cope with normal equipment failure.

9 MEASURES TO BE TAKEN IF A SHIP FAILS TO COMPLY WITH THE REQUIREMENTS OF THE SYSTEM

9.1 The primary objective of the system is to f acilitate the exchange of information between the ship station and the shore station and to support safe navigation and the protection of the marine environment. All means will be used to encourage and promote the full participation of ships required to submit reports under SOLAS regul ation V/11. If reports are not submitted and the offending ship can be positively identified, then information will be passed to the relevant Flag State Authorities for investigation and po ssible prosecution in accordance with national

the offending ship can be positively identified, then information will be passed to the relevant Flag State Authorities for investigation and po ssible prosecution in accordance with national legislation.

SUMMARY OF SHIP REPORTING SYSTEM IN THE GULF OF FINLAND

1 Ships required to participate:

Ships of 300 gross tonnage and over are required to participate in the system.

2 Position for submitting reports:

The ship reporting area covers the internationa l water area in the Gulf of Finland between a line drawn from Bengtskär Lighthouse to 59 °33.30N 022°30E to 59°10N 021 °30E to Kpu Peninsula and longitude 026°30E.

Reports are to be submitted:

When entering the ship reporting area in the Gulf of Finland.

Eastbound traffic to TALLINN TRAFFIC.
Westbound traffic to HELSINKI TRAFFIC

The report to the nearest of the shore stati ons on departure from a port within the area limits.

3 Communication:

By voice on VHF radio, call on given channel.

	main	reserve
Working channels:	HELSINKI TRAFFIC	60 80
	TALLINN TRAFFIC	61 81
	ST. PETERSBURG TRAFFIC	74 10

Alternatively by AIS.

limits.

3 Communication:

By voice on VHF radio, call on given channel.

main reserve

Working channels: HELSINKI TRAFFIC 60 80
TALLINN TRAFFIC 61 81
ST. PETERSBURG TRAFFIC 74 10

Alternatively by AIS.

Confidential information may be transmitted by non-verbal means.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 12

I:\MSC\76\23-ADD.1.DOC
4 Reporting format:

Short position report:

A Name of the ship, call sign or IMO identification number (or MMSI for transponder reports)
B Date and time (UTC)
C or D Position (expressed in latitude a nd longitude or bearing to and distance from a landmark)
E and F Course and speed of the ship

Full report:

I Destination and ETA
L Route information
O Vessels draught
P Hazardous cargo, class and quantity, if applicable
Q or R Breakdown, damage and/or deficien cies affecting the structure, cargo or equipment of the ship or any other circumstances affecting normal navigation in accordance with the provisions of the SOLAS and MARPOL Conventions
U Ships deadweight tonnage

equipment of the ship or any other circumstances affecting normal navigation in accordance with the provisions of the SOLAS and MARPOL Conventions
U Ships deadweight tonnage
W Total number of persons on board
X Miscellaneous remarks, e.g. ice cl ass, bunkers over 5000 tons, navigational status

5 Authority receiving the report:

Estonia: Estonian Maritime Administration
Finland: Finnish Maritime Administration
Russia: Russian Maritime Administration

6 Winter season:

During severe ice conditions the traffic sepa ration schemes may be declared not valid. Such a decision is agreed jointly by the Est onian, Finnish and Russian Authorities and is communicated to shipping in connection with the daily ice reports.

When a ship reports to the Traffic Centre , it will receive the preliminary waypoints and the national co-ordinating icebreakers name and working channel from the operator.

The vessel shall contact the national co-ordinating icebreaker for further instructions.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 13

I:\MSC\76\23-ADD.1.DOC
APPENDIX 1

APPENDIX 1

Radio reports to the Gulf of Finland mandatory ship reporting system

Designator	Function	Information required
Short position report:		
A	Ship	Name and call sign or IMO identification
B	Time	Date and time (UTC)
C	Position	Geographical position by two 4 -digit groups; or
D	Position	Name of reporting point
E	Course	East- or west- or north- or south-bound
F	Speed	In knots (2-digit group)
Full report:		
I	Destination and ETA	Destina tion and estimated time of arrival
L	Route information	Where the ship is en route
O	Draught	Vessels maximum draught
P	Cargo	Hazardous cargo, class and quantity
Q	Deficiencies	Brief details of defects or restrictions of manoeuvrability
R	Pollution	Description of pollution or dangerous goods lost overboard
T	Owner or agent	Contact information of the ships owner or agent
U	Tonnage (DWT)	Ships deadweight tonnage
W	Persons	Total num ber of persons on board
X	Miscellaneous	Miscellaneous remarks, e.g. ice class, bunkers

overboard
T Owner or agent Contact information of the ships owner or agent
U Tonnage (DWT) Ships deadweight tonnage
W Persons Total num ber of persons on board
X Miscellaneous Miscellaneous remarks, e.g. ice class, bunkers
navigational status etc.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 14

I:\MSC\76\23-ADD.1.DOC
ANNEX 2

DESCRIPTION OF THE MANDATORY SHIP REPORTING SYSTEM
IN THE ADRIATIC SEA

1 CATEGORIES OF SHIPS REQUIRED TO PARTICIPATE IN THE SYSTEM

1.1 Ships of the following categories are required to participate in the system:

- all oil tanker ships of 150 gross tonnage and above;

- all ships of 300 gross tonnage a nd above, carrying on board, as cargo, dangerous or polluting goods, in bulk or in packages.

1.2 For the purpose of this system:

- “dangerous goods” means goods classified in the IMDG Code, in Chapter 17 of the IBC Code and in Chapter 19 of the IGC Code;

- “polluting goods” means oils as defined in MARPOL Annex I, noxious liquid substances as defined in MARPOL Annex II, harmful substances as defined in MARPOL Annex III.

of the IBC Code and in Chapter 19 of the IGC Code;

- “polluting goods” means oils as defined in MARPOL Annex I, noxious liquid substances as defined in MARPOL Annex II, harmful substances as defined in MARPOL Annex III.

2 GEOGRAPHICAL COVERAGE OF THE SYSTEM AND THE NUMBER AND EDITION OF THE REFERENCE CHART USED FOR THE DELINEATION OF THE SYSTEM

2.1 The operational area of the mandatory ship reporting system covers the whole Adriatic Sea, north from the latitude 40° 25.00 N as show n in the attached chartlet as annex 1: the area is divided into 5 (five) sectors, each of them assigned to a competent authority, operating on a VHF channel as shown in the attached table as annex 2.

2.2 The reference charts including the operati onal area of the ADRIATIC TRAFFIC system are the Italian Chart No.435 INT 306 of th e Italian Navy Hydrographic Institute (Edition 1993, Datum ED-50) and the Croa tian Chart No. 101 of the Hydrographic Institute of the Republic of Croatia (Ed. 1998, Datum Besselov Elipsoid).

3 FORMAT AND CONTENTS OF THE REPORT, TIMES AND GEOGRAPHICAL POSITIONS FOR SUBMITTING RE PORTS, AUTHORITIES TO WHOM REPORTS SHALL BE SENT, AVAILABLE SERVICES

Institute of the Republic of Croatia (Ed. 1998, Datum Besselov Elipsoid).

3 FORMAT AND CONTENTS OF THE REPORT, TIMES AND GEOGRAPHICAL POSITIONS FOR SUBMITTING RE PORTS, AUTHORITIES TO WHOM REPORTS SHALL BE SENT, AVAILABLE SERVICES

The formats for reporting are derived from the one attached as appendix to resolution A.851(20).

3.1 First report

3.1.1 The first report of ADRIREP (FR) shall be sent by radio to the competent authorities in accordance with the format shown in annex 3.

3.1.2 The first report shall contain the following info rmation, in order to meet the objectives of the ADRIATIC TRAFFIC:

- ship’s name, call sign, IMO identification number and flag;
- date and time of the report;
- present position;
- course;
- speed;
- port of departure;
- destination and estimated time of arrival;
- estimated time of arrival at the next check point;
- ship’s draught
- the general category of hazardous car go as defined by the IMDG, IBC, IGC Codes and MARPOL Annex I;

- port of departure;
- destination and estimated time of arrival;
- estimated time of arrival at the next check point;
- ship’s draught
- the general category of hazardous car go as defined by the IMDG, IBC, IGC Codes and MARPOL Annex I;
- ship’s representative and/or owner available on 24-hour basis;
- ship’s type, deadweight, gross tonnage and length overall;
- total number of persons on board; and
- any other relevant information.

3.1.3 In the last section of the first report, in accordance with provisions of SOLAS and MARPOL Conventions, ships shall also re port information on any defect, damage, deficiency or limitations as well as, if necessary, information related to pollution incident or loss of cargo. The possession of this information will enable the operators of the shore-based competent authority to broadcast safety messages to other ships and to ensure more effective tracking of the trajectories of ships concerned.

3.2 Position report

3.2.1 The position report of ADRIREP (PR) shall be sent by radio to the competent authorities in accordance with the format shown in annex 4.

more effective tracking of the trajectories of ships concerned.

3.2 Position report

3.2.1 The position report of ADRIREP (PR) shall be sent by radio to the competent authorities in accordance with the format shown in annex 4.

3.2.2 The position report shall contain the follo wing information, in order to meet the objectives of the ADRIATIC TRAFFIC:

- ship’s name, call sign, IMO identification number and flag;
- date and time of the report;
- present position;
- course;
- speed;
- port of departure;
- destination and estimated time of arrival;
- estimated time of arrival at the next check point; and
- any other relevant information.

3.2.3 The present format shall be supplemented by any other information which differs from the one provided by the previous report.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 16

I:\MSC\76\23-ADD.1.DOC
3.3 Times and geographical positions for submitting reports

3.3.1 Sailing the Adriatic Sea northwards

.1 The ship shall transmit the first report to the competent shore-based authority of the interested sector when:

3.3 Times and geographical positions for submitting reports

3.3.1 Sailing the Adriatic Sea northwards

.1 The ship shall transmit the first report to the competent shore-based authority of the interested sector when:

- entering the Adriatic Sea by crossing northwards the parallel 40° 25.00 N;
- entering the Adriatic Sea by leaving a port inside the area covered by the system.

.2 The ship shall transmit the position report to the competent shore-based authorities when:

- entering a new sector by crossing northwa rds its southern borderline, as per annex 2;
- entering the port of destination in the area covered by the system.

3.3.2 Sailing the Adriatic Sea southwards

.1 The ship shall transmit the first report to the competent shore-based authority of the interested sector when leaving a port inside the area covered by the system.

.2 The shore-based authority to whom the fi rst report shall be transmitted is that of the Country of the port the ship is leaving.

.3 The recipient of the report will inform the maritime authority of the ship’s destination (if in the area covered by the system), Brindisi Coast Guard and the

the Country of the port the ship is leaving.

.3 The recipient of the report will inform the maritime authority of the ship's destination (if in the area covered by the system), Brindisi Coast Guard and the other shore-based authorities in between, if any.

.4 The ship shall transmit the position reports to the competent shore-based authorities when:

- entering a new sector by crossing southwards its northern borderline, as per annex 2;
- entering the port of destination in the area covered by the system.

3.3.3 Crossing the Adriatic Sea

3.3.3.1 The ship shall send the position report to the closest shore based authority of the country the ship is leaving, which shall inform the maritime authority of the port of destination.

3.3.4 Special cases

.1 The ship which, sailing northwards or southwards, enters Sector 5 shall transmit the report to, alternatively, one of the competent authorities as per annex 2, according to where the ship is going to or coming from.

.2 The ship crossing southwards the la titude 40° 25.00 N and going out either of Sector 1 or of the area covered by the sy stem shall transmit an additional final

according to where the ship is going to or coming from.

.2 The ship crossing southwards the la titude 40° 25.00 N and going out either of Sector 1 or of the area covered by the sy stem shall transmit an additional final position report to Brindisi Coast Guard.

3.4 Authorities to whom the reports should be sent

3.4.1 The ships participating in the system shall transmit by radio the report to the “shore-based authorities” as in annex 2.

4 INFORMATION TO BE PROVIDED TO PARTICIPATING SHIPS AND PROCEDURES TO BE FOLLOWED

4.1 The shore-based authority which receives the first report (01/FR) shall inform the maritime authority of the ship’s destination (if in the area covered by the system) and the other shore-based authorities in between, if any.

4.2 The competent shore-based authority of Sect or 5 (as per paragraph 3.3.4) which receives the position report from the ship entering the sector will also inform the other two shore-based authorities about the entrance of the above mentioned ship.

the position report from the ship entering the sector will also inform the other two shore-based authorities about the entrance of the above mentioned ship.

4.3 Once received a report, the ADRIATIC TRAFFIC competent authority will provide the ship with:

- information on navigational conditions (s tatus of aids to navigation, presence of other ships and, if necessary, their position, etc.);
- information on weather conditions; and
- any other relevant information.

5 RADIOCOMMUNICATION REQUIRED FOR THE SYSTEM, FREQUENCIES ON WHICH REPORTS SHOULD BE TRANSMITTED AND INFORMATION TO BE REPORTED

5.1 ADRIATIC TRAFFIC will be based on VHF voice radiocommunications.

5.2 The call to the appropriate shore-based au thority shall be made on the VHF channel assigned to the sector in which the ship is located, as per annex 2.

5.3 However, ship which cannot use the frequencie s listed in the annex 2 in order to transmit the reports, should use, via coast station, any other available communication equipment (e.g. MF, HF or INMARSAT) on which communication might be established.

5.4 The language used for communication shall be English, using the IMO Standard Marine

(e.g. MF, HF or INMARSAT) on which communication might be established.

5.4 The language used for communication shall be English, using the IMO Standard Marine Communications Phrases, where necessary.

6 RULES AND REGULATIONS IN FORCE IN THE AREA OF THE SYSTEM

6.1 The International Regulations for Preventing Collisions at Sea (COLREGs) are applicable through the whole area covered by the system.

7 SHORE-BASED FACILITIES TO SUPPORT OPERATION OF THE SYSTEM

.1 Brindisi Coast Guard (Italy)
- telephone and telefax communication facilities;
- VHF communication equipment.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 18

I:\MSC\76\23-ADD.1.DOC
.2 MRCC Bar (Yugoslavia)
- telephone and telefax communication facilities;
- VHF, MF and HF communication equipment.

.3 MRCC Rijeka (Croatia)
- telephone and telefax communication facilities;
- VHF, MF, HF and INMARSAT-C communication equipment.

.4 MRSC Ancona (Italy)
- telephone and telefax communication facilities;
- VHF, MF and HF communication equipment.

.5 MRSC Venezia (Italy)
- telephone and telefax communication facilities;

.4 MRSC Ancona (Italy)
- telephone and telefax communication facilities;
- VHF, MF and HF communication equipment.

.5 MRSC Venezia (Italy)
- telephone and telefax communication facilities;
- VHF, MF and HF communication equipment.

.6 MRSC Trieste (Italy)
- telephone and telefax communication facilities;
- VHF, MF and HF communication equipment.

.7 MRCC Koper (Slovenia)
- telephone and telefax communication facilities;
- VHF communication equipment.

8 ALTERNATIVE COMMUNICATION IF THE COMMUNICATION FACILITIES OF THE SHORE BASED AUTHORITIES FAIL

8.1 ADRIATIC TRAFFIC is planned with a su fficient system redundancy to cope with normal equipment failure. Since that the system is based on the VHF voice communication, each shore based facility has got at least two VHF transmitters/receivers; in addition to that, in case of failing c ontacts by VHF, the shore based authorities can operate and be contacted through phone, fax, INMARSAT-C and MF/HF facilities. In order to ensure the continuous 24-hour activity, the shore based facilities have been located and manned with properly trained and dedicated personnel in the respective

order to ensure the continuous 24-hour activity, the shore based facilities have been located and manned with properly trained and dedicated personnel in the respective national MRCCs/MRSCs. Should a shore based authority suffer an irretrievable breakdown and call off itself from the system until the failure is repaired, it could be relieved by one of the adjacent shore based authorities.

9 MEASURES TO BE TAKEN IF A SHIP FAILS TO COMPLY WITH THE REQUIREMENTS OF THE SYSTEM

9.1 The primary objective of the system is to s upport the safe navigation and the protection of the marine environment through the exchange of information between the ship and the shore. If a ship does not submit reports and can be positively identified, then information will be passed to the competent Flag Stat e authorities for investigation and possible prosecution in accordance with national legisl ation. Information will be passed also to Port State Control inspectors.

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 19

I:\MSC\76\23-ADD.1.DOC
ANNEX 1

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMS
r
,
-, >

,
,
,
~
<
.
!
r
. , MSC 76/23/Add.1
ANNEX 13
Page 20

I:\MSC\76\23-ADD.1.DOC

ANNEX 2

SECTOR SOUTHERN BORDERLINE NORTHERN BORDERLINE COMPETENT AUTHORITY VHF FREQUENCIES
1 Latitude 40° 25.00 N Latitude 41° 30.00 N Brindisi Coast Guard (Italy) Channel 10
2 Latitude 41° 30.00 N Latitude 42° 00.00 N Bar MRCC (Yugoslavia) Channel 12
3 Latitude 42° 00.00 N Latitude 43° 20.00 N Rijeka MRCC (Croatia) Channel 10
4 Latitude 43° 20.00 N Latitude 44° 30.00 N Ancona MRSC (Italy) Channel 10
5 Latitude 44° 30.00 N Coastline Venezia MRSC (Italy) Channel 10
5 Latitude 44° 30.00 N Coastline Trieste MRSC (Italy) Channel 10
5 Latitude 44° 30.00 N Coastline Koper MRCC (Slovenia) Channel 12

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 21

I:\MSC\76\23-ADD.1.DOC
ANNEX 3

5 Latitude 44° 30.00 N Coastline Koper MRCC (Slovenia) Channel 12

FORMAT OF “ADRIATIC TRAFFIC” SHIP REPORTING SYSTEM FIRST REPORT

Message identifier: - ADRIREP

Type of report - 01/FR (first report)

A Ship - Name, call sign, IMO identification number and flag of the vessel
B Date/time (UTC) - A 6 – digit group giving date of month (first two digits), hours and minutes (last 4 digits)
C
Present position - A 4-digit group giving latitude in degrees and
minutes suffixed with “N” or “S” and a five-digit
group giving longitude in degrees and minutes
suffixed with “E” or “W”
E Course - a three digit group giving the course in degrees
F Speed - a three digit group giving a speed in Knots
G Departure - port of departure
I Destination and estimated time of arrival - ETA in UTC expressed as in B above, followed by port of destination
N
Estimated time of arrival at the
next check point
- Date/time group expressed by a 6-digit group, as
in B above, followed by the parallel of the check

N
Estimated time of arrival at the
next check point
- Date/time group expressed by a 6-digit group, as
in B above, followed by the parallel of the check
point
O Draught of the vessel - draught expressed by a four digit group indicating centimetres
P
Cargo information - the general category of hazardous cargo as
defined by the IMDG, IBC, IGC Codes and
MARPOL Annex I.
T Agent - ship's representative and/or owner available on 24-hour basis
U Size and type - type, DWT, GT, and length overall in meters
W Total number of persons on board - The total number of crew and other persons on board
X Miscellaneous - Any other relevant information

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSMSC 76/23/Add.1
ANNEX 13
Page 22

I:\MSC\76\23-ADD.1.DOC

ANNEX 4

FORMAT OF "ADRIATIC TRAFFIC" SHIP REPORTING SYSTEM POSITION
REPORT/ FINAL REPORT

Message identifier: - ADRIREP

Type of report - 01/PR (position report)
- 02/PR
- 03/PR
- ER (final report)
A Ship - Name, call sign, IMO identification number and flag of the vessel

REPORT/ FINAL REPORT

Message identifier: - ADRIREP

Type of report - 01/PR (position report)
- 02/PR
- 03/PR
- ER (final report)
A Ship - Name, call sign, IMO identification number and flag of the vessel
B Date/time (UTC) - A 6 – digit gr oup giving date of month (first two digits), hours and minutes (last 4 digits)
C
Present position - A 4-digit group giving latitude in degrees and
minutes suffixed with “N” or “S” and a five-
digit group giving longitude in degrees and
minutes suffixed with “E” or “W”
E Course - a three digit group giving the course in degrees
F Speed - a three digit group giving a speed in Knots
G Departure - port of departure
I Destination and estimated time of arrival - ETA in UTC expressed as in B above, followed by port of destination
N
Estimated time of arrival at
the next check point
- Date/time group expressed by a 6-digit group,
as in B above, followed by the parallel of the
check point
X Miscellaneous - Any other relevant information

Note: The format of the position/final report shall contain in addition to this format any other
field which differs from the information provided in the last report.

check point
X Miscellaneous - Any other relevant information

Note: The format of the position/final report shall contain in addition to this format any other field which differs from the information provided in the last report.

***

RESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMSRESOLUTION MSC.139(76)
(adopted on 5 December 2002)
MANDATORY SHIP REPORTING SYSTEMS