Signature of cleaning organization: ....
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
Signature of cleaning organization: ....
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO
MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 38

I:\MEPC\80\MEPC 80-17-Add.1.docx
APPENDIX 3

EXAMPLE FORM OF BIOFOULING MANAGEMENT PLAN

INTRODUCTION

Biofouling on ships can be a significant vector for the transfer of invasive aquatic species. Biofouling management practices may also improve a ship's hydrodynamic performance and can be effective at enhancing energy efficiency, hence reducing air emissio ns from ships as well as fuel costs.

This Biofouling Management Plan (BFMP) should assist the ship crew in conducting biofouling management and is specific to this ship.

SHIP PARTICULARS

Name of ship
IMO number
Date of construction
Ship type
Gross tonnage
Beam or ship's breadth
Length overall

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
management and is specific to this ship.

SHIP PARTICULARS

Name of ship
IMO number
Date of construction
Ship type
Gross tonnage
Beam or ship's breadth
Length overall
Maximum and minimum draughts

RECORD OF REVISION OF THE BFMP

This plan describes the biofouling management for the period between two scheduled dry-dockings which include application, reapplication, installation or renewal of the AFS . The plan should be re-evaluated and, if necessary, updated after a dry -docking and/or if any changes are made that have an impact on the anticipated biofouling.
Date:
Most recent scheduled dry-docking
The next scheduled dry-docking

The following revisions have been made:
Date/timeline Developed by Implemented by/ responsible person
Updated parts

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1

INDEX

<A table of contents should be included.>

PURPOSE

The purpose of the BFMP is to outline measures for the control and management of the ship's biofouling to minimize the spread of invasive aquatic species.

DESCRIPTION OF OPERATING PROFILE

The ship's operating profile is described below and is the basis for the selection of the ship's anti-fouling systems (AFS) and operational practices.
Typical operating speed

Typical trading areas
<EXAMPLE>
<Domestic, great coasting, North Sea and Baltic trade, European trade, short international voyage, international voyage, overseas voyage or unrestricted voyages>
Typical operating areas, including climate zones in which the ship will operate
<EXAMPLE>

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
international voyage, international voyage, overseas voyage or unrestricted voyages>
Typical operating areas, including climate zones in which the ship will operate
<EXAMPLE>
<Temperate, semi-temperate, tropical and/or arctic>
Typical salinities of operating areas in which the ship will operate
<EXAMPLE>
<Fresh water, brackish water and/or marine water>
AFS installed are suitable for typical operating profile (Y/N)

DESCRIPTION OF HULL AND NICHE AREAS WHERE BIOFOULING MAY ACCUMULATE

The hull and niche areas where biofouling may accumulate are described below.
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 40

Areas on hull <EXAMPLE>
<flat-bottom- front
flat-bottom- mid
flat-bottom- aft
bow dome
boot top
vertical sides port side

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
Annex 17, page 40

Areas on hull <EXAMPLE>
<flat-bottom- front
flat-bottom- mid
flat-bottom- aft
bow dome
boot top
vertical sides port side
vertical sides starboard side
vertical side aft
transom
or others>
Niche areas
(including quantity
where relevant)
<EXAMPLE>
<Sea chests
bow dome
bow thruster
tunnel
tunnel grates
cathodic protection anodes
bilge keels
anchor chain