chain locker
stabilizer fins
rudder
dock block positions
A-brackets/stern tube
cathodic protection anodes and systems
draft
internal pipework
ballast uptake system
inlet gratings
sea inlet pipes
stern thruster
thruster body
velocity probes
propeller
propeller shaft
stern tube seal
echo sounders
rope guards
box coolers
moon pools
free-flood spaces/voids
engine cooling system
fire-fighting system
auxiliary service system
or others>

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
box coolers
moon pools
free-flood spaces/voids
engine cooling system
fire-fighting system
auxiliary service system
or others>

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 41

I:\MEPC\80\MEPC 80-17-Add.1.docx
LOCATION OF AREAS WHERE BIOFOULING MAY ACCUMULATE ON THE SHIP

<A diagram of both side and bottom of the ship identifying the location of each area that may accumulate biofouling should be included.>

DESCRIPTION OF APPLIED ANTI-FOULING SYSTEM

The selected AFS that are applied, reapplied, installed or renewed on the ship are described below. When more than one type of anti -fouling coating (AFC) or marine growth prevention system (MGPS) are applied, reapplied, installed or renewed , each AFS should be described individually and in accordance with each manufacturer's instructions.

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
system (MGPS) are applied, reapplied, installed or renewed , each AFS should be described individually and in accordance with each manufacturer's instructions.
Prior to a scheduled dry-docking, an evaluation of qualitative observations regarding the ship's biofouling should be made with the purpose of a potential improvement of the AFS selection. Previous reports on the performance of the ship's AFS should be part of the evaluation.
Manufacturer(s) and type(s) of AFC <EXAMPLE>
<Hard coating, self-polishing or fouling release, etc.>
Biocides in AFC <EXAMPLE>
<Copper oxide, zineb, etc.>
Dry film thickness
Expected lifetime and, if any, expected reduction of efficiency of AFC

Operating profiles which are suitable for the AFC including temperature, salinity, speed, periods of inactivity

Recommended regime for repairs, maintenance and/or renewal to receive the AFC optimal performance
<EXAMPLE>
<Regime for repairs>
<Regime for maintenance>

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
speed, periods of inactivity

Recommended regime for repairs, maintenance and/or renewal to receive the AFC optimal performance
<EXAMPLE>
<Regime for repairs>
<Regime for maintenance>
<Regime for renewal>
<N/A>
Cleaning methods recommended for AFC
Cleaning methods not appropriate for

AFC, if any
IAFS Certificate

Manufacturer(s), models and type(s) of
MGPS
<EXAMPLE>
<Anode, ultrasound, electrode, electrolysis,
ultraviolet radiation or other>

Type(s) of harmful discharge from MGPS
<EXAMPLE>
<Chlorine, noise or other>
Operating conditions/frequency of use
<EXAMPLE>
<dosing frequency temperature, salinity,
speed>
Required maintenance and frequency
Service life of MGPS

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
<Chlorine, noise or other>
Operating conditions/frequency of use
<EXAMPLE>
<dosing frequency temperature, salinity,
speed>
Required maintenance and frequency
Service life of MGPS

Manufacturer(s), models and type(s) of
other AFS

Type(s) of harmful discharge from other
AFS

Operating conditions/frequency
Required maintenance and frequency
Service life and expiry date of AFS

INSTALLATION OF ANTI-FOULING SYSTEM

The areas on the ship which are protected with the selected AFS are described below.
If necessary, the individual AFS could be identified as A and B, respectively. Areas with no protection are also described.

AFS applied

Areas on ship where
AFS is applied
Date of
application
Recommended cleaning
technique
<EXAMPLE>
<AFC (A)>
<EXAMPLE>
<flat-bottom- front,
flat-bottom- mid,
flat-bottom- aft, bow
dome, boot top,
vertical sides port
side, vertical sides
starboard side, vertical
side aft, transom, or
others>

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
<EXAMPLE>