internal pipework,
ballast uptake
system, inlet
gratings>
<EXAMPLE>
<in dry dock>
<EXAMPLE>

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
<Steaming
with capture
performed in
line with
<name of the
standard>>
<EXAMPLE>
<Sea chests,
internal pipework,
ballast uptake
system, inlet
gratings>
<EXAMPLE>
<in dry dock>
<EXAMPLE>
<When recommended based on
monitoring of biofouling parameters
and/or
in case unforeseen biofouling
levels are detected in niche areas>
Possible
harmful
discharge
from cleaning
with reactive
cleaning
method

Manufacturer
and model of
ship-specific
reactive
cleaning
device, if
applicable

Reactive
cleaning
method
suitable for
AFC

I:\MEPC\80\MEPC 80-17-Add.1.docx
Reactive
cleaning
method(s)
Areas where
cleaning method
will be applied
Operating
condition when
cleaning method
will be applied
Cleaning schedule
Required
maintenance

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
Reactive
cleaning
method(s)
Areas where
cleaning method
will be applied
Operating
condition when
cleaning method
will be applied
Cleaning schedule
Required
maintenance
and
frequency, as
applicable

Reactive
cleaning
suitable for
typical
operating
profile, i.e. is
the ship
expected to
stay enough
time in
locations
where
reactive
cleaning can

be carried out

Reactive
cleaning
device tested
in line with
<name of the
standard>
(Y/N), if
applicable

Proactive cleaning should take into account recommendations from the AFS manufacturer listed in this BFMP. Description of proactive cleaning activities which are planned on a regular basis, if any, are listed below.

Proactive
cleaning
method(s)
Areas where
cleaning method
will be applied
Operating
condition when
cleaning method
will be applied
Cleaning schedule
<EXAMPLE>
<ROV with
water jet, ROV
with soft brush,
<EXAMPLE>
<flat-bottom-
front, flat-bottom-

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
will be applied
Operating
condition when
cleaning method
will be applied
Cleaning schedule
<EXAMPLE>
<ROV with
water jet, ROV
with soft brush,
<EXAMPLE>
<flat-bottom-
front, flat-bottom-
mid, flat-bottom-
<EXAMPLE>
<moored in

harbour,
drifting in open
<EXAMPLE>
<every <XX> days when operating
in temperate waters;

Proactive
cleaning
method(s)
Areas where
cleaning method
will be applied
Operating
condition when
cleaning method
will be applied
Cleaning schedule