relevant area,
reactive cleaning
with capture should
be performed before
<EXAMPLE>
<Regular
maintenance and
repair (e.g.) may be
necessary actions
for proper protection
by the proactive
cleaning.
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
<EXAMPLE>
<Regular
maintenance and
repair (e.g.) may be
necessary actions
for proper protection
by the proactive
cleaning.
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 50

I:\MEPC\80\MEPC 80-17-Add.1.docx
Biofouling risk
parameters to
monitor
Evaluation of a
deviation including
deviation limit of the
risk parameter
Contingency
actions
Long-term actions
proactive cleaning is
used again.
Maintenance or
repair should be
performed at earliest
possible opportunity.
More frequent
inspections should
be implemented until
the missing proactive
cleaning is in regular
use.>

Evaluate the need to
update maintenance
programme.>
<EXAMPLE>
<Deviation from
necessary reactive
cleaning>
<EXAMPLE>
<If reactive cleaning
is not conducted as
scheduled or after an
inspection has
determined that

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
programme.>
<EXAMPLE>
<Deviation from
necessary reactive
cleaning>
<EXAMPLE>
<If reactive cleaning
is not conducted as
scheduled or after an
inspection has
determined that
reactive cleaning is
necessary, it will
increase the risk of
spreading organisms
to new locations.>
<EXAMPLE>
<Prior to departure
reactive cleaning
should be
performed, to avoid
risk of spreading
invasive aquatic
species.
If no reactive
cleaning is
performed prior to
departure, a reactive
cleaning activity
should be scheduled
at earliest possible
opportunity.
If no reactive
cleaning is
performed, an
acceptance could be
required to arrive in

the next port.
Contact next port for
further advice.>
<EXAMPLE>
<More frequent
reactive cleaning
may be necessary
actions for proper
biofouling
management.
Evaluate the need to
update the cleaning
schedule.>
<EXAMPLE>
<Extended ship idle
time (berthed,
anchored, moored)>
<EXAMPLE>
<If the idle time is

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
biofouling
management.
Evaluate the need to
update the cleaning
schedule.>
<EXAMPLE>
<Extended ship idle
time (berthed,
anchored, moored)>
<EXAMPLE>
<If the idle time is
longer than estimated
in the ship's operating
profile, it could lead to
<EXAMPLE>
<If the idle time is
within the guarantee
of the AFS supplier,
a short voyage with
speed as specified
for the AFS could be
EXAMPLE>
<Evaluate the need
for a potential
improvement of the
AFS selection prior

I:\MEPC\80\MEPC 80-17-Add.1.docx
Biofouling risk
parameters to
monitor
Evaluation of a
deviation including
deviation limit of the
risk parameter
Contingency
actions
Long-term actions
an elevated risk of
biofouling.
If the idle time is
beyond the guarantee
of the AFS supplier,

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
deviation limit of the
risk parameter