---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
electronic recording is to be used whenever the ship has higher risk, resolution MEPC.312(74) may be used for guidance.

Biofouling Record Book Part II may contain many references to c ontingency actions. When actions include inspection, maintenance and/or cleaning, these may be recorded in Biofouling Record Book Part I.

Biofouling Record Book Part II should be kept on board the ship in a place where it is readily available for inspection at all reasonable times and for the life of the ship.

Any inspection of Biofouling Record Book Part II should be performed as expeditiously as possible without causing the ship to be unduly delayed.

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 59

I:\MEPC\80\MEPC 80-17-Add.1.docx
LIST OF ITEMS TO BE RECORDED

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 59

I:\MEPC\80\MEPC 80-17-Add.1.docx
LIST OF ITEMS TO BE RECORDED

(A) When the ship operates outside the expected operating profile specified in the BFMP (e.g. speed, temperature or salinity)

1 Duration and dates when ship is not operating in line with its BFMP.

2 Reason for departure from normal operation.

3 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections) taken in the period when the ship is operating outside the expected operating profile.

4 Time and location (port name or latitude/longitude) when the ship operates again as specified in the BFMP.

(B) Maintenance/service or damage to AFC

1 Date/period and description of any observed reduction of the efficacy, damage or deviation from maintenance/service to anti-fouling coating (AFC) during its lifetime.

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
1 Date/period and description of any observed reduction of the efficacy, damage or deviation from maintenance/service to anti-fouling coating (AFC) during its lifetime.

2 Date/period and description of any operation beyond expected lifetime.

3 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections).

4 Date/period and location where any AFC maintenance or repair was performed (e.g. in dry dock).

5 Description of any AFC, including patch repairs, that was applied during maintenance. Detail the type of AFC, the area and locations it was applied to (including the location of dry-dock support blocks if relevant), an estimated percentage cover of reapplication of the AFC, the coating thickness achieved and any surface preparation work undertaken (e.g. complete removal of underlying AFC or application of new AFC over the top of existing AFC).

6 Reference to any supporting data for AFC maintenance (e.g. AFC technical file).

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
undertaken (e.g. complete removal of underlying AFC or application of new AFC over the top of existing AFC).

6 Reference to any supporting data for AFC maintenance (e.g. AFC technical file).

7 Name, position and signature of the person in charge of the activity.

(C) Maintenance/service or downtime/malfunction of MGPS

1 Date/period and description of any observed reduction of the efficacy, downtime, malfunction or deviation from maintenance/service of marine growth prevention system (MGPS) during its lifetime.

2 Date/period and description of operation beyond the expected lifetime.

3 Date and location of any instances when the system was not operating in line with the BFMP.

4 Records of maintenance (including regularly monitoring the electrical and mechanical functions of the systems, calibration, or adjustment of treatment dosages).

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf

5 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections).

6 Name, position and signature of the person in charge of the activity.

(D) Maintenance/service or downtime/malfunction of other AFS

1 Date/period and description of any observed reduction of the efficacy, downtime, malfunction or deviation from maintenance/service of other AFS during its lifetime.

2 Date/period and description of operation beyond expected lifetime.

3 Date and location of any instances when the system was not operating in line with the Biofouling Management Plan.

4 Records of maintenance.

5 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections).

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
Biofouling Management Plan.

4 Records of maintenance.

5 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections).

(E) Deviation from regular use of expected proactive cleaning as specified in the BFMP

1 Date and location where ship did not conduct proactive cleaning as specified.

2 Contingency actions taken to minimize biofouling accumulation (e.g. inspections of biofouling and/or reactive cleaning before return to proactive cleaning activity).

3 Records of maintenance, if any.

4 Date when ship returned to normal activities with proactive cleaning.

(F) Deviation from necessary reactive cleaning as specified in the BFMP

1 Date and location where ship was inspected and reactive cleaning found necessary.

2 Contingency actions taken until reactive cleaning, including scheduling of reactive

cleaning activity.

3 Date when ship completed the reactive cleaning and reference to relevant recording in Part I.

---CHUNK---

SOURCE: MEPC.378%2880%29.pdf
cleaning activity.

3 Date when ship completed the reactive cleaning and reference to relevant recording in Part I.

(G) When the ship is idle (berthed, anchored, moored) for a longer period

1 Date and location where ship was laid up, including general description of biofouling pressure, e.g. temperature and distance to the coastline.

2 Contingency actions taken to minimize biofouling accumulation (e.g. inspections, sea chests blanked off or short voyages taken prior to and following the period laid up).

3 Precautions taken to minimize biofouling accumulation (e.g. short voyage).