SOURCE: MSC.216%2882%29.pdf
39 Subparagraph .2 of paragraph 1.1 is replaced by the following:

.2 in addition, one or more inflatable or rigid liferafts, complying with the requirements of section 4.2 or 4.3 of the Code, of a mass of less than 185 kg and stowed in a position providing for easy side -to-side transfer at a single open deck level, and of such aggregate capacity as will accommodate the total number of persons on board. If the liferaft or liferafts are not of a mass of less than 185 kg and stowed in a position providing for easy side-to-side transfer at a single open deck level, the total capacity availabl e on each side shall be sufficient to accommodate the total number of persons on board.

40 Subparagraph .2 of paragraph 1.3 is replaced by the following:

.2 unless the liferafts required by paragr aph 1.3.1 are of a mass of less than 185 kg and stowed in a position providing for easy side-to-side transfer at a single open

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
.2 unless the liferafts required by paragr aph 1.3.1 are of a mass of less than 185 kg and stowed in a position providing for easy side-to-side transfer at a single open deck level, additional liferafts shall be provided so that the total capacity available on each side will accommodate 150% of the total number of persons on board;

41 Subparagraph .4 of paragraph 1.3 is replaced by the following:

.4 in the event of any one survival craft being lost or rendere d unserviceable, there shall be sufficient survival craft available for use on each side, including any which are of a mass of less than 185 kg and stowed in a position providing for easy side-to-side transfer at a single ope n deck level, to accommodate the total number of persons on board.
RESOLUTION MSC.216(82)
(adopted on 8 December 2006)
AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS AMENDED-
9 -

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
number of persons on board.
RESOLUTION MSC.216(82)
(adopted on 8 December 2006)
AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS AMENDED-
9 -

42 The second sentence of paragraph 2 is replaced by the following:

A lifeboat may be accepted as a rescue boat, provided that it and its launching and recovery arrangements also comply with the requirements for a rescue boat.

Regulation 32 Personal life-saving appliances

43 In the first sentence of paragraph 3.2, the words of an appropriate size, are inserted between the words suit and complying.

44 In paragraph 3.3, the words including remo tely located survival craft carried in accordance with regulation 31.1.4, are inserted be tween the words stowed, and additional and the words of an appropriate size are inserted between the words suits and shall.

Regulation 35 Training manual and on-board training aids

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
and the words of an appropriate size are inserted between the words suits and shall.

Regulation 35 Training manual and on-board training aids

45 The following new paragraph 5 is a dded after the existing paragraph 4:

5 The training manual shall be written in the working language of the ship.

RESOLUTION MSC.216(82)
(adopted on 8 December 2006)
AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS AMENDED-10 -

CHAPTER XII
ADDITIONAL SAFETY MEASURES FOR BULK CARRIERS

Regulation 6 Structural and other requirements for bulk carriers

46 The existing paragraph 3 is deleted and the existing paragraphs 4 and 5 are renumbered as paragraphs 3 and 4.

Regulation 12 Hold, ballast and dry space water ingress alarms

47 In paragraph 1.2, the reference to regulation II-1/11 is replaced by the reference to regulation II-1/12.

Regulation 13 Availability of pumping systems

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
47 In paragraph 1.2, the reference to regulation II-1/11 is replaced by the reference to regulation II-1/12.

Regulation 13 Availability of pumping systems

48 In paragraph 1, the reference to regulati on II-1/11.4 is replaced by the reference to regulation II-1/12.

APPENDIX
CERTIFICATES

49 In the Passenger Ship Safety Certificate, Cargo Ship Safety Construction Certificate and Cargo Ship Safety Certificate, the phrase Date on which keel was laid or ship was at a similar stage of construction or, where applicable, date on which work for a conversion or an alteration or modification of a major character was commenced ..... is replaced by the following:

Date of build:

Date of building contract .....

Date on which keel was laid or ship was at similar stage of construction .....

Date of delivery .....

Date on which work for a conversion or an alteration or modification of a major

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
Date of delivery .....

Date on which work for a conversion or an alteration or modification of a major
character was commenced (where applicable) .....

All applicable dates shall be completed.

Record of Equipment for the Passenger Ship Safety Certificate (Form P)

50 In the Record of Equipment for the Passenger Ship Safety Certificate (Form P), the following new item 4.2 is inserted in section 5 after item 4:

4.2 Long-range identification and tracking system,

and item 4 (Automatic identification system (AIS)) is renumbered as item 4.1.

RESOLUTION MSC.216(82)
(adopted on 8 December 2006)
AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974, AS AMENDED-11 -

Record of Equipment for the Cargo Ship Safety Equipment Certificate (Form E)

51 In the Record of Equipment for the Cargo Ship Safety Equipment Certificate (Form E), the following new item 4.2 is inserted in section 3 after item 4:

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
51 In the Record of Equipment for the Cargo Ship Safety Equipment Certificate (Form E), the following new item 4.2 is inserted in section 3 after item 4:

4.2 Long-range identification and tracking system,

and item 4 (Automatic identification system (AIS)) is renumbered as item 4.1.

Record of Equipment for the Cargo Ship Safety Certificate (Form C)

52 In the Record of Equipment for the Cargo Sh ip Safety Certificate (Form C), the following new item 4.2 is inserted in section 5 after item 4:

4.2 Long-range identification and tracking system,

and item 4 (Automatic identification system (AIS)) is renumbered as item 4.1.

Form of Safety Certificate for Nuclear Passenger Ships

53 In the table of paragraph 2.1.3, in the sectio n commencing with the words THIS IS TO CERTIFY:, the reference to regula tion II-1/13 is replaced by the reference to regulation II-1/18.

RESOLUTION MSC.216(82)
(adopted on 8 December 2006)

---CHUNK---

SOURCE: MSC.216%2882%29.pdf
IS TO CERTIFY:, the reference to regula tion II-1/13 is replaced by the reference to regulation II-1/18.