Regulation 22
Attained Energy Efficiency Design Index (attained EEDI)

1 The attained EEDI shall be calculated for:

.1 each new ship;

.2 each new ship which has undergone a major conversion; and

.3 each new or existing ship which has undergone a major conversion that is so extensive that the ship is regarded by the Administration as a newly constructed ship,

which falls into one or more of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.20, 2.2.22, and 2.2.26 to 2.2.29 of this Annex. The attained EEDI shall be specific

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
which falls into one or more of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.20, 2.2.22, and 2.2.26 to 2.2.29 of this Annex. The attained EEDI shall be specific to each ship and shall indicate the estimated performance of the ship in terms of energy efficiency, and be accompanied by the EEDI technical file that contains the information necessary for the calculation of the attained EEDI and that shows the process of calculation. The attained EEDI shall be verified, based on the EEDI technical file, either by the Administration or by any organization duly authorized by it.

2 The attained EEDI shall be calculated taking into account the guidelines develo ped by the Organization.

3 For each ship subject to regulation 24 of this Annex, the Administration or any organization duly authorized by it shall report to the Organization the required and attained

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
3 For each ship subject to regulation 24 of this Annex, the Administration or any organization duly authorized by it shall report to the Organization the required and attained EEDI values and relevant information, taking into acco unt the guidelines developed by the Organization, via electronic communication:

.1 within seven months of completing the survey required under regulation 5.4 of this Annex; or

.2 within seven months following 1 April 2022 for a ship delivered prior to 1 April 2022.

Regulation 23
Attained Energy Efficiency Existing Ship Index (attained EEXI)

1 The attained EEXI shall be calculated for:

.1 each ship; and

.2 each ship which has undergone a major conversion,

which falls into one or more of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.22, and 2.2.26 to 2.2.29 of this Annex. The attained EEXI shall be specific to

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
which falls into one or more of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.22, and 2.2.26 to 2.2.29 of this Annex. The attained EEXI shall be specific to
each ship and shall indicate the estimated performance of the sh ip in terms of energy efficiency, and be accompanied by the EEXI technical file which contains the information necessary for the calculation of the attained EEXI and which shows the process of the calculation. The attained EEXI shall be verified, based on the EEXI technical file, either by the Administration or by any organization duly authorized by it.

2 The attained EEXI shall be calculated taking into account the guidelines developed by the Organization.

RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 36 -

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 36 -

3 Notwithstanding paragraph 1 of this regulation , for each ship to which regulation 22 of this Annex applies, the attained EEDI verified by the Administration or by any organization duly authorized by it in accordance with regulation 22.1 of this Annex may be taken as the attained EEXI if the value of the attained EEDI is equal to or less than that of the required EEXI as required by regulation 25 of this Annex. In this case, the attained EEXI shall be verified based on the EEDI technical file.

Regulation 24
Required EEDI

1 For each:

.1 new ship,

.2 new ship which has undergone a major conversion, and

.3 new or existing ship which has undergone a major conversion that is so extensive that the ship is regarded by the Administration as a newly constructed ship

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
.3 new or existing ship which has undergone a major conversion that is so extensive that the ship is regarded by the Administration as a newly constructed ship

which falls into one of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.22, and 2.2.26 to 2.2.29 and to which this chapter is applicable, the attained EEDI shall be as follows:
Attained EEDI Required EEDI = (1
X
100) Reference line value

where X is the reduction factor specified in table 1 for the required EEDI compared to the EEDI reference line.

2 For each new and existing ship that has undergone a major conversion which is so extensive that the ship is regarded by the Administration as a newly constructed ship, the attained EEDI shall be calculated and meet the requirement of paragraph 1 of this regulation with the reduction factor applicable corresponding to the ship type and size of the converted

---CHUNK---

SOURCE: MEPC.328%2876%29.pdf
attained EEDI shall be calculated and meet the requirement of paragraph 1 of this regulation with the reduction factor applicable corresponding to the ship type and size of the converted ship at the date of the contract of the conversion, or in the absence of a contract, the commencement date of the conversion.
RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 37 -

Table 1 - Reduction factors (in percentage) for the EEDI relative to the EEDI reference line

Ship Type Size
Phase 0
1 Jan
2013
31 Dec
2014
Phase 1
1 Jan
2015
31 Dec
2019
Phase 2
1 Jan
2020
31 Mar
2022

Phase 2
1 Jan
2020
31 Dec
2024
Phase 3
1 Apr
2022
and
onwards
Phase 3
1 Jan
2025
and
onwards
Bulk carrier
20,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 20,000
DWT
n/a 0-10*