above but less
than 15,000
DWT
n/a 0-10* 0-20* 15-30*
RESOLUTION MEPC.403(83) (adopted on 11 April 2025)
AMENDMENTS TO THE 2022 GUIDELINES ON SURVEY AND CERTIFICATION
OF THE ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 83/17/Add.1
Annex 11, page 43

I:\MEPC\MEPC 83-17-Add.1.docx
Ship Type Size
Phase 0
1 Jan
2013
31 Dec
2014
Phase 1
1 Jan
2015
31 Dec
2019
Phase 2
1 Jan
2020
31 Mar

---CHUNK---

SOURCE: MEPC.403(83).pdf
OF THE ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 83/17/Add.1
Annex 11, page 43

I:\MEPC\MEPC 83-17-Add.1.docx
Ship Type Size
Phase 0
1 Jan
2013
31 Dec
2014
Phase 1
1 Jan
2015
31 Dec
2019
Phase 2
1 Jan
2020
31 Mar
2022
Phase 2
1 Jan
2020

31 Dec
2024
Phase 3
1 Apr
2022
and
onwards
Phase 3
1 Jan
2025
and
onwards
General
Cargo ships
15,000 DWT
and above 0 10 15 30
3,000 and
above but less
than 15,000
DWT
n/a 0-10* 0-15* 0-30*
Refrigerated
cargo carrier
5,000 DWT
and above 0 10 15 30
3,000 and
above but less
than 5,000
DWT
n/a 0-10*

0-15* 0-30*
Combination
carrier
20,000 DWT
and above 0 10 20 30
4,000 and
above but less
than 20,000
DWT
n/a 0-10*

0-20* 0-30*
LNG
carrier***
10,000 DWT
and above n/a 10** 20 30
Ro-ro cargo
ship (vehicle
carrier)***
10,000 DWT
and above n/a 5** 15 30
Ro-ro cargo
ship***

2,000 DWT
and above n/a 5** 20 30
1,000 and
above but less
than 2,000
DWT
n/a 0-5*,** 0-20* 0-30*
Ro-ro
passenger
ship***
1,000 DWT
and above n/a 5** 20 30
250 and above
but less than
1,000 DWT
n/a 0-5*,** 0-20* 0-30*
Cruise
passenger
ship***
having
non-

---CHUNK---

SOURCE: MEPC.403(83).pdf
1,000 and
above but less
than 2,000
DWT
n/a 0-5*,** 0-20* 0-30*
Ro-ro
passenger
ship***
1,000 DWT
and above n/a 5** 20 30
250 and above
but less than
1,000 DWT
n/a 0-5*,** 0-20* 0-30*
Cruise
passenger
ship***
having
non-
conventional
propulsion
85,000 GT
and above n/a 5** 20 30
25,000 and
above but less
than 85,000
GT
n/a 0-5*,** 0-20* 0-30*
* Reduction factor to be linearly interpolated between the two values dependent upon

ship size. The lower value of the reduction factor is to be applied to the smaller ship size.e** Phase 1 commences for those ships on 1 September 2015. b*** Reduction factor applies to those ships delivered on or after 1 September 2019, as defined in paragraph 2.1 of regulation 2.

Note: n/a means that no required EEDI applies.

3 The reference line values shall be calculated as follows:

Reference line value = a · bc

where a, b and c are the parameters given in table 2.

---CHUNK---

SOURCE: MEPC.403(83).pdf