arriage of dangerous goods in solid form in bulk is prohibited except in accordance with the provisions of this part.
3 To su
pplement the provisions of this part, each Contracting Government shall issue, or cause to be issued, instructions on emergency response and medical first aid relevant to incidents involving dangerous goods in solid form in bulk, taking into account the guidelines developed by the Organization.
12
RESOLUTION MSC.539(107) (adopted on 8 June 2023)
2023 AMENDMENTS TO THE
INTERNATIONAL MARITIME SOLID BULK CARGOES (IMSBC) CODE
Non-c
ommercial use only
Reg
ulation 7-2
Documents
1 In al
l documents relating to the carriage of dangerous goods in solid form in bulk by sea, the bulk cargo
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
Reg
ulation 7-2
Documents
1 In al
l documents relating to the carriage of dangerous goods in solid form in bulk by sea, the bulk cargo
shipping name of the goods shall be used (trade names alone shall not be used).
2 Eac
h ship carrying dangerous goods in solid form in bulk shall have a special list or manifest setting forth the dangerous goods on board and the location thereof. A detailed stowage plan, which identifies by class and sets out the location of all dangerous goods on board, may be used in place of such a special list or manifest. A copy of one of these documents shall be made available before departure to the person or organization designated by the port State authority.
Regu
lation 7-3
Stowage and segregation requirements
1 Dan
gerous goods in solid form in bulk shall be loaded and stowed safely and appropriately in accordance with the nature of the goods. Incompatible goods shall be segregated from one another.
2 Dan
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
the nature of the goods. Incompatible goods shall be segregated from one another.
2 Dan
gerous goods in solid form in bulk, which are liable to spontaneous heating or combustion, shall not be carried unless adequate precautions have been taken to minimize the likelihood of the outbreak of fire.
3 Dan
gerous goods in solid form in bulk, which give off dangerous vapours, shall be stowed in a well ventilated cargo space.
Regu

lation 7-4
Reporting of incidents involving dangerous goods
1 Whe
n an incident takes place involving the loss or likely loss overboard of dangerous goods in solid form in bulk into the sea, the master, or other person having charge of the ship, shall report the particulars of such an incident without delay and to the fullest extent possible to the nearest coastal State. The report shall be drawn up based on general principles and guidelines developed by the Organization.
2 In th
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
based on general principles and guidelines developed by the Organization.
2 In th
e event of the ship referred to in paragraph 1 being abandoned, or in the event of a report from such a ship being incomplete or unobtainable, the company, as defined in regulation IX/1.2, shall, to the fullest extent possible, assume the obligations placed upon the master by this regulation.
Regu
lation 7-5
Requirements for the carriage of dangerous goods in solid form in bulk
The
carriage of dangerous goods in solid form in bulk shall be in compliance with the relevant provisions of the IMSBC Code, as defined in regulation VI/1-1.1.
1.7 Defin
itions
For t
he purpose of this Code, unless expressly provided otherwise, the following definitions shall apply:
Angl
e of repose means the maximum slope angle of non-cohesive (i.e. free-flowing) granular material. It is measured as the angle between a horizontal plane and the cone slope of such material.

---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
material. It is measured as the angle between a horizontal plane and the cone slope of such material.


Ang
le of repose
Bul
k Cargo Shipping Name (BCSN) identifies a bulk cargo during transport by sea. When a cargo is listed in this Code, the Bulk Cargo Shipping Name of the cargo is identified by capital letters in the individual schedules or in the index. When a cargo is dangerous goods as defined in the IMDG Code, as defined in regulation VII/1.1 of the SOLAS Convention, refer to 4.1.1.
Bulk d
ensity means the weight of solids, air and water per unit volume. Bulk density is expressed in kilograms per cubic metre (kg/m3), in g

eneral. The void spaces in the cargo may be filled with air
and water.
Car
go space means any space in a ship designated for carriage of cargoes.
Car
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).p
df
and water.
Car
go space means any space in a ship designated for carriage of cargoes.
Car
goes which may liquefy means cargoes which contain a certain proportion of fine particles and
a certain amount of moisture. They may liquefy if shipped with a moisture content in excess of their
transportable moisture limit.
Car
goes which may undergo dynamic separation means cargoes which contain a certain proportion
of fine particles and a certain amount of moisture, and may undergo dynamic separation if shipped
at a moisture content in excess of their transportable moisture limit.
Coh
esive material means materials other than non-cohesive materials.
Com
petent authority means any national regulatory body or authority designated or otherwise
recognized as such for any purpose in connection with this Code. The competent authority shall
operate independently from the shipper.
Con
centrates means materials obtained from a natural ore by a process of enrichment or beneficiation
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).p
df
operate independently from the shipper.
Con
centrates means materials obtained from a natural ore by a process of enrichment or beneficiation
by physical or chemical separation and removal of unwanted constituents.
Con
signment means a solid bulk cargo presented by a shipper for transport.
Dyna
mic separation means the phenomenon of forming a liquid slurry (water and fine solids) above
the solid material, resulting in a free surface effect which may significantly affect the ships stability.
Flo
w moisture point  means the percentage moisture content (wet mass basis) at which a flow
state develops under the prescribed method of test in a representative sample of the material (see
paragraph 1 of appendix 2).
Flow
state means a state occurring when a mass of granular material is saturated with liquid to an
extent that, under the influence of prevailing external forces such as vibration, impaction or ships
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).p

df
extent that, under the influence of prevailing external forces such as vibration, impaction or ships motion, it loses its internal shear strength and behaves as a liquid.
GHS me
ans the ninth revised edition of the Globally Harmonized System of Classification and Labelling of Chemicals, published by the United Nations as document ST/SG/AC.10/30/Rev.9.
Grou
p A consists of cargoes which possess a hazard due to moisture that may result in liquefaction or dynamic separation if shipped at a moisture content in excess of their transportable moisture limit.
Grou
p B consists of cargoes which possess a chemical hazard which could give rise to a dangerous situation on a ship.
Grou
p C consists of cargoes which are classified as neither group A nor group B.


Non-c
ommercial use only

---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
2023 AMENDMENTS TO THE
INTERNATIONAL MARITIME SOLID BULK CARGOES (IMSBC) CODE
Non-c
ommercial use only
High
-density solid bulk cargo means a solid bulk cargo with a stowage factor of 0.56 m3/t or l ess.
IMDG
Code means the International Maritime Dangerous Goods (IMDG) Code adopted by the Maritime Safety Committee of the Organization by resolution MSC.122(75), as may be amended by the Organization.
Inc