SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
Each draught and tonnage observation shall be recorded in a cargo logbook. If significant deviations from the agreed plan are detected, cargo or ballast operations or both shall be adjusted to ensure that the deviations are corrected.
Chapt
er VII
Car
riage of dangerous goods
Part A-1
Car
riage of dangerous goods in solid form in bulk
Regu
lation 7
Definitions
Dan
gerous goods in solid form in bulk means any material, other than liquid or gas, consisting of a combination of particles, granules or any larger pieces of material, generally uniform in composition, which is covered by the IMDG Code and is loaded directly into the cargo spaces of a ship without any intermediate form of containment, and includes such materials loaded in a barge on a barge-carrying ship.
Regu
lation 7-1
Application
1 Unl
ess expressly provided otherwise, this part applies to the carriage of dangerous goods in solid form in bulk
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
Regu
lation 7-1
Application
1 Unl
ess expressly provided otherwise, this part applies to the carriage of dangerous goods in solid form in bulk
in all ships to which the present regulations apply and in cargo ships of less than 500 gross tonnage.
2 The c
arriage of dangerous goods in solid form in bulk is prohibited except in accordance with the provisions of this part.
3 To su
pplement the provisions of this part, each Contracting Government shall issue, or cause to be issued, instructions on emergency response and medical first aid relevant to incidents involving dangerous goods in solid form in bulk, taking into account the guidelines developed by the Organization.

Non-c
ommercial use only
Reg
ulation 7-2
Documents

1 In al
l documents relating to the carriage of dangerous goods in solid form in bulk by sea, the bulk cargo
---
SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
Reg
ulation 7-2
Documents
1 In al
l documents relating to the carriage of dangerous goods in solid form in bulk by sea, the bulk cargo
shipping name of the goods shall be used (trade names alone shall not be used).
2 Eac
h ship carrying dangerous goods in solid form in bulk shall have a special list or manifest setting forth the dangerous goods on board and the location thereof. A detailed stowage plan, which identifies by class and sets out the location of all dangerous goods on board, may be used in place of such a special list or manifest. A copy of one of these documents shall be made available before departure to the person or organization designated by the port State authority.
Regu
lation 7-3
Stowage and segregation requirements
1 Dan
gerous goods in solid form in bulk shall be loaded and stowed safely and appropriately in accordance with the nature of the goods. Incompatible goods shall be segregated from one another.
2 Dan

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
the nature of the goods. Incompatible goods shall be segregated from one another.
2 Dan
gerous goods in solid form in bulk, which are liable to spontaneous heating or combustion, shall not be carried unless adequate precautions have been taken to minimize the likelihood of the outbreak of fire.
3 Dan
gerous goods in solid form in bulk, which give off dangerous vapours, shall be stowed in a well ventilated cargo space.
Regu
lation 7-4
Reporting of incidents involving dangerous goods
1 Whe
n an incident takes place involving the loss or likely loss overboard of dangerous goods in solid form in bulk into the sea, the master, or other person having charge of the ship, shall report the particulars of such an incident without delay and to the fullest extent possible to the nearest coastal State. The report shall be drawn up based on general principles and guidelines developed by the Organization.
2 In th

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
based on general principles and guidelines developed by the Organization.
2 In th

e event of the ship referred to in paragraph 1 being abandoned, or in the event of a report from such a ship being incomplete or unobtainable, the company, as defined in regulation IX/1.2, shall, to the fullest extent possible, assume the obligations placed upon the master by this regulation.

Regu
lation 7-5

Requirements for the carriage of dangerous goods in solid form in bulk

The
carriage of dangerous goods in solid form in bulk shall be in compliance with the relevant provisions of the IMSBC Code, as defined in regulation VI/1-1.1.

1.7 Defin
itions

For t
he purpose of this Code, unless expressly provided otherwise, the following definitions shall apply:

Angl
e of repose means the maximum slope angle of non-cohesive (i.e. free-flowing) granular material. It is measured as the angle between a horizontal plane and the cone slope of such material.

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).p
df

material. It is measured as the angle between a horizontal plane and the cone slope of such material.

13

Non-commercial use only

Ang
le of repose

Bul
k Cargo Shipping Name (BCSN) identifies a bulk cargo during transport by sea. When a cargo is listed in this Code, the Bulk Cargo Shipping Name of the cargo is identified by capital letters in the individual schedules or in the index. When a cargo is dangerous goods as defined in the IMDG Code, as defined in regulation VII/1.1 of the SOLAS Convention, refer to 4.1.1.

Bulk d
ensity means the weight of solids, air and water per unit volume. Bulk density is expressed in kilograms per cubic metre (kg/m3), in g
eneral. The void spaces in the cargo may be filled with air and water.

Car
go space means any space in a ship designated for carriage of cargoes.

Car

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).p
df

and water.

Car
go space means any space in a ship designated for carriage of cargoes.

Car
goes which may liquefy means cargoes which contain a certain proportion of fine particles and

a certain amount of moisture. They may liquefy if shipped with a moisture content in excess of their transportable moisture limit.

Car
goes which may undergo dynamic separation means cargoes which contain a certain proportion of fine particles and a certain amount of moisture, and may undergo dynamic separation if shipped at a moisture content in excess of their transportable moisture limit.

Coh
esive material means materials other than non-cohesive materials.

Com
petent authority means any national regulatory body or authority designated or otherwise recognized as such for any purpose in connection with this Code. The competent authority shall operate independently from the shipper.

Con
centrates means materials obtained from a natural ore by a process of enrichment or beneficiation

---

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf

operate independently from the shipper.

Con
centrates means materials obtained from a natural ore by a process of enrichment or beneficiation by physical or chemical separation and removal of unwanted constituents.

Con
signment means a solid bulk cargo presented by a shipper for transport.

Dyna
mic separation means the phenomenon of forming a liquid slurry (water and fine solids) above the solid material, resulting in a free surface effect which may significantly affect the ships stability.

Flo
w moisture point means the percentage moisture content (wet mass basis) at which a flow state develops under the prescribed method of test in a representative sample of the material (see paragraph 1 of appendix 2).

Flow
state means a state occurring when a mass of granular material is saturated with liquid to an extent that, under the influence of prevailing external forces such as vibration, impaction or ships

---

SOURCE: MSC.539(107).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.539(107).pdf
extent that, under the influence of prevailing external forces such as vibration, impaction or ships