1 Paragraph 6.14.1.1 is replaced by the following:
Self-righting test
"6.14.1.1 when the lifeboat with its engine is loaded in the normal position with properly secured weights representing the fully equipped lifeboat with a full complement of persons on board. The weight used to represent each person, assumed to have an average mass of 75 kg for a lifeboat intended for a passenger ship or 82.5 kg for a lifeboat intended for a cargo ship, should be secured at each
---
SOURCE: MSC.568(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.568(109).pdf
ship or 82.5 kg for a lifeboat intended for a cargo ship, should be secured at each seat location and have its centre of gravity approximately 300 mm above the seat pan so as to have the same effect on stability as when the lifeboat is loaded with the number of persons for which it is to be approved; and".
***
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))

SOURCE: MSC.568(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.568(109).pdf
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))
MSC 109/22/Add.1
Annex 9, page 1
I:\MSC\109\22\MSC 109-22-Add.1.docx
ANNEX 9
RESOLUTION MSC.568(109)
(adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES (RESOLUTION MSC.81(70))
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,
RECALLING ALSO that the Assembly, when adopting resolution A.689(17) on Testing of life-saving appliances, authorized the Committee to keep the annexed Recommendation on testing of life-saving appliances under review and to adopt, when appropriate, amendments thereto,
RECALLING FURTHER that, since the adoption of resolution A.689(17), the Committee has
---
SOURCE: MSC.568(109).pdf
URL:

https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.568(109).pdf
thereto,
RECALLING FURTHER that, since the adoption of resolution A.689(17), the Committee has amended the Recommendation annexed thereto by resolutions MSC.54(66) and MSC.81(70), and by Circulars MSC/Circ.596, MSC/Circ.615 and MSC/Circ.809,
RECOGNIZING the need to ensure that the references in the Revised recommendation on testing of life-saving appliances (resolution MSC.81(70)) are kept up to date,
1 ADOPTS the Amendments to the Revised recommendation on testing of life -saving appliances (resolution MSC.81(70)), set out in the annex to the present resolution;
2 RECOMMENDS Governments to apply the amendments when testing life-saving appliances, as set out in the annex to the present resolution;
3 INVITES Contracting Governments to the SOLAS Convention to bring the above amendments to the attention of all parties concerned.
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES

SOURCE: MSC.568(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.568(109).pdf
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))
MSC 109/22/Add.1
Annex 9, page 2
I:\MSC\109\22\MSC 109-22-Add.1.docx
ANNEX
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES (RESOLUTION MSC.81(70))
PART 1 PROTOTYPE TEST FOR LIFE-SAVING APPLIANCES
6 Lifeboats
6.14 Additional tests for totally enclosed lifeboats
1 Paragraph 6.14.1.1 is replaced by the following:
Self-righting test
"6.14.1.1 when the lifeboat with its engine is loaded in the normal position with properly secured weights representing the fully equipped lifeboat with a full complement of persons on board. The weight used to represent each person, assumed to have an average mass of 75 kg for a lifeboat intended for a passenger ship or 82.5 kg for a lifeboat intended for a cargo ship, should be secured at each
---
SOURCE: MSC.568(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.568(109).pdf
ship or 82.5 kg for a lifeboat intended for a cargo ship, should be secured at each seat location and have its centre of gravity approximately 300 mm above the seat pan so as to have the same effect on stability as when the lifeboat is loaded with the number of persons for which it is to be approved; and".
***
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON

TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))
RESOLUTION MSC.568(109) (adopted on 6 December 2024)
AMENDMENTS TO THE REVISED RECOMMENDATION ON
TESTING OF LIFE-SAVING APPLIANCES
(RESOLUTION MSC.81(70))

SOURCE: MSC.566(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.566(109).pdf
RESOLUTION MSC.565(108) (adopted on 24 May 2024)
REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF
LIQUEFIED HYDROGEN IN BULK
MSC 108/20/Add.1
Annex 20, page 1
I:\MSC\108\MSC 108-20-Add.1.docx
ANNEX 20
RESOLUTION MSC.565(108)
(adopted on 24 May 2024)
REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF
LIQUEFIED HYDROGEN IN BULK
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,
NOTING that the International Convention for the Safety of Life at Sea ("the Convention"), 1974 and the International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk ("the IGC Code") currently do not specifically provide requirements for carriage of liquefied hydrogen in bulk by sea,
NOTING ALSO that paragraph 5 of Preamble of the IGC Code states that requirements for new products and their conditions of carriage will be circulated as recommendations, on an
---
SOURCE: MSC.566(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.566(109).pdf
new products and their conditions of carriage will be circulated as recommendations, on an interim basis, prior to the entry into force of the appropriate amendments,
RECOGNIZING a need for the development of the Revised interim recommendations for carriage of liquefied hydrogen in bulk,
ACKNOWLEDGING that, in the interim, there is an urgent need to provide recommendations to the Administrations on safe carriage of liquefied hydrogen in bulk,
ACKNOWLEDGING ALSO that the Revised Interim Recommendations are intended to facilitate establishment of a tripartite agreement for a pilot ship, which will be developed for the research and demonstration of safe long-distance overseas carriage of liquefied hydrogen in bulk,
HAVING CONSIDERED the Revised Interim Recommendations prepared by the Sub - Committee on Carriage of Cargoes and Containers at its ninth session,
1 ADOPTS the Revised interim recommendations for carriage of liquefied hydrogen in
---
SOURCE: MSC.566(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.566(109).p

df
1 ADOPTS the Revised interim recommendations for carriage of liquefied hydrogen in bulk, the text of which is set out in the annex to the present resolution;
2 INVITES Member States to apply the Revised Interim Recommendations to the pilot ship carrying liquefied hydrogen in bulk taking the explanatory notes into consideration;
3 AGREES to acquire information on safe carriage of liquefied hydrogen in bulk prior to amendment to the IGC Code for the inclusion of liquefied hydrogen;
4 ALSO AGREES that these Revised Interim Recommendations may need to be reviewed if they are to be applied to ships other than the pilot ship; and
5 URGES Member States and the industry to submit information, observations, comments and recommendations based on the practical experience gained through the application of the Revised Interim Recommendations and submit relevant safety analysis on ships carrying liquefied hydrogen in bulk.
6 REVOKES resolution MSC.420(97).

SOURCE: MSC.566(109).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.566(109).pdf
on ships carrying liquefied hydrogen in bulk.
6 REVOKES resolution MSC.420(97).
RESOLUTION MSC.565(108) (adopted on 24 May 2024)
REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF
LIQUEFIED HYDROGEN IN BULK

ANNEX
REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE
OF LIQUEFIED HYDROGEN IN BULK
1 INTRODUCTION
1.1 For the carriage of liquefied gases in bulk by ships, the ships should comply with the relevant requirements in the IGC Code, as amended ("the Code"). The scope of the Code provided in paragraph 1.1.1 is:
"The Code applies to ships regardless of their size, including those of less than 500 gross tonnage, engaged in the carriage of liquefied gases having a vapour pressure exceeding 0.28 MPa absolute at a temperature of 37.8°C, and other products, as shown in chapter 19, when carried in bulk".
1.2 A ship carrying liquefied hydrogen in bulk (hereinafter called "liquefied hydrogen
---
SOURCE: MSC.566(109).pdf