URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).pdf
within loading and discharge areas .
1.1.1 Appl ication and implementation of the Code
1.1.1.1 Th e provisions contained in this Code are applicable to all ships to which the International Convention for the Safety of Life at Sea, 1974 (SOLAS), as amended, applies and which are carrying dangerous goods as defined in regulation 1 of part A of chapter VII of that Convention .
1.1.
1.2 Th
e provisions of regulation II-2/19 of that Convention apply to passenger ships and to cargo ships constructed on or after 1 July 2002 .
For
:
.1 a pa
ssenger ship constructed on or after 1 September 1984 but before 1 July 2002; or
.2 a ca
rgo ship of 500 gross tons or over constructed on or after 1 September 1984 but before 1 July 2002; or
.3 a ca
rgo ship of less than 500 gross tons constructed on or after 1 February 1992 but before 1 July 2002,
the requirements of regulation II-2/54 of SOLAS, as amended by resolutions MSC .1(
XLV), MSC .6(
48),
MSC .13
(57), MSC .22
(59), MSC .24

SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).pdf
the requirements of regulation II-2/54 of SOLAS, as amended by resolutions MSC .1(
XLV), MSC .6(
48),
MSC .13
(57), MSC .22
(59), MSC .24
(60), MSC .27
(61), MSC .31
(63) and MSC .57
(67), apply (see II-2/1 .2) .
Fo
r cargo ships of less than 500 gross tons constructed on or after 1 September 1984 and before 1 February 1992, it is recommended that Contracting Governments extend such application to these cargo ships as far as possible .
1.1.
1.3 Al
l ships, irrespective of type and size, carrying substances, materials or articles identified in this Code as marine pollutants are subject to the provisions of this Code .
1.1.
1.4 In c
ertain parts of this Code, a particular action is prescribed, but the responsibility for carrying out the action is not specifically assigned to any particular person .

Such responsibility may vary according to the laws and
customs of different countries and the international conventions into which these countries have entered . F
or

SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
customs of different countries and the international conventions into which these countries have entered . F
or
the purpose of this Code, it is not necessary to make this assignment, but only to identify the action itself . I
t
remains the prerogative of each Government to assign this responsibility .
1.1.
1.5 Al
though this Code is legally treated as a mandatory instrument under chapter VII of SOLAS, as amended,
the following provisions of the Code remain recommendatory:
.1 pa
ragraph 1 .1 .1 .8 (N
otification of infringements);
.2 pa
ragraphs 1 .3 .1 .4 t
o 1 .3 .1 .7 (
Training);
.3 ch
apter 1 .4 (S
ecurity provisions) except 1 .4 .1 .1, w
hich is mandatory;
.4 se
ction 2 .1 .0 of c
hapter 2 .1 (C
lass 1 Explosives, Introductory notes);
.5 se
ction 2 .3 .3 of c
hapter 2 .3 (D
etermination of flashpoint);
.6 co
lumns 15 and 17 of the Dangerous Goods List in chapter 3 .2;
.7 th
e segregation flow chart and example in the annex to chapter 7 .2;
.
8 se
ction 5 .4 .5 of c

SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
.7 th
e segregation flow chart and example in the annex to chapter 7 .2;
.
8 se
ction 5 .4 .5 of c
hapter 5 .4 (M

ultimodal Dangerous Goods Form), insofar as the layout of the form is
concerned;
RESOLUTION MSC.556(108) (adopted on 23 May 2024)
AMENDMENTS TO THE
INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG) CODE
.9 chapter 7 .8 (S pecial requirements in the event of an incident and fire precautions involving dangerous
goods);
.10 se
ction 7 .9 .3 (
Contact information for the main designated national competent authorities); and
.11 app
endix B .
1.1.1.6 Ap plication of standards
Where the application of a standard is required and there is any conflict between the standard and the
provisions of this Code, the provisions of this Code take precedence . T
he requirements of the standard that
do not conflict with the provisions of this Code shall be applied as specified, including the requirements of
---
SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
he requirements of the standard that
do not conflict with the provisions of this Code shall be applied as specified, including the requirements of
any other standard, or part of a standard, referenced within that standard as normative .
Note
: A standard provides details on how to meet the provisions of this Code and may include requirements
in addition to those set out in this Code .
1.1.1.7 Tr ansport of dangerous goods used as a coolant or conditioner
Dangerous goods, that are only asphyxiant (which dilute or replace the oxygen normally in the atmosphere),
when used in cargo transport units for cooling or conditioning purposes are only subject to the provisions of
section 5 .5 .3 .
Note
: When carried on board as ships stores or equipment, these coolants and conditioners are not subject
to the provisions of this Code .
1.1.1.8 No tification of infringements
When a competent authority has reasons to believe that the safety of the transport of dangerous goods is
---
SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
1.1.1.8 No tification of infringements
When a competent authority has reasons to believe that the safety of the transport of dangerous goods is
compromised as a result of serious or repeated infringements of this Code by an enterprise which has its
headquarters on the territory of another competent authority, it should if necessary notify that competent
authority of such infringements .
1.1.1.9 La mps containing dangerous goods
The following lamps are not subject to this Code provided that they do not contain radioactive material and do
not contain mercury in quantities above those specified in special provision 366 of chapter 3 .3:
.1
la
mps that are collected directly from individuals and households when transported to a collection or
recycling facility;

.2 la
mps each containing not more than 1 g of dangerous goods and packaged so that there is not more
than 30 g of dangerous goods per package, provided that:
(i) th

SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
than 30 g of dangerous goods per package, provided that:
(i) th
e lamps are manufactured according to a certified quality management system;
Note: The application of ISO 9001:2008 may be considered acceptable for this purpose .
and
(
ii) eac
h lamp is either individually packed in inner packagings, separated by dividers, or surrounded
with cushioning material to protect the lamps and packed into strong outer packagings meeting the
general provisions of 4 .1 .1 .1 an
d capable of passing a 1 .2 m dr
op test .
.3 us
ed, damaged or defective lamps each containing not more than 1 g of dangerous goods with not more
than 30 g of dangerous goods per package when transported from a collection or recycling facility . T
he
lamps shall be packed in strong outer packagings sufficient for preventing release of the contents under
normal conditions of transport meeting the general provisions of 4 .1 .1 .1 an
d that are capable of passing
a drop test of not less than 1 .2 m .
Note

SOURCE: MSC.556(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.556(108).p
df
d that are capable of passing
a drop test of not less than 1 .2 m .
Note
: Lamps containing radioactive material are addressed in 2 .7 .2 .2 .2 .2 .