requirements of regulation III/32.3 of the Convention; and
.5 in addition, on all craft, the following should be provided no later than the date of the first renewal survey on or after 1 January 2028:
.1 for passenger craft on voyages less than 24 hours, a number of infant lifejackets equal to at least 2.5% of the number of passengers on board should be provided;
.2 for passenger craft on voyages 24 hours or greater, infant lifejackets should be provided for each infant on board; and
.3 if the adult lifejackets provided are not designed to fit persons weighing up to 140 kg and with a chest girth of up to 1,750 mm, a sufficient number of suitable accessories should be available on board to allow them to be secured to such persons."

SOURCE: MSC.573(110).pdf
URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.573(110).pdf

AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR HIGH-SPEED CRAFT, 1994 (1994 HSC CODE)
- 3 -
ANNEX 1

FORM OF SAFETY CERTIFICATE FOR HIGH-SPEED CRAFT

Record of Equipment for High-Speed Craft Safety Certificate

2 Details of life-saving appliances

1 In the table for "Details of life -saving appliances", a new entry 8.3 is inserted under existing entry 8.2, as follows:

"

8.3 Number suitable for infants ..

"

5 Details of navigational systems and equipment

2 In the table for "Details of navigational systems and equipment", new entries 16.1 to 16.3 are added under existing entry 15, as follows:

"

16.1 Pilot ladder and manropes ..
16.2 Spare pilot ladder and manropes ..
16.3 Means of securing a pilot ladder at intermediate length ..

"

RESOLUTION MSC.573(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR HIGH-SPEED CRAFT, 1994 (1994 HSC CODE)

RESOLUTION MSC.573(110) (adopted on 26 June 2025)

SOURCE: MSC.573(110).pdf
URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.573(110).pdf

AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR HIGH-SPEED CRAFT, 1994 (1994 HSC CODE)

RESOLUTION MSC.573(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY
FOR HIGH-SPEED CRAFT, 1994 (1994 HSC CODE)

SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf

I:\MSC\108\MSC 108-20-Add.1.docx
ANNEX 20

RESOLUTION MSC.565(108)
(adopted on 24 May 2024)

REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF
LIQUEFIED HYDROGEN IN BULK

THE MARITIME SAFETY COMMITTEE,

RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee,

NOTING that the International Convention for the Safety of Life at Sea ("the Convention"), 1974 and the International Code for the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk ("the IGC Code") currently do not specifically provide requirements for carriage of liquefied hydrogen in bulk by sea,

NOTING ALSO that paragraph 5 of Preamble of the IGC Code states that requirements for new products and their conditions of carriage will be circulated as recommendations, on an interim basis, prior to the entry into force of the appropriate amendments,
---
SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf
interim basis, prior to the entry into force of the appropriate amendments,

RECOGNIZING a need for the development of the Revised interim recommendations for carriage of liquefied hydrogen in bulk,

ACKNOWLEDGING that, in the interim, there is an urgent need to provide recommendations to the Administrations on safe carriage of liquefied hydrogen in bulk,

ACKNOWLEDGING ALSO that the Revised Interim Recommendations are intended to facilitate establishment of a tripartite agreement for a pilot ship, which will be developed for the research and demonstration of safe long-distance overseas carriage of liquefied hydrogen in bulk,

HAVING CONSIDERED the Revised Interim Recommendations prepared by the Sub - Committee on Carriage of Cargoes and Containers at its ninth session,

1 ADOPTS the Revised interim recommendations for carriage of liquefied hydrogen in bulk, the text of which is set out in the annex to the present resolution;

SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf
bulk, the text of which is set out in the annex to the present resolution;

2 INVITES Member States to apply the Revised Interim Recommendations to the pilot ship carrying liquefied hydrogen in bulk taking the explanatory notes into consideration;

3 AGREES to acquire information on safe carriage of liquefied hydrogen in bulk prior to amendment to the IGC Code for the inclusion of liquefied hydrogen;

4 ALSO AGREES that these Revised Interim Recommendations may need to be reviewed if they are to be applied to ships other than the pilot ship; and

5 URGES Member States and the industry to submit information, observations, comments and recommendations based on the practical experience gained through the application of the Revised Interim Recommendations and submit relevant safety analysis on ships carrying liquefied hydrogen in bulk.

6 REVOKES resolution MSC.420(97).

ANNEX

SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf
6 REVOKES resolution MSC.420(97).
MSC 108/20/Add.1
Annex 20, page 2

I:\MSC\108\MSC 108-20-Add.1.docx
ANNEX

REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF LIQUEFIED HYDROGEN IN BULK

1 INTRODUCTION

1.1 For the carriage of liquefied gases in bulk by ships, the ships should comply with the relevant requirements in the IGC Code, as amended ("the Code"). The scope of the Code provided in paragraph 1.1.1 is:

"The Code applies to ships regardless of their size, including those of less than 500 gross tonnage, engaged in the carriage of liquefied gases having a vapour pressure exceeding 0.28 MPa absolute at a temperature of 37.8°C, and other products, as shown in chapter 19, when carried in bulk".

1.2 A ship carrying liquefied hydrogen in bulk (hereinafter called "liquefied hydrogen carrier") should comply with the Code.

1.3 The Code requires that a gas carrier should comply with the minimum requirements

---

SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf

carrier") should comply with the Code.

1.3 The Code requires that a gas carrier should comply with the minimum requirements for the cargo listed in chapter 19. However, the requirements for liquefied hydrogen are not specified in the Code.

1.4 This annex provides the Revised Interim Recommendations, as referred to in paragraph 5 of the preamble of the Code, for the carriage of liquefied hydrogen in bulk, which are intended to provide the basis for the future minimum requirements for the carriage of this cargo. The Revised Interim Recommendations are intended to facilitate the establishme nt of a tripartite agreement among the relevant Administrations for the carriage of liquefied hydrogen in bulk. However, they are not intended to prohibit the adoption of designs and arrangements other than those specified in the Code or in these Recommendations, at the discretion of the Administrations.

SOURCE: MSC.565(108).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.565(108).pdf

other than those specified in the Code or in these Recommendations, at the discretion of the Administrations.

1.5 These recommendations have been developed under the assumption that a liquefied hydrogen carrier does not carry liquefied gases other than liquefied hydrogen. These recommendations, therefore, are not applicable to liquefied hydrogen carriers carrying gase s