IMSBC Code, the text of which is set out in the annex to the present resolution;
2 DETERMINES, in accordance with article VIII(b)(vi)(2)(bb) of the Convention, that the said amendments shall be deemed to have been accepted on 1 July 2026, unless prior to that date, more than one third of the Contracting Governments to the Convention or Contracting Governments the combined merchant fleets of which constitute not less than 50% of the gross tonnage of the world's merchant fleet have notified the Secretary -General of their objections to the amendments;
3 INVITES Contracting Governments to the Convention to note that, in accordance with
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
to the amendments;
3 INVITES Contracting Governments to the Convention to note that, in accordance with
article VIII(b)(vii)(2) of the Convention, the amendments shall enter into force on 1 January 2027 upon their acceptance in accordance with paragraph 2 above;
4 AGREES that Contracting Governments to the Convention may apply the aforementioned amendments in whole or in part on a voluntary basis as from 1 January 2026;
5 REQUESTS the Secretary -General, for the purpose of article VIII(b)(v) of the Convention, to transmit certified copies of the present resolution and the text of the amendments contained in the annex to all Contracting Governments to the Convention;
6 ALSO REQUESTS the Secretary -General to transmit copies of this resolution and its annex to Members of the Organization which are not Contracting Governments to the Convention.
RESOLUTION MSC.575(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL MARITIME SOLID BULK CARGOES CODE (IMSBC CODE)

SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
the Convention.
RESOLUTION MSC.575(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL MARITIME SOLID BULK CARGOES CODE (IMSBC CODE)

ANNEX
AMENDMENTS TO THE
INTERNATIONAL MARITIME SOLID BULK CARGOES CODE (IMSBC CODE)
AMENDMENT 08-25
Section 9 Materials possessing chemical hazards
9.3 Stowage and segregation requirements
9.3.3 Segregation between bulk materials possessing chemical hazards and dangerous goods in packaged form
Table in 9.3.3 is amended as follows:
The oblique line in the first cell on the left is deleted; the cell is separated into two, and the right cell is merged to the next cell after the separation.
The heading of the first column on the left is replaced to read "Bulk materials (classified as dangerous goods)".
In the heading of the fourth column, the term "1.6" is added after the term "1.3".
In the first column on the left, the words "Radioactive materials" are replaced by the words "Radioactive material".

SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
In the first column on the left, the words "Radioactive materials" are replaced by the words "Radioactive material".
In the second column on the left, the word "MHB" is deleted.
In paragraph 3 ("Separated by a complete compartment or hold from"), replace the words "Means either" by the word "Either".
Section 13 References to related information and recommendations
13.2 Reference list
In paragraph 13.2.3, "MSC.1/Circ.1395/Rev.6" is replaced by "MSC.1/Circ.1395/Rev.7".
In paragraphs 13.2.6 and 13.2.9, the words "Recommendations on the safe use of pesticides in ships applicable to the fumigation of cargo holds (MSC.1/Circ.1264, as amended by MSC.1/Circ.1396)" are replaced by the words "Revised recommendations on the safe use of pesticides in ships applicable to the fumigation of cargo holds (MSC.1/Circ.1264/Rev.1)".
RESOLUTION MSC.575(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL MARITIME SOLID
BULK CARGOES CODE (IMSBC CODE)
- 3 -
APPENDIX 1

SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
RESOLUTION MSC.575(110) (adopted on 26 June 2025)
AMENDMENTS TO THE INTERNATIONAL MARITIME SOLID
BULK CARGOES CODE (IMSBC CODE)
- 3 -
APPENDIX 1
INDIVIDUAL SCHEDULES OF SOLID BULK CARGOES
Amendments to existing individual schedules
The following individual schedules are amended as indicated below:
ALUMINIUM FERROSILICON POWDER UN 1395
In the individual schedule for "ALUMINIUM FERROSILICON POWDER UN 1395", in the section for "Precautions", the last sentence is deleted.
ALUMINIUM SILICON POWDER, UNCOATED UN 1398
In the individual schedule for "ALUMINIUM SILICON POWDER, UNCOATED UN 1398", in the section for "Precautions", the last sentence is deleted.
ALUMINIUM SMELTING BY -PRODUCTS or ALUMINIUM REMELTING BY -PRODUCTS UN 3170
In the individual schedule for "ALUMINIUM SMELTING BY -PRODUCTS or ALUMINIUM REMELTING BY -PRODUCTS UN 3170", in the section for "Precautions", the sentence "At least two sets of self -contained breathing apparatus, in addition to those required by
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
"At least two sets of self -contained breathing apparatus, in addition to those required by SOLAS regulation II-2/10.10, shall be provided on board" is deleted.
CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969

In the individual schedule for "CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE UN 2969", BCSN is replaced to read "CASTOR BEANS UN 2969". In the table for "Characteristics", in the box for "MHB", the words "TX and/or CR" are inserted. In the section for "Hazard", the sentence "This cargo is non -combustible or has a low fire risk." is inserted at the end of the section.
DIRECT REDUCED IRON (A), Briquettes, hot-moulded
The text in the section for "Description" is replaced to read as follows:
"Direct reduced iron (DRI) (A) is a metallic grey material, emanating from a densification process, whereby the DRI feed material is hot-moulded into a briquette
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
densification process, whereby the DRI feed material is hot-moulded into a briquette form with total iron (Fe) content of at least 88% by weight at a temperature greater than 650°C."
The first and second paragraphs in the section for "Loading" are replaced, as follows :
"Prior to loading this cargo, the shipper shall provide the master with a certificate issued by a competent person recognized by the competent authority of the port of loading stating that the cargo, at the time of loading, is suitable for shipment and that it conforms with the requirements of this Code: that the apparent density is greater than 5,000 kg/m3; the quantity of fines and small particles (under 6.35 mm in size) does not exceed 5% by weight; the moisture content does not exceed 1.0%; and the temperature does not exceed 65°C.
This cargo shall not be loaded and shipped under the provisions of this schedule if the temperature is in excess of 65°C, if its moisture content is in excess of 1.0%, if
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
the temperature is in excess of 65°C, if its moisture content is in excess of 1.0%, if

the quantity of fines and small particles (under 6.35 mm in size) exceeds 5% by weight or if the apparent density is equal to or less than 5,000 kg/m3."
The third paragraph in the section for "Loading" is replaced, as follows:
"Appropriate precautions shall be taken prior to and during loading in order that the cargo be substantially composed of essentially whole and intact briquettes with minimal presence of exposed or loose uncompacted pellets . The cargo shall be loaded in such a way so as to minimize breakage of briquettes and the additional generation of fines and small particles (under 6.35 mm in size) and concentration of fines in any area of the cargo and to minimize the presence of exposed or loose
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
fines in any area of the cargo and to minimize the presence of exposed or loose uncompacted pellets and concentration thereof in any area of the cargo. The addition of fines and small particles (under 6.35 mm in size) or dust or loose pellets in

homogeneous cargoes of DRI (A) shall be prohibited."
DIRECT REDUCED IRON (B), Lumps, pellets, cold-moulded briquettes
The text in the section for "Description" is replaced, as follows :
"Direct reduced iron (DRI) (B) is a highly porous, black/grey metallic material formed by the reduction (removal of oxygen) of iron oxide at temperatures below the fusion point of iron. Cargoes in briquette form are defined as those with total iron (Fe) content of at least 88% by weight which have been moulded at a temperature not greater than 650°C or which have an apparent density of not greater than 5,000 kg/m3."
FERROSILICON UN 1408 with 30% or more but less than 90% silicon (including briquettes)

SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
FERROSILICON UN 1408 with 30% or more but less than 90% silicon (including briquettes)
In the individual schedule for "FERROSILICON UN 1408 with 30% or more but less than 90% silicon (including briquettes)", in the "Appendix", in the section for "General requirements for carriage of ferrosilicon", the first paragraph is deleted and the follo wing paragraphs are renumbered, accordingly.
FERROSILICON with at least 25% but less than 30% silicon, or 90% or more silicon
In the individual schedule for "FERROSILICON with at least 25% but less than 30% silicon, or 90% or more silicon", in the "Appendix", in the section for "General requirements for carriage of ferrosilicon", the text in paragraph 1 is replaced to read:
"1 Two sets of self-contained breathing apparatus shall be carried in the ship in addition to those required by SOLAS regulation II -2/10.10. Self-contained breathing apparatus sets carried in accordance with
---
SOURCE: MSC.575(110).pdf
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.575(110).pdf
addition to those required by SOLAS regulation II -2/10.10. Self-contained breathing apparatus sets carried in accordance with
SOLAS regulation II-2/19.3.6.2 may be used to comply with this requirement."
FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS UN 2793 in a form liable to self-heating
In the individual schedule for "FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS UN 2793 in a form liable to self-heating", in the section for "Carriage", in the second sentence, the words "or, alternatively, entry is required for this purpose, at least two sets of self-contained breathing apparatus, additional to those required by SOLAS regulation II-2/10.10 shall be provided" are deleted.